



Videndum
Production
Solutions





CONTENTS

[\[Click title to jump to brand page \]](#)

INTRO

A brief introduction to Videndum Production Solutions.

ANTON BAUER

The pioneer of professional, rugged, workhorse batteries for cinema, lighting, prosumer, etc.

AUTOCUE

Professional teleprompting systems and software used globally since 1955.

AUTOSCRIPT



The EMMY Award winning, world's only fully IP-enabled, end-to-end teleprompting workflow.

LIGHTPANELS



Triple EMMY Award winning LED lighting brand for cinema, television and broadcast.

OCONNOR



Worldwide, industry standard, multiple award winning (Oscar, Black Diamond, TIPA), fluid head camera support systems.

QUASAR



New, image based lighting (IBL) LED cinema/event lighting that syncs with virtual production. User-friendly programming.

SACHTLER



Worldwide, multi-award winning camera support equipment such as fluid heads, tripods, pedestals and lighting.

VINTEN

A global leader in manual and robotic camera supports - making camera operation effortless.

ANTON BAUER Autocue > autoscript Litepanels QUASAR SCIENCE oconnor sachtler Vinten



At a glance

Videndum Production Solutions

Videndum's Production Solutions Division designs, manufactures and distributes premium branded and technically advanced products and solutions.

Customers include broadcasters, film studios, rental houses, production companies and independent content creators and enterprises.

Videndum Production Solutions comprises of eight industry-leading brands that are renowned for their quality and reliability.

Products include video heads, tripods, prompts, lights, batteries and speciality robotics.

Innovation is at the core of all Videndum Production Solutions brands. Each brand leads the way in their own respective area, producing pioneering products that have revolutionised the market.



Our **products** are used
on **film sets** all around
the world




ANTON BAUER®

Premium Power with no compromise

Anton/Bauer is the leader in the design, manufacturing and testing of mobile power systems for use in broadcast and film/video.

Producing rugged systems for real world use that can be adapted to just about any situation where reliable, mobile power makes the difference.



VCLX NM2

Freestanding NiMH cell chemistry technology for feature length power.



Dionic 26V

Continuous 12A current with over 300W consistent power for high-performance production equipment.



Dionic XT

Continuous 12A current with over 170W consistent power for high-performance production equipment.



Titon

10A of consistently dependable 14.4V power. A reliable choice for ENG crews.



Titon SL

The slimmest and lightest solution to run monitors, cameras and more.



Titon Micro

The smallest solution to run cine and mirrorless systems and more.



Titon Base

The slimmer, lighter, more powerful power base for compact cine cameras.



GO 90

Lightweight, low-cost battery for pro photographers and videographers looking for a simple plug and play power solution



The Anton/Bauer **Salt-E Dog** is the first sodium battery designed and built for the motion picture and television industry. Using sodium chemistry, the 9kWh battery delivers consistent, reliable power that is cleaner and more environmentally safe than fossil fuel or lithium generators. With no noise, and no pollution, **Salt-E Dog** helps productions to deliver on **net-zero sustainability pledges** and maintain quality standards without compromise. 100% recyclable.

[\[Click here to learn more\]](#)



SALT-E DOG

9kWh Sodium
Sustainable Power
Supply






IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
TITON					
The workhorse power solution that's built to withstand filming for broadcast or live sports. Runs monitors, cameras, lights and more. Rugged, reliable and travel safe!					
	86750131	Titon 90 Gold Mount Battery	Gold Mount Lithium Ion Battery, 14.2 volts, 92Wh	420	872496009122
	86750137	Titon 150 Gold Mount Battery	Gold Mount Lithium Ion Battery, 14.4 volts, 144Wh	620	5060520685496
	86750159	Titon 240 Gold Mount Battery	Gold Mount Lithium Ion Battery, 14.4 volts, 238Wh	890	5060520685991
	86750132	Titon 90 V-Mount Battery	V-Mount Lithium Ion Battery, 14.2 volts, 92Wh	420	5060520685472
	86750138	Titon 150 V-Mount Battery	V-Mount Lithium Ion Battery, 14.4 volts, 144Wh	600	5060520685502
	86750160	Titon 240 V-Mount Battery	V-Mount Lithium Ion Battery, 14.4 volts, 238Wh	860	5060520686011
---	82750150	Titon 90 V-Mount, Battery and Charger Kit	Titon 90 V-Mount, Battery and Charger Kit	999	5060520688675
---	82750151	Titon 90 G-Mount, Battery and Charger Kit	Titon 90 G-Mount, Battery and Charger Kit	999	5060520688664
TITON SL					
Built slim and compact for fast paced content creation. Runs monitors, cameras, lights and more. Small, reliable and travel safe!					
	86750115	Titon SL 90 Gold Mount	Anton/Bauer Titon SL 90 Gold Mount Battery. 14.4 volts, 95 Wh	435	5060520687049
	86750116	Titon SL 90 V-Mount	Anton/Bauer Titon SL 90 V-Mount Battery. 14.4 volts, 95 Wh	435	5060520687056
	86750157	Titon SL 150 Gold Mount Battery	Gold Mount Lithium Ion Battery, 14.4 volts, 143Wh	650	5060896406275
	86750158	Titon SL 150 V-Mount Battery	V-Mount Lithium Ion Battery, 14.4 volts, 143Wh	650	5060520686004
TITON MICRO					
Micro size - premium power for compact cameras. Powers cine cameras and mirrorless systems for hours. Runs monitors, cameras, lights and more. Small, reliable and travel safe!					
	86750163	Titon Micro 45 Gold Mount Battery	Anton/Bauer Titon Micro 45 Gold Mount Battery. 14.4 volts, 45Wh	299	5060520687117
	86750166	Titon Micro 45 V-Mount Battery	Anton/Bauer Titon Micro 45V-Mount Battery. 14.4 volts, 45Wh	299	5060520687124








IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
TITON MICRO					
Micro size - premium power for compact cameras. Powers cine cameras and mirrorless systems for hours. Runs monitors, cameras, lights and more. Small, reliable and travel safe!					
	86750164	Titon Micro 90 Gold Mount Battery	Anton/Bauer Titon Micro 90 Gold Mount Battery. 14.4 volts, 98Wh	385	5060520687131
	86750167	Titon Micro 90 V-Mount Battery	Anton/Bauer Titon Micro 90 V-Mount Battery. 14.4 volts, 98Wh	385	5060520687148
	86750165	Titon Micro 150 Gold Mount Battery	Anton/Bauer Titon Micro 150 Gold Mount Battery.	460	5060520687155
	86750168	Titon Micro 150 V-Mount Battery	Anton/Bauer Titon Micro 150 V-Mount Battery.	460	5060520687162
---	86750170	Titon Micro 90 Gold Mount two battery kit w/GM2 charger	Titon Micro 90 Gold Mount two battery kit with GM2 charger	1070	5060896402000
---	86750171	Titon Micro 90 V Mount two battery kit w/VM2 charger	Titon Micro 90 V Mount two battery kit with VM2 charger	1070	5060896402017
---	86750172	Titon Micro 150 Gold Mount two battery kit w/GM2 charger	Titon Micro 150 G Mount two battery kit with GM2 charger	1250	5060896402024
---	86750173	Titon Micro 150 V Mount two battery kit w/VM2 charger	Titon Micro 150 V Mount two battery kit with VM2 charger	1250	5060896402031
TITON BASE					
The slimmer, lighter, longer-lasting base mounted battery for compact cine cameras. Runs monitors, cameras, transmitters and more. Small, reliable and travel safe!					
	86750169	Titon Base Battery	Anton/Bauer Titon Base Battery. 14.4 volt, 68Wh	375	5060520687735
	82750130	Titon Base Kit, for Black Magic Lemo and LP-E6	Anton/Bauer Titon Base Kit, for Black Magic Lemo cable and Dummy Input	430	5060520688633
	82750131	Titon Base Kit, for Black Magic Lemo input	Anton/Bauer Titon Base Kit, for Black Magic	470	5060520688459
	82750132	Titon Base Kit, for 9V Canon Camera with Lemo	Anton/Bauer Titon Base Kit, for 9V Canon Camera	470	5060520688466
	82750133	Titon Base Kit, for 14V Canon Camera with braided cable and Lemo	Anton/Bauer Titon Base Kit, for 14V Canon Camera with braided cable	499	5060520688473

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
TITON BASE					
The slimmer, lighter, longer-lasting base mounted battery for compact cine cameras. Runs monitors, cameras, transmitters and more. Small, reliable and travel safe!					
---	82750134	Titon Base Kit, for 14V Canon Camera with Lemo	Anton/Bauer Titon Base Kit, for 14V Canon Camera	450	5060520688480
---	82750135	Titon Base Kit, for 9V Canon Camera LPE-19 compatible	Anton/Bauer Titon Base Kit, for 9V Canon Camera	460	5060520688497
---	82750136	Titon Base Kit, for Canon LP-E17 compatible	Anton/Bauer Titon Base Kit, for Canon LP-E17 compatible	450	5060520688503
---	82750137	Titon Base Kit, for Canon LP-E8 Compatible	Anton/Bauer Titon Base Kit, for Canon LP-E8 Compatible	450	5060896402048
---	82750138	Titon Base Kit, for Canon LP-E6 compatible	Anton/Bauer Titon Base Kit, for Canon LP-E6 compatible	425	5060520688527
---	82750139	Titon Base Kit, for Fujifilm NPW126 Compatible	Anton/Bauer Titon Base Kit, for Fujifilm NPW126 Compatible	460	5060520688534
---	82750140	Titon Base Kit, for NIKON EN-EL14A compatible	Anton/Bauer Titon Base Kit, for NIKON EN-EL14a compatible	435	5060520688541
---	82750141	Titon Base Kit, for NIKON EN-EL15 compatible	Anton/Bauer Titon Base Kit, for NIKON EN-EL15 compatible	440	5060520688558
---	82750142	Titon Base Kit, for Panasonic DMW-BLF19 compatible	Anton/Bauer Titon Base Kit, for Panasonic DMW-BLF19 compatible	440	5060520688568
---	82750143	Titon Base Kit, for RED DSMC1 and DSMC2	Anton/Bauer Titon Base Kit, for RED DSMC1 and DSMC2	460	5060520688572
---	82750144	Titon Base Kit, for Sony NP-FM500H compatible	Anton/Bauer Titon Base Kit, for Sony NP-FM500H compatible	499	5060520688589
---	82750145	Titon Base Kit, for Sony NP-FW50 compatible	Anton/Bauer Titon Base Kit, for Sony NP-FW50 compatible	470	5060520688596
---	82750146	Titon Base Kit, for Sony NP-FZ100 compatible	Anton/Bauer Titon Base Kit, for Sony NP-FZ100 compatible	470	5060520688602
---	82750147	Titon Base Kit, for Sony 19.5V	Anton/Bauer Titon Base Kit, for Sony 19.5V	499	5060520688619
---	82750148	Titon Base Kit, for 12V Sony and Panasonic with DC barrel connector	Anton/Bauer Titon Base Kit, for 12V Sony and Panasonic with Lemo	419	5060520688626
---	82750149	Titon Base Kit, Battery and P-Tap charger	Titon Base Kit, Battery and P-Tap charger	419	5060520688640







IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
DIONIC SERIES					
Built for cinema productions. Has the power requirements to meet power hungry cameras, lights and accessories. Safe to fly!					
	86750125	Dionic XT 90 Gold Mount Battery	Gold Mount Lithium Ion Battery, 14.1 volts, 99Wh	630	5060896401966
	86750127	Dionic XT 150 Gold Mount Battery	Gold Mount Lithium Ion Battery, 14.4 volts, 156Wh	799	5060896401973
	86750126	Dionic XT 90 V-Mount Battery	V-Mount Lithium Ion Battery, 14.1 volts, 99Wh	630	5060896401980
	86750128	Dionic XT 150 V-Mount Battery	V-Mount Lithium Ion Battery, 14.4 volts, 156Wh	799	5060896401997
	86750155	Dionic 26V 98 Battery	Gold Mount Plus Lithium Ion Battery, 25.4 volts, 99Wh	750	87249600947
	86750156	Dionic 26V 240 Battery	Gold Mount Plus Lithium Ion Battery, 25.2 volts, 250Wh	1025	5060520686035
---	86750177	Dionic 26V, 98Wh B-mount battery	B-Mount Lithium Ion Battery 25.4volts, 99Wh	750	5060896405001
---	86750178	Dionic 26V, 240Wh B-mount battery	B-Mount Lithium Ion Battery 25.2volts, 250Wh	1025	5060896405018
	82750157	ARRI 35 GM+ plate, 26VLP4 Charger and 4 X 26V, 240Wh batteries	Anton/Bauer ARRI 35 GM+ plate, 26VLP4 Charger and 4 X 26V, 240Wh batteries	4230	5060896404912
VCLX SERIES					
Built for demanding cinematographers. The perfect all-in-one battery solution for power hungry cameras, monitors, lights and more. Multi-Voltage Output. Safe to fly!					
	86750174	VCLX Battery NM2	Anton/Bauer 600Wh NiMH multi output 2 X 14.4V, 1 X 28V/48V. 2 X 4-Pin XLR (14.4v), 1 X 3-Pin XLR (28v or 48V)	4200	5060896401942
	84750146	VCLX Charger 2	To be used with VCLX NM2	650	5060896404684
	80750339	VCLX NM2 Charger Input Cable XLR 1.2M	To be used with VCLX Charger 2 and VCLX NM2	175	5060896404707
	80750343	VCLX NM2 Charger Input Cable XLR 0.3M	To be used with VCLX Charger 2 and VCLX NM2	50	5060896405162
	82750155	VCLX NM2, Charger and 4 foot charger cable package	Anton/Bauer VCLX NM2, Charger and 4 foot charger cable package	4700	5060896404905

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
VCLX SERIES					
Built for demanding cinematographers. The perfect all-in-one battery solution for power hungry cameras, monitors, lights and more. Multi-Voltage Output. Safe to fly!					
	86750051	CINE VCLX Battery	630 Wh NiMH simultaneous output 14.4V/28V. 4-Pin XLR (14.4v) 3-Pin XLR (28v)	3500	872496006183
	84750109	CINE VCLX Charger	Battery charger for CINE VCLX, CINE VCLX-CA and CINE VCLX/2	1480	872496007074
	80750111	CS GBC	Charge cable for CINE VCLX Series batteries / chargers	585	872496004806
	80750340	NM 44	600Wh Battery Replacement Module for CINE VCLX NM2	2200	5060896404691
	80750179	NM 38	630 Wh Battery Replacement Module for CINE VCLX and CINE VCLX-CA	2400	872496006381



Dionic XT 90



Dionic XT 150



Dionic 26V 98



Dionic 26V 240



VCLX



VCLX NM2

Ampage	12 Amps	12 Amps	12 Amps	12 Amps	20 Amps	24 Amps
Voltage	14.4 VDC	14.4 VDC	25 VDC	25 VDC	14.4V / 28V	14.4V / 28V / 48V
P-Tap & USB	✓	✓	✗	✗	✗	✗
LCD	✓	✓	✓	✓	✓	✓
Travel Safe	✓	✓	✓	✗	✓	✓










IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
HYTRON					
Nickel Metal Hydride DIGITAL Battery. Built for HD equipment on on-camera lighting systems. Safe to fly!					
	86750079	HyTRON 140 Gold Mount	Logic Series Nickel Metal Hydride DIGITAL Battery, 14.4 volts, 140 watt hours	760	872496007227
OTHER BATTERIES					
	86750109	NP-F976 7.2V Battery	7.2V, 6600 mAh Lithium Ion Battery, 47 Wh - Powers most Sony "L" series cameras and perfect for 7.2V accessories. Try it with field monitors like the SmallHD DP-7-Pro, or use w/on-camera lighting such as the Lykos, Croma 2, Micropro 2 or Spectra 2 from Litepanels and Manfrotto.	122	5060520685410
	84750131	7.2V L-Series Single Charger	7.2V, L-Series Single Position Charger with 5V USB output port, US plug	70	5060520685434
CHARGERS					
Recharge your batteries on the go!					
LP SERIES					
	84750125	LP2 Dual Gold Mount Charger	Low Profile Gold Mount priority-based simultaneous two position PowerCharger with LED display	1120	872496008934
	84750127	LP2 Dual V-Mount Charger	Low Profile V-Mount priority-based simultaneous two position PowerCharger with LED display	1120	872496007913
	84750126	LP4 Quad Gold Mount Charger	Low Profile Gold Mount priority-based simultaneous four position PowerCharger with LED display	1580	872496008927
	84750128	LP4 Quad V-Mount Charger	Low Profile V-Mount priority-based simultaneous four position PowerCharger with LED display	1580	872496007920
	84750138	26VLP4, 4 Position Gold Mount Plus Charger	Dual Voltage (26V and 14V), multi-chemistry quad charger - Gold Mount Plus	1480	5060520686042
	84750148	Dionic 26V LP4 Quad B-mount Charger	Anton/Bauer Dionic 26V LP4 Quad B-mount Charger	1480	5060896405025
PERFORMANCE SERIES					
	84750120	Performance Dual Gold Mount Charger	Gold Mount priority-based simultaneous two position PowerCharger with LCD and 75W power supply	1100	872496007982
	84750122	Performance Dual V-Mount Charger	V-Mount priority-based simultaneous two position PowerCharger with LCD and 75W power supply	1100	872496008002
	84750119	Performance Quad Gold Mount Charger	Gold Mount priority-based simultaneous four position PowerCharger with LCD, built-in 2 amp discharge module and 150W power supply	1499	872496007975
	84750121	Performance Quad V-Mount Charger	V-Mount priority-based simultaneous four position PowerCharger with LCD, built-in 2 amp discharge module and 150W power supply	1499	872496007999





IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
T-SERIES					
	84750067	Tandem® 70	Gold Mount 70 watt charger/power supply. (European power cord available. Specify 3445-0003)	770	872496002987
	84750073	TWIN	Two position simultaneous charger	895	872496004035
TRAVEL CHARGERS					
---	84750142	Anton/Bauer P-Tap Charger	Anton/Bauer P-Tap Charger	58	5060520687100
---	84750141	Anton/Bauer GM2 Dual Charger Gold Mount	Anton/Bauer GM2 Dual Gold Mount Charger	322	5060520687087
---	84750143	Anton/Bauer VM2 Dual Charger V-Mount	Anton/Bauer VM2 Dual V-Mount Charger	322	5060520687094
---	84750144	GM4 4-Position Micro Battery Charger	GM4 4-Position Micro Battery Charger	599	5060896402062
---	84750145	VM4 4-Position Micro Battery Charger	VM4 4-Position Micro Battery Charger	599	5060896402079
DISCHARGERS					
Quickly and safely discharge up to 4x Lithium Ion batteries to less than 30% prior to shipment - a must for compliance with IATA travel regulations.					
	84750135	LPD Quad Gold Mount Discharger	Low Profile Gold-Mount simultaneous four position discharger (for compliance with IATA regulations)	1190	5060520682877
	84750136	LPD Quad V-Mount discharger	Low Profile V-Mount simultaneous four position discharger (for compliance with IATA regulations)	1190	872496009221
	84750139	26V LPD Quad Gold Mount Plus Discharger	Discharger, Dual Voltage (26V and 14V), 4 position - Gold mount Plus	1215	5060520686059
CINEMA ACCESSORIES					
---	83750254	ARRI ALEXA 35 26V Gold Mount+ plate	ARRI ALEXA 35 26V Gold Mount+ plate - NEW!	700	5060896403885
---	80750182	SO-14/28R	Dual voltage snap-on battery belt with 4-pin & 3-pin XLR outputs. Simultaneous 14V/28V outputs. Holds two Gold Mount batteries	1590	872496006428
---	80750183	QR HOTSWAP-AR	Snap-On Hot Swap for ARRI Alexa camera	540	872496006459
---	80750200	MATRIX Cheese Plate	Universal Cheese Plate for use with 15/19mm Rod Clamp Kits	222	87249600682
---	80750201	15mm Rod Clamp Kit	Includes one set (2 pcs) of 15 mm (0.59 in) clamps	186	87249600683

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
CINEMA ACCESSORIES					
---	80750232	CINE Universal Mounting Plate	Adjustable bracket to hold either a Gold or V-Mount plate	169	872496007760
---	80750243	QR HOTSWAP-LF	Hotswap and 24v up-converter allowing the Alexa LF to run from standard Gold Mount Batteries. Recommended for DIONIC XT batteries only	1500	5060896402086
---	80750278	D-Box Battery Bracket Canon (C700) - Gold Mount	Anton/Bauer / Wooden Camera D-Box Battery Bracket (Canon C700, Gold Mount)	1280	5060520686578
---	80750279	D-Box Battery Bracket Canon (C700) - V-Mount	Anton/Bauer / Wooden Camera D-Box Battery Bracket (Canon C700, V-Mount)	1280	5060896402093
---	80750297	D-Box Battery Bracket Sony (Venice) - Gold Mount	Anton/Bauer / Wooden Camera D-Box Battery Bracket (Sony Venice, Gold Mount)	1995	5060520686776
---	80750298	D-Box Sony (Venice) - V-Mount	Anton/Bauer / Wooden Camera D-Box Battery Bracket (Sony Venice, V Mount)	1995	5060520686783
---	80750326	Micro Standholder Plate	Micro Standholder Plate	219	5060896402109
---	80750327	15mm Micro Cheese Plate	15mm Micro Cheese Plate	416	5060896402116
---	80750328	Universal Plate for 15mm Rod Clamps	Universal Plate for 15mm Rod Clamps	430	5060896402123
---	80750329	Rod Bridge	Rod Bridge	242	5060896402130
---	83750241	Converter 26V to 14V GM+VM	Converter 26V to 14V GM+VM	416	5060896402147
---	83750240	Converter 26V to 14V GM+GM	Converter 26V to 14V GM+GM	416	5060896402154
MICRO BRACKETS					
---	83750226	Micro Gold Mount Bracket	Anton/Bauer Micro Gold Mount Bracket	192	5060520687179
---	83750227	Micro Gold Mount Bracket with Dual P-Taps	Anton/Bauer Micro Gold Mount Bracket with Dual P-Taps	192	5060520687209
---	83750228	Micro Gold Mount Bracket with P-Tap & Lemo	Anton/Bauer Micro Gold Mount Bracket with P-Tap & Lemo	267	5060520687186
---	83750230	Micro Gold Mount Bracket with P-Tap & USB	Anton/Bauer Micro Gold Mount Bracket with P-Tap & USB	199	5060520687193
---	83750231	Micro V-Mount Bracket	Anton/Bauer Micro V-Mount Bracket	192	5060520687216
---	83750232	Micro V-Mount Bracket with Dual P-Taps	Anton/Bauer Micro V-Mount Bracket with Dual P-Taps	192	5060520687261
---	83750233	Micro V-Mount Bracket with P-Tap & Lemo	Anton/Bauer Micro V-Mount Bracket with P-Tap & Lemo	267	5060520687230

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
MICRO BRACKETS					
---	83750235	Micro V-Mount Bracket with P-Tap & USB	Anton/Bauer Micro V-Mount Bracket with P-Tap & USB	199	5060520687247
---	83750236	Dual Micro Gold Mount Bracket	Anton/Bauer Dual Micro Gold Mount Bracket	546	5060520688855
---	83750237	Dual Micro Gold Mount Plate to Gold Mount	Anton/Bauer Micro Gold Mount Plates to Gold Mount	690	5060520688862
---	83750238	Dual Micro V-Mount Bracket	Anton/Bauer Dual Micro V-Mount Bracket	546	5060520688879
---	83750239	Dual Micro V-Mount Plate to V-Mount	Anton/Bauer Dual Micro V-Mount Plates to V-Mount	690	5060520688886
---	83750245	Komodo Bracket GM	Komodo Bracket GM	258	5060520689296
---	83750246	Komodo Bracket VM	Komodo Bracket VM	261	5060520689302
---	83750243	FX9 Bracket GM	FX9 Bracket GM	546	5060896402161
---	83750244	FX9 Bracket VM	FX9 Bracket VM	546	5060896402178
---	83750249	Sony FX6 Gold-Mount Micro Battery Slide Pro	Sony FX6 Gold-Mount Micro Battery Slide Pro	499	5060896400204
---	83750250	Sony FX6 V Mount Micro Battery Slide Pro	Sony FX6 V Mount Micro Battery Slide Pro	499	5060896400211
GOLD MOUNT ACCESSORIES					
---	80750023	QR-HOTSWAP-GM	Snaps on to any Gold Mount for true perpetual battery operation	430	872496000068
---	80750044	QBH-HD	Quad Battery Holder for video/film application 28/14 volt output	870	872496003212
---	80750057	Milled Silver Back	Male Gold Mount Plate	58	872496003489
---	80750083	Milled CP Back	Raised Male Gold Mount Plate	58	872496004110
---	83750064	QR JVC DIGI	Gold Mount for JVC camcorders (with digital fuel gauge communications)	280	5060520685540
---	81650101	SO-XLR	Adapts any Gold Mount to accept a standard 4p XLR connector	174	872496000389
---	83750115	QR-QUAD PT	Sandwich adapter with 4 PowerTap connectors	430	872496004936
---	83750139	QRC-VESA	Gold Mount attaches to standard VESA mounting pattern with 4p XLR	299	872496005674
---	83750176	QRC-LG	Gold Mount with clamp to mount to lighting stands	332	5060520686295
GOLD MOUNT PLUS ACCESSORIES					
---	80750253	26V Gold Mount Plus (Alexa LF, 65, SXT)	26V Gold Mount Plus (Alexa LF, 65, SXT) - NEW!	1145	606184858415
---	80750254	26V Sharkfin Gold Mount Plus (Alexa LF, 65, SXT)	26V Sharkfin Gold Mount Plus (Alexa LF, 65, SXT) - NEW!	1820	606184858422
---	83750223	26V Gold Mount Plus LEMO (Alexa Mini)	26V Gold Mount Plus LEMO (Alexa Mini) - NEW!	304	5060520686097

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
GOLD MOUNT PLUS ACCESSORIES					
---	83750224	26V Gold Mount Plus Flex 4K	26V Gold Mount Plus Flex 4K - NEW!	139	5060520686134
---	80750255	26V Two Position Lighting Bracket Gold Mount Plus	26V Two Position Lighting Bracket Gold Mount Plus - NEW!	499	5060520686103
---	80750256	Skypanel Lighting Bracket Gold Mount Plus	Skypanel Lighting Bracket Gold Mount Plus - NEW!	499	5060520686110
GOLD MOUNT CINE ACCESSORIES					
---	83750165	QRC-DUAL-PT	Gold Mount with 4-pin XLR, (2) PowerTap outputs; mounts to MATRIX Cheese Plate, AJA Ki Pro Mini or many manufacturer's "cheese plates"	346	872496006701
---	83750170	QRC-CA940	Gold Mount bracket for use with the Canon EOS C100 / C300 / C500 camera. Has (3) PowerTap outputs for accessories and can be used with the MATRIX Cheese Plate	499	872496007043
---	83750207	QRC-MINI	Gold Mount bracket for use with the ARRI ALEXA MINI camera. Has single PowerTap output for accessories and a 8-pin Lemo cable for camera power. Can be used with the MATRIX Cheese Plate or CINE Universal Mounting Plate	304	872496008057
---	83750208	QRC-C300 MKII GM	Gold Mount bracket for use with the Canon EOS C300 MkII camera. Has (3) PowerTap outputs for accessories and can be used with the MATRIX Cheese Plate or CINE Universal Mounting Plate - NEW!	272	872496009009
---	83750213	QRC-C700 GM	Gold Mount bracket for use with the Canon EOS C700 camera. Has (3) PowerTap outputs for accessories and can be used with the MATRIX Cheese Plate or CINE Universal Mounting Plate	139	5060520685571
GOLD MOUNT ACCESSORIES - PORTABLE MONITORS					
---	83750071	QR-A200	Suitable on monitors or other portable equipment that have a Sony Wedge Mount adapter	208	872496003519
---	83750080	QR-DXCM3A	For the JVC TM-910SU/1010SU/550PU/600PN and Panasonic BTS-100Y/1000N portable colour monitors	208	872496003618
---	83750091	QR-UNIV	Single Snap-On Battery holder. Integral 20" cable and 4 pin right angle XLR connector	139	872496003762
---	83750099	QR-1700	Gold Mount for Panasonic 17" monitor models BT-LH-1710/1760	208	872496004059
GOLD MOUNT ACCESSORIES - SPECIALIZED					
---	83750159	QR-LoCaster	Gold Mount for ARRI LoCaster light	261	872496006565
---	83750184	QRC-4K-S	Gold Mount for Sony F5/F55	332	5060520686769
---	83750195	QRC-Flex4K	Gold Mount for Vision Research Flex 4K Camera	139	872496007814
---	83750201	QRC-BMURSA	Gold Mount Bracket for Blackmagic URSA	139	872496008941
---	83750202	QRC-FS7	Gold Mount Bracket for Sony FS7 Camera	222	872496008965
---	83750060	QR-DP800	Gold Mount for Panasonic DVC PRO and P2 cameras	261	5060520685588
---	80750265	Pro Gold Mount Battery Bracket Blackmagic Design (URSA Mini, URSA Mini Pro, URSA)	Anton/Bauer / Wooden Camera Pro Gold Mount Battery Bracket (Blackmagic URSA Mini, URSA Mini Pro, URSA)	378	5060520686448
---	80750267		Anton/Bauer / Wooden Camera Gold Mount Battery Bracket (C100, C300, C500)	378	5060520686462

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
GOLD MOUNT ACCESSORIES - SPECIALIZED					
---	80750270	Pro Gold Mount Battery Bracket Canon (C100, C100mkII, C300, C500)	Anton/Bauer / Wooden Camera Pro Gold Mount (Canon C100, C100mkII, C300, C500)	499	5060520686493
---	80750272	Gold Mount Battery Bracket Canon (C300mkII, C200, C200B)	Anton/Bauer / Wooden Camera Gold Mount Battery Bracket (C300mkII, C200, C200B)	284	5060520686516
---	80750275	Pro Gold Mount Battery Bracket Canon (C200, C200B, C300mkII)	Anton/Bauer / Wooden Camera Pro Gold Mount Battery Bracket (Canon C200, C200B, C300mkII)	286	5060520686547
---	80750280	Gold Mount Battery Bracket Sony (FS7, FS5) & Panasonic (EVA1)	Anton/Bauer / Wooden Camera Gold Mount Battery Bracket (Sony FS7, FS5, Panasonic EVA1)	253	5060520686592
---	80750283	Pro Gold Mount Battery Bracket Sony (FS7, FS5) & Panasonic (EVA1)	Anton/Bauer / Wooden Camera Pro Gold Mount Battery Bracket (Sony FS7, FS5, Panasonic EVA1)	378	5060520686622
---	80750286	Gold Mount Battery Bracket (Dual P-Tap)	Anton/Bauer / Wooden Camera Gold Mount Battery Bracket (Dual P-Tap)	174	5060520686653
---	80750290	Gold Mount Battery Bracket RED (DSMC1/DSMC2)	Anton/Bauer / Wooden Camera Gold Mount Battery Bracket (DSMC1/DSMC2)	378	5060520686691
---	80750291	Pro Gold Mount Battery Bracket RED (DSMC1/DSMC2)	Anton/Bauer / Wooden Camera Pro Gold Mount Battery Bracket (RED DSMC1/DSMC2)	499	5060520686707
---	80750294	Low Mode Gold Mount Battery Bracket Adapter	Anton/Bauer / Wooden Camera Low Mode Gold Mount Battery Bracket Adapter	316	5060520686738
---	80750304	Gold Mount Battery Bracket Blackmagic Design (Pocket Cinema Camera 4K)	Anton/Bauer / Wooden Camera Gold Mount Battery Bracket BMPCC4K (Blackmagic Pocket Cinema Camera 4K)	255	5060520686868
---	80750307	Pro Gold Mount Blackmagic Design (Pocket Cinema Camera 4K / 6K)	Anton/Bauer / Wooden Camera Pro Gold Mount Battery Bracket (BMPCC4K / BMPCC6K, Blackmagic Pocket Cinema Camera 4K / 6K)	378	5060520686899
---	80750310	Gold Mount Battery Bracket Canon (EOS R, 5D4, 6D, 70D, 7D) & Blackmagic Design Micro Cinema Camera, Micro Studio Camera)	Anton/Bauer / Wooden Camera Gold Mount Battery Bracket (EOS R, 5D4, 6D, 70D, 7D, BMMCC, BMMSC)	316	5060520686929
---	80750313	Gold Mount Battery Bracket Sony (A7, A7r, A7s, A7II, A7rII, A7sII)	Anton/Bauer / Wooden Camera Gold Mount Battery Bracket (A7, A7r, A7s, A7II, A7rII, A7sII)	316	5060520686950
---	80750316	Gold Mount Battery Bracket Sony (A9, A7rIII) Faux Battery	Anton/Bauer / Wooden Camera Gold Mount Battery Bracket (Sony A9, A7rIII, Dummy FP-NZ100)	316	5060520686981
---	80750257	Battery Slide Pro Gold Mount (Sony FX9)	Anton/Bauer / Wooden Camera G-Mount Battery Bracket (Sony FX-9)	470	5060520686844
---	80750319	Gold Mount Battery Bracket Panasonic (GH3, GH4, GH5, GH5S, G9)	Anton/Bauer / Wooden Camera Gold Mount Battery Bracket (GH4, GH5)	316	5060520687018

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
GOLD MOUNT ACCESSORIES - SPECIALIZED					
---	80750323	Gold Mount to Nikon (D500, D610, D750, D800, D7000, D7100, D7200, D7500, Z6, Z7) Faux Battery	Anton/Bauer / Wooden Camera Gold Mount to Nikon (D500, D610, D750, D800, D7000, D7100, D7200, D7500, Z6, Z7) Faux Battery	316	5060520687834
GOLD MOUNT ACCESSORIES - UNIVERSAL					
---	83750081	QR-GOLD	Universal Full Size Gold Mount Bracket	139	872496003625
---	83750093	QRC-Digital	Universal compact Gold Mount Bracket with Digital Run-time functionality	196	872496003809
---	83750094	QRC-GOLD	Universal compact Gold Mount Bracket	139	872496003816
---	83750221	QRC-GOLD-2P	Universal compact Gold Mount Bracket with two P-taps	198	5060520686127
---	83750121	QRC-D2	Universal compact Gold Mount Bracket with Analog and Digital Run-time functionality	196	872496005193
V MOUNT ADAPTERS					
---	83750131	QR-SDH	Mounts instantly to XDCam HD, XDCam EX, SX, Digital Betacam, Hi-Definition camcorders and IMX cameras	261	872496005421
---	83750132	QR-DSR	Mounts instantly to XDCam-SD and HD, DSR Series DVcam, HVR-S270U and SRW9000 camcorders	261	872496005438
V MOUNT ACCESSORIES - SPECIALIZED					
---	83750209	QRC-C300 MKII VM	V-Mount bracket for use with the Canon EOS C300 MkII camera. Has (3) PowerTap outputs for accessories and can be used with the MATRIX Cheese Plate	272	872496009030
---	83750214	QRC-C700 VM	V-Mount bracket for use with the Canon EOS C700 camera. Has (3) PowerTap outputs for accessories and can be used with the MATRIX Cheese Plate or CINE Universal Mounting Plate	139	5060520685595
---	80750259	V-Mount Battery Bracket (Alexa Mini/ Mini LF)	Anton/Bauer / Wooden Camera V-Mount Battery Bracket (Alexa Mini/ Mini LF)	399	5060520686356
---	80750261	V-Mount 24V Sharkfin Battery Bracket (Arri Alexa LF)	Anton/Bauer / Wooden Camera Arri Alexa LF 24V Sharkfin Battery Bracket (V-Mount)	1600	5060520686370
---	80750263	V-Mount 24V Sharkfin Battery Bracket (ARRI Alexa 65, SXT)	Anton/Bauer / Wooden Camera ARRI Alexa 65 / SXT 24V Sharkfin Battery Bracket (V Mount)	1600	5060520686394
---	80750264	V-Mount Battery Bracket Blackmagic Design (URSA Mini, URSA)	Anton/Bauer / Wooden Camera V-Mount Battery Bracket (URSA Mini, URSA)	255	5060520686431
---	80750266	Pro V-Mount Battery Bracket Blackmagic (URSA Mini, URSA Mini Pro, URSA)	Anton/Bauer / Wooden Camera Pro V-Mount Battery Bracket (Blackmagic URSA Mini, URSA Mini Pro, URSA)	378	5060520686455
---	80750268	V-Mount Battery Bracket Canon (C100, C300, C500)	Anton/Bauer / Wooden Camera V-Mount Battery Bracket (C100, C300, C500)	378	5060520686479
---	80750269	Pro V-Mount Battery Bracket Canon (C100, C100mkII, C300, C500)	Anton/Bauer / Wooden Camera Pro V-Mount Battery Bracket (Canon C100, C100mkII, C300, C500)	499	5060520686486

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
V MOUNT ACCESSORIES - SPECIALIZED					
---	80750273	V-Mount Battery Bracket Canon (C300mkII, C200, C200B)	Anton/Bauer / Wooden Camera V-Mount (C300mkII, C200, C200B)	286	5060520686523
---	80750274	Pro V-Mount Battery Bracket Canon (C200, C200B, C300mkII)	Anton/Bauer / Wooden Camera Pro V-Mount Battery Bracket (Canon C200, C200B, C300mkII)	430	5060520686530
---	80750281	V-Mount Battery Bracket Sony (FS7, FS5) & Panasonic (EVA1)	Anton/Bauer / Wooden Camera V-Mount Battery Bracket (Sony FS7, FS5, Panasonic EVA1)	255	5060520686608
---	80750282	Pro V-Mount Battery Bracket Sony (FS7, FS5) & Panasonic (EVA1)	Anton/Bauer / Wooden Camera Pro V-Mount Battery Bracket (Sony FS7, FS5, Panasonic EVA1)	378	5060520686615
---	80750285	V-Mount Battery Bracket (Dual P-Tap)	Anton/Bauer / Wooden Camera V-Mount Battery Bracket (Dual P-Tap)	174	5060520686646
---	80750289	V-Mount Battery Bracket RED (DSMC1/DSMC2)	Anton/Bauer / Wooden Camera V-Mount Battery Bracket (DSMC1/DSMC2)	378	5060520686684
---	80750292	Pro V-Mount Battery Bracket RED (DSMC1/DSMC2)	Anton/Bauer / Wooden Camera Pro V-Mount Battery Bracket (RED DSMC1/DSMC2)	499	5060520686714
---	80750293	Low Mode V-Mount Battery Bracket Adapter	Anton/Bauer / Wooden Camera Low Mode V-Mount Battery Bracket Adapter	316	5060520686721
---	80750296	Pro V-Mount Camera Side to Gold Mount Battery Side Adapter (3x P-Tap +Digital Fuse)	Anton/Bauer / Wooden Camera Pro V-Mount Camera Side to Gold Mount Battery Side Adapter (3x P-Tap and Digital Fuse)	378	5060520686752
---	80750305	V-Mount Battery Bracket Blackmagic Design (Pocket Cinema Camera 4K)	Anton/Bauer / Wooden Camera V-Mount Battery Bracket BMPCC4K (Blackmagic Pocket Cinema Camera 4K)	255	5060520686875
---	80750306	Pro V-Mount Battery Bracket Blackmagic Design (Pocket Cinema Camera 4K / 6K)	Anton/Bauer / Wooden Camera Pro V-Mount Battery Bracket (BMPCC4K / BMPCC6K, Blackmagic Pocket Cinema Camera 4K / 6K)	378	5060520686882
---	80750311	V-Mount Battery Bracket (Canon EOS R, 5D4, 6D, 70D, 7D, BMMCC, BMMSC)	Anton/Bauer / Wooden Camera V-Mount Battery Bracket (EOS R, 5D4, 6D, 70D, 7D, BMMCC, BMMSC)	316	5060520686936
---	80750314	V-Mount Battery Bracket Sony (A7, A7r, A7s, A7II, A7rII, A7sII)	Anton/Bauer / Wooden Camera V-Mount Battery Bracket (A7, A7r, A7s, A7II, A7rII, A7sII)	316	5060520686967
---	80750317	V-Mount Battery Bracket Sony (A9, A7rIII) Faux Battery	Anton/Bauer / Wooden Camera V-Mount Battery Bracket (Sony A9, A7rIII, Dummy FP-NZ100)	316	5060520686998
---	80750258	Battery Slide Pro V-Mount (Sony FX-9)	Anton/Bauer / Wooden Camera V-Mount Battery Bracket (Sony FX-9)	450	5060520686851
---	80750320	V-Mount Battery Bracket (Panasonic (GH3, GH4, GH5, GH5S, G9)	Anton/Bauer / Wooden Camera V-Mount Battery Bracket (GH4, GH5)	316	5060520687025
---	80750322	V-Mount to Nikon (D500, D610, D750, D800, D7000, D7100, D7200, D7500, Z6, Z7) Faux Battery	Anton/Bauer / Wooden Camera V-Mount to Nikon (D500, D610, D750, D800, D7000, D7100, D7200, D7500, Z6, Z7) Faux Battery	316	5060520687827

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
V MOUNT ACCESSORIES - UNIVERSAL					
---	83750215	QRC LG V-MOUNT	V Mount with clamp to mount to lighting stands	332	5060520685601
---	83750200	Universal V-Mount	Universal V-Mount bracket with 10amp fuse and 1 PTAP	139	872496008019
POWER CABLES					
---	80750190	CA-ARRI	10 Ft. Cable, 3 pin XLR to 2 pin Fischer connector . 3.0 m (10 ft) long	399	872496006626
---	81083781	XLR-4	Accessory cable 10 ft. that connects to any charger to power camera/camcorder with a standard 4-pin XLR input	105	872496000136
POWER-TAP CABLES					
---	80750010	PowerTap Extension	7-foot cable with PowerTap Male to PowerTap Female. 2.1 m (7 ft) long	69	872496000020
---	80750013	PowerTap Multi	Male PowerTap to 4 female PowerTap receptacles	94	872496000051
---	80750056	PowerTap FS4	14" PowerTap cable to power Focus Enhancements hard drive. 35.6 cm (14 in) long	46	872496003472
---	80750074	PowerTap Kit	Kit includes male PowerTap components, pins and housing (cable not included) 71.1 cm (28 in) long	18	872496003922
---	80750081	PowerTap 28 XLR	28" cable PowerTap to right angle 4p XLR female. 71.1 cm (28 in) long	64	872496004288
---	80750087	PowerTap Open End	3-foot open end power cable mates with any PowerTap receptacle. 0.9 m (3 ft) long	48	872496004257
---	80750089	PowerTap 20 XLR	20" cable PowerTap to right angle 4p XLR female. 50.8 cm (20 in) long	56	872496004271
---	80750113	PowerTap Lectro	8" PowerTap cable to power most Lectrosanics wireless receiver. 20.3 cm (8 in) long	53	872496004851
---	80750135	PowerTap 36 XLR 4-pin	36 in (91 cm) cable PowerTap to right angle 4p XLR female. 91.4 cm (36 in) long	64	872496005339
---	80750150	PowerTap 9 XLR	9" cable PowerTap to right angle 4p XLR female. 22.9 cm (9 in) long	64	872496005629
---	80750237	PowerTap USB Adaptor	Male PowerTap to 2.0 USB connector. Power USB accessories from battery, Gold Mount plate or V-Mount plate. 15.2 cm (6 in) long	85	5060896402185
---	81688109	Female PowerTap Kit	Kit includes female PowerTap components, pins and housing (cable not included)	18	872496001614
---	80750271	P-Tap to Canon, 9V regulated Barrel style connector	Anton/Bauer P-Tap to Canon C100, C100mkII, C300, C500 (20")	122	5060520686509
---	80750276	P-Tap to Canon, unregulated Lemo style with Braided Flex Cable	Anton/Bauer P-Tap to Canon C200, C200B, C300mkII (Braided Flex Cable)	196	5060520686554
---	80750277	P-Tap to Canon, unregulated Lemo style connector	Anton/Bauer P-Tap to Canon C200, C200B, C300mkII (24")	164	5060520686561
---	80750284	P-Tap to Sony, regulated 12V Barrel style connector	Anton/Bauer P-Tap to Sony FS7, FS5, Panasonic EVA1	89	5060520686639
---	80750287	P-Tap to Canon, regulated 10.8V Dummy LP-E19 battery	Anton/Bauer P-Tap to Canon 1DX, 1DXmkII, 1DC (20")	164	5060520687742

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
POWER-TAP CABLES					
---	80750288	P-Tap to Nikon, regulated 7V Dummy EN-EL 14a battery	Anton/Bauer P-Tap to Nikon (D5600, DF D3300) Dummy Battery	164	5060520687773
---	80750295	P-Tap to RED DSMC1 and DSMC2, unregulated Lemo style connector	Anton/Bauer P-Tap to Canon 5DmkIV, 5DmkIII, 5DmkII, 6D, 7D, 7DmkII, BMMCC (20")	174	5060520686745
---	80750299	P-Tap to Nikon, regulated 7.0V Dummy EN-EL15 battery	Anton/Bauer P-Tap to Nikon D500, D610, D750, D800, D810, D850, D7000, D7100, D7200, D7500, Z6, Z7 (20")	164	5060520687780
---	80750300	P-Tap to Fujifilm, regulated 7.2V Dummy NP-W126 battery	Anton/Bauer to Fujifilm (X-H1 XT-2 XT-2 XT-3) Dummy Battery	164	5060520687766
---	80750301	P-Tap to Sony, 19.5 regulated DC barrel connector	Anton/Bauer P-Tap to Sony (FX9) - 20"	196	5060520687797
---	80750302	P-Tap to Canon, 7.2V regulated Dummy LP-E17	Anton/Bauer P-Tap to Canon (T6i, T7i, EOS RP, M3, M5, M6, Rebel T6s, 77D) Dummy Battery	164	5060520687803
---	80750303	P-Tap to Sony, 7.2 V regulated Dummy NP-FM500H battery	Anton/Bauer P-Tap to Sony (a77 II, a99 II, a68) Dummy Battery	164	5060520687810
---	80750308	P-Tap to Canon, regulated Dummy LP-E6 battery	Anton/Bauer P-Tap to Canon EOS R, 5DmkIV, 5DmkIII, 5DmkII, 6D, 7D, 7DmkII, BMMCC (20")	164	5060520686905
---	80750309	P-Tap to Blackmagic Design, unregulated Lemo style connector	Anton/Bauer P-Tap to BMPCC4K / BMPCC6K (Blackmagic Pocket Cinema Camera 4K / 6K)	105	5060520686912
---	80750312	P-Tap to Canon, 8V regulated Dummy LP-E8 battery	Anton/Bauer P-Tap to Canon (T5i) Dummy Battery	164	5060520687759
---	80750315	P-Tap to Sony, 7.4V regulated Dummy NP-FW50 battery	Anton/Bauer P-Tap to Sony A7s, A7r, A7sII, A7rII	164	5060520686974
---	80750318	P-Tap to Sony 7.4V regulated Dummy NP-FZ100 battery	Anton/Bauer P-Tap to Sony A9, A7rIII, A7sIII (Dummy NP-FZ100)	164	5060520687001
---	80750321	P-Tap to Panasonic 7.2V regulated Dummy DMW-BLF19 battery	Anton/Bauer P-Tap to GH5, GH4, GH3 (20")	160	5060520687032
---	80750330	P-Tap to Sony F Mount Dummy Battery (7.2V regulated)	P-Tap to Sony F Mount Dummy Battery (7.2V regulated)	122	5060896401928
---	80750331	P-Tap to BP Dummy Battery	P-Tap to BP Dummy Battery	122	5060896401911
WIRELESS RECEIVER MOUNTING					
---	80750116	Universal BP	Universal back plate	53	872496004943
---	82750015	ABWMK-SI	Universal wireless receiver side mounting plate only	69	872496001652
---	82750035	ABWMK-KIT	Universal wireless receiver mounting kit - side and/or rear mount	112	872496000570

Autocue

The complete prompting solution

Autocue has been the leading provider of teleprompters to the broadcast industry since the 1950s.

Autocue has the broadest teleprompter range, with the leading hardware and software product at every price point.



Key products



Starter SERIES

- Solutions for Independent Content Creators
- iPad and lightweight prompters delivered pre-assembled
- QStart prompting software



Professional SERIES

- Solutions for the professional studio environment
- Standard bright on-camera units from 8" to 17"
- QPro prompting software



Master SERIES

- Solutions for live studio and OB productions
- High bright on-camera units with HD-SDI inputs
- QMaster prompting software and QBox v6 scroll engine







IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
PROFESSIONAL SERIES					
	P7017-0011 SW-QPROSE	QPro Software with ShuttleXpress Hand Control	The QPro prompting software is a robust software-only application designed for Professional shoots, without the need for live edits or newsroom interfaces. Includes Shuttle Express hand control. QPro Software, USB Dongle, ShuttleXpress Controller	2270	5060520681252
	P7017-0011 SW-QPRO2B	QPro Software with 2 Button Hand Control	The QPro prompting software is a robust software-only application designed for Professional shoots, without the need for live edits or newsroom interfaces. Includes 2 button hand control. QPro Software, USB Dongle, CON-2B/USB 2-Button Hand Controller	2270	5060520681269
	P7008-0904 OCU-PSP12MWAGP	Professional Series 12" with Medium Wide Angle Hood and Gold Plate	Reading Range: 4.5 m (15ft), Brightness: 380 Nits, Aspect Ratio: 4:3, Contrast Ratio: 1000:1, Resolution: 800 x 600, Image Reverse: Yes. Includes Medium Wide Angle Hood and Gold Plate. 12" PSP monitor, Medium Wide Angle Hood and bracket set, Gold Plate, Power cable (2m)	4420	5060520681306
	P7008-0904 OCU-PSP12FHGP	Professional Series 12" with Folding Hood and Gold Plate	Reading Range: 4.5 m (15ft), Brightness: 380 Nits, Aspect Ratio: 4:3, Contrast Ratio: 1000:1, Resolution: 800x600, Image Reverse: Yes. Includes Medium Wide Angle Hood and Gold Plate. 12" PSP monitor, Folding hood and bracket set, Gold Plate, Power cable (2m)	4420	5060520681313
	P7008-0954 MON-PSP/12	Professional Series 12" Monitor Only	12" PSP monitor only. Reading Range: 4.5 m (15ft), Brightness: 380 Nits, Aspect Ratio: 4:3, Contrast Ratio: 1000:1, Resolution: 800 x 600, Image Reverse: Yes.	3120	5060520681320
	P7008-0953 P7011-0902 OCU-PSP17MWAPP	Professional Series 17" with Medium Wide Angle Hood and Pro Plate	Reading Range: 6m (20 ft), Brightness: 350 Nits, Aspect Ratio: 4:3, Contrast Ratio: 1000:1, Resolution: 1280x1024, Image Reverse: Yes, Integrated Tally Light: No. Includes Medium Wide Angle Hood and Pro Plate. Includes: Professional Series 17" SDI Monitor, Medium Wide Angle Hood and bracket set Pro Plate mounting plate	5810	5060520681337
	P7008-0953 P7011-0902 OCU-PSP17FHPP	Professional Series 17" with Folding Hood and Pro Plate	Reading Range: 6m (20 ft), Brightness: 350 Nits, Aspect Ratio: 4:3, Contrast Ratio: 1000:1, Resolution: 1280 x 1024, Image Reverse: Yes, Integrated Tally Light: No. Includes Folding Hood and Pro Plate. Includes: Professional Series 17" SDI Monitor, Folding hood and bracket set, Pro Plate	5810	5060520681344
---	OCU-PSP17PTZ	17" Professional Series PTZ Package	Reading Range: 6m (20 ft), Brightness: 350 Nits, Aspect Ratio: 4:3, Contrast Ratio: 1000:1, Resolution: 1280 x 1024, Image Reverse: Yes, Integrated Tally Light: No. Includes: Professional Series 17" SDI Monitor, FH-XW Wide Angle Folding Hood (Autoscript), MT-BLACK Mounting Plate (Autoscript)	4785	5060520680552
---	OCU-PSP17PTZTFM	17" Professional Series PTZ Package With Talent Monitor	"Reading Range: 6m (20 ft), Brightness: 350 Nits, Aspect Ratio: 4:3, Contrast Ratio: 1000:1, Resolution: 1280 x 1024, Image Reverse: Yes, Integrated Tally Light: No. Includes: Professional Series 17" SDI Monitor, 22" TFM Monitor, FH-XW Wide Angle Folding Hood (Autoscript), MT-BLACK Mounting Plate (Autoscript)	7750	5060520680569
	MON-PSP/17SDI	Professional Series 17" SDI Monitor Only	Brightness: 350 Nits, Aspect Ratio: 4:3, Contrast Ratio: 1000:1, Resolution: 1280 x 1024, Image Reverse: Yes, Integrated Tally Light: No.	3540	5060896404776
STARTER SERIES					
	P7010-0901 OCU-SSP17/PROMO	17" Starter Series Bundle	SSP17 On-Camera Unit package plus ShuttleXpress hand controller and SSP17 case	2950	5060520681917
---	OCU-SSP10/PROMO	10" Starter Series Bundle	SSP10 On-Camera Unit package plus ShuttleXpress hand controller and SSP10 case	2290	5060520681924
---	OCU-SSPiPAD/PROMO	iPad Starter Series Bundle	SSPiPad On-Camera Unit package plus iPad controller and SSPiPAD case	1925	5060520681931
---	OCU-SSPDSLRLR/PROMO	DSLR Starter Series iPad Bundle	SSPDSLRLR iPad On-Camera Unit package plus Camera Mounting Plate and Rails, Accessories Mounting Bar and Bluetooth keyboard controller	1325	5060520681948



IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
STARTER SERIES					
	P7010-0900 OCU-SSP19	19" Starter Series Package	19" Starter Series Package including hardware and software. 19" Pro colour monitor with composite, VGA and HDMI connection. QStart PC software included free. QStart PC software, 19" BNC/VGA/HDMI monitor, Integrated hood and glass, Integrated mounting plate, Power cable (2m) , VGA cable (10m)	2650	5060520681955
	P7010-0901 OCU-SSP17	17" Starter Series Package	17" Starter Series Package including hardware and software. 17" Pro colour monitor with composite, VGA and HDMI connection. QStart PC software included free. QStart PC software, 17" BNC/VGA/HDMI monitor, Integrated hood and glass, Integrated mounting plate, Power cable (2m) , VGA cable (10m)	2410	5060520681979
---	OCU-SSP15	15" Starter Series Package	15" Starter Series Package including hardware and software. 15" Pro colour monitor with composite & VGA connection. QStart PC software included free. QStart PC software, 15" BNC/VGA monitor, Integrated hood and glass, Integrated mounting plate, Power cable (2m) , VGA cable (10m)	2175	5060520681993
---	OCU-SSP10	10" Starter Series Package	10" Starter Series Package including hardware and software. 10" Pro colour monitor with composite & VGA and connection. QStart PC software included free. QStart PC software, 10" BNC /VGA monitor, Integrated hood and glass, Integrated mounting plate, Power cable (2m), VGA cable (10m)	1925	5060520682006
---	OCU-SSPDSLRI/PAD	Starter Series DSLR iPad and iPad Mini Prompter (excludes iPad /iPad Mini)	Dedicated DSLR prompterMounts directly to DSLR rail system (or add an Autocue camera mount if you don't have a rail system). Complete package enabling you to create a portable On-Camera Unit using an iPad or iPad Mini. iPad Hood, glass bracket and rail attachment	1025	5060520682020
---	OCU-SSPIPADPRO	Starter Series iPad Pro package	Complete package including hardware and software.On Camera mounting for 12.9" iPad Pro. MWA Folding Hood, SSP Plate, QStart Win(excludes iPad Pro)	1805	5060520682044
---	OCU-SSPIPADP	Starter Series iPad and iPad Mini Prompter (excludes iPad /iPad Mini)	"Complete package enabling you to create a portable On-Camera Unit using an iPad or iPad Mini. Suitable for all DV, DSLR and ENG camera types with riser plate included." Hood, bracket and Plate, iPad/iPad Mini mounting bracket	1570	5060520682051
---	OCU-SSPIPADLITE	Starter Series iPad and iPad Mini LITE (excludes iPad /iPad Mini)	Complete package enabling you to create a portable On-Camera Unit using an iPad or iPad Mini. Suitable for DV and DSLR cameras. Hood, bracket and Plate, iPad/iPad Mini mounting bracket	825	5060520682150
---	OCU-SSPIPADMA	Straight-Read iPad/iPad Mini Prompter	Allows you to convert an iPad into a straight-read teleprompter (iPad not included). The iPad Prompter package includes a mounting plate for iPad, and a small magic arm. iPad/iPad Mini mounting plate and small magic arm	725	5060520682167
---	SW-QSTARTM	QStart Software For Mac	Entry-level teleprompting software. Import scripts from a word document or text file, or type directly in to the app. Script can be reversed in order to display the correct way for the presenter.	600	5060520682181
---	CON-IPAD/BLUETOOTH	Bluetooth iPad/iPad Mini Keyboard/Controller for iAutocue App	Serve as both a keyboard for script edits and a wireless presenter controller to control the speed of the scroll.	105	5060520682242
---	CON-IPAD	Wired iPad/iPad Mini Controller for iAutocue App	Scroll through the script in Autocue's i-Prompt Pro iPad app. at adjustable speeds.	115	5060520684376
---	CAS-SSP17/L	Custom Foam Carry Case for SSP15/17/19	Reinforced carry case to transport your Starter Series 15" or 17" Teleprompter	605	5060520682266
---	CAS-SSP10B	Custom Foam Carry Case for SSP10/iPad Portable	Reinforced carry case to transport your Starter Series 10"or iPadTeleprompter	425	5060520682273
---	MT-SSP/DSLRL	DSLR Camera Mounting Plate and 15mm Rails (required if you don't have own camera rails)	Mounting plate and 15mm rails to mount and attach a DSLR camera to the DSLR prompter (only required if you don't have your own 15mm rail system). DSLR Camera Mounting plate and 15mm rails	185	5060520682303
---	MT-SSP/DSLRL/001	DSLR Accessories Mounting Bar	Features thirteen 1/4" BSW mounting holes for attaching to the top of the teleprompter hood, allowing multiple monitor, lighting, and microphone accessories to be mounted around the camera/prompter. DSLR Accessories Mounting Bar	85	5060520682310


IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
MOUNTING					
	MT-CW	Universal Counter Balance Weight for Pro Plate or Gold Plate	Counter balance weight. Total weight: 5lbs.	195	5060520681702
	MT-CW/EXT	Extendable Counter Balance Weight for Pro Plate or Gold Plate	Counter balance weight. Total weight: 5lbs. Includes extension rods	255	5060520681719
---	MT-ROD/SHORT	Pair of 7.5" Telescopic Rods	Pair 7.5" telescopic rods. 7.5" Prompter hardware mounting rods.	330	5060520681733
---	MT-ROD/LONG	Pair of 12" Telescopic Rods	Pair 12" telescopic rods. 12" Prompter hardware mounting rods.	410	5060520681740
---	MT-PP	Pro Plate	On Camera mounting plate. Mounting plate designed for use with teleprompting systems. This unit can be used with 15", 17" and 20" prompter builds	1640	5060520681788
	MT-GP	Gold Plate	On Camera mounting plate. Mounting plate designed for use with Autocue teleprompting systems. This unit can be used with 5, 8, 10, and 12" prompters. Lighter system than Pro Plate.	800	5060520681801
	MT-GP/CAM	Additional Camera Plate for Gold Plate	Additional Camera plate for Gold Plate. Can be added to the Gold Plate as an extra camera plate when used with larger cameras that require greater stability	415	5060520681818
	MT-GP/HH	Small Camera Riser	Small Camera Riser. High hat to lift camera away from the base of the Gold Plate or Pro Plate. Ideal for use with Steadicam rigs and robotic cameras where lens cables need room to rotate	125	5060520681825
GLASS					
	GL-SWA	Glass for Small Wide Angle Hood	Small Wide-Angle Beamsplitter for use with HD-SWA. Top 13.4" - Bottom 6.5" - Center 9.8"	315	5060520681849
	GL-MWA	Glass for Medium Wide Angle Hood	Medium Wide-Angle Beamsplitter for use with HD-MWA. Top 19.3" - Bottom 12.2" - Center 14.75"	505	5060520681856
	GL-LWA	Glass for Large Wide Angle Hood	Large Wide-Angle Beamsplitter for use with HD-LWA. Top 26" - Bottom 15", Center 19.5"	630	5060520681863
	GL-ESP	Conference Glass	Replacement Glass/Beamsplitter for use with conference stands. Compatible with MRFS, MTS and ESP-MAN	390	5060520680200

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
CONFERENCE					
---	ESP-MAN/ PSP17PKG	Manual Conference Stand Package	"Dual monitor and stand package. Monitor Brightness: 350 Nits, Aspect Ratio: 4:3, Contrast Ratio: 1000:1, Resolution: 1280 x 1024, Connectivity: 3G-SDI (with loop-out), CVBS (with loop-out), HDMI, VGA, Image Reverse: Yes, Integrated Tally Light: No. Conference Stand: Stand Height: 86" (220cm) max; 56" (142cm) min Stand Weight: 2.2 kgs (5 lb). Includes QPro software and travel case." Includes: 2 x Professional Series 17" SDI Monitor, 2 x Manual conference stand, glass holder and glass, QPro software, Spare Glass, Travel Case	12805	5060520680125
---	ESP-MAN/PSP17	Manual Conference Stand, Glass and Professional Series 17" Monitor	"Monitor Brightness: 350 Nits, Aspect Ratio: 4:3, Contrast Ratio: 1000:1, Resolution: 1280 x 1024, Connectivity: 3G-SDI (with loop-out), CVBS (with loop-out), HDMI, VGA, Image Reverse: Yes, Integrated Tally Light: No. Conference Stand: Stand Height: 86" (220cm) max; 56" (142cm) min Stand Weight: 2.2 kgs (5 lb)." Includes: Professional Series 17" SDI Monitor, Manual conference stand, glass holder and glass.	4645	5060520681368
---	ESP-MAN/SSP17	17" Starter Series Conference Package	17" Starter Series Conference incl. hardware & software. 17" professional colour monitor with composite and VGA connection Manual conference stand, glass & monitor base. Includes QStart Software. QStart PC software, 17" BNC/VGA/HDMI monitor, Manual conference stand, glass and monitor base. Power cable (2m) , VGA cable (10m)	1805	5060520682174
---	ESP-MAN	Manual Conference Stand + Glass	Manual conference stand. Glass holder and glass	1890	5060520680118
---	ESP-GLASS/001	Glass Holder for Conf. Stands	Fully adjustable holder for GL-ESP. Screws into place. Holds conference stand glass. Adjustable	630	5060520680101
---	CAS-ESPM/003	Manual Conf. Stands+Monitors case	Transport/Flight Case. To contain pair of Manual Conference Stands and Monitors	1135	5060520681870
CONTROLLERS					
---	CON-2B/USB	USB 2 Button Hand Control.	Compatible with SW-QPRO & SW-QMaster. USB connection.	790	5060520681474
---	CON-FC/USB/001	USB Foot Control with 2 Programmable Buttons.	Forward/reverse and variable speed foot operated teleprompter scroll controller with a USB connection. Compatible with SW-QSTART, SW-QPRO & SW-QMaster. USB connection.	855	5060520681481
---	CON-MB/USB	USB Multi-Button Hand Control.	Side scroll wheel and 12 programmable buttons. Compatible with SW-QPRO & SW-QMaster. USB connection.	1065	5060520681498
---	CON-FC/WIRELESS	Wireless Foot Control with 2 Programmable Buttons.	Allows you to control multiple units with your foot. Compatible with SW-QSTART, SW-QPRO & SW-QMaster. Features forward/reverse and speed scroll control button for controlling different functions of the units.	1650	5060520681535
---	CON-SE	USB ShuttleXpress Control.	Desk-based, hand controller. 5 programmable buttons, 1 jog wheel, and 1 scroll wheel. Forward/reverse and speed scroll control button. Compatible with SW-QSTART, SW-QPRO & SW-QMaster. USB connection.	125	5060520681542
---	CON-SP	USB ShuttlePro Control.	Desk-based, hand controller. 16 programmable buttons, 1 jog wheel, and 1 scroll wheel. Features forward/reverse and speed scroll control button. Compatible with SW-QPRO & SW-QMaster. USB connection.	250	5060520681559
---	CON-WI	Wireless Hand Control.	Wireless Presenter Control. Compatible with SW-QPRO & SW-QMaster. Wireless mouse with 5 programmable buttons. Discreet presentation controller can be connected wirelessly to your QBox or any laptop or PC computer.	125	5060520681566
M+P ACCESSORIES					
	A9009-5003	PSU-SC: 12v DC PSU with locking connector	Required if the XBox-IP is being used as an independent unit without a Power over Ethernet (PoE) switch or injector. 12v, 1 Amp output. Includes interchangeable mains connectors, 1.5M cable	210	5060520684048
	CAB-EXT/USB	20m USB 2.0 Active Ext. Cable.	Active Extension Cable. 20m USB 2.0	105	5060520681634
	CUE-DIGITALCUE	Master Series Digital Cue Light and Sensor	Digital cue light. With selectable camera number and red/green display	735	5060520681665
	CUE-SEN	Master Series Cue Light Sensor (to use monitor tally light)	Photovoltaic sensor. Photovoltaic sensor to change status of tally light	90	5060520681672
	MT-CLOCK/ LTCVITC	Digital Clock - LTC and VITC	Digital clock - LTC and VITC	2080	5060520681689
	MON-TFM/22/001	22" HD-SDI Talent Feedback Monitor Kit	22" HD-SDI TFM Monitor and Mount	2965	5060520681696














IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
MASTER SERIES - ANALOG SOFTWARE APPLICATION					
	P7017-0011 SW-QMASTERV6SP	Qmaster/QBox V6 package with USB Shuttle Pro Hand Control	QMaster: Fully featured prompting software application. Connects to QBox-V6 via IP. QBox-V6: Intelligent scroll engine that delivers video to prompter monitor. Inc QBox-V6, 12v DC PSU & USB Shuttle Pro Hand Control.	8200	5060520683607
	P7017-0011 SW-QMASTERV6MB	QMaster/QBox V6 package with USB Multi Button Hand Control	QMaster: Fully featured prompting software application. Connects to the QBox-V6 via IP. Qbox: Intelligent scroll engine that delivers video to the prompter monitor. Inc QBox-V6, 12v DC PSU & USB Multi Button Hand Control.	8605	5060520683614
MASTER SERIES - SDI SOFTWARE APPLICATION					
	P7017-0011 SW-QMASTERV6SDISP	QMaster SDI/QBox V6 package with USB Shuttle Pro Hand Control	QMaster: Fully featured prompting software application. Connects to the QBox-V6 via IP. Qbox: Intelligent scroll engine that delivers video to the prompter monitor. Inc QBox-V6, 12v DC PSU & USB Shuttle Pro Hand Control.	7780	5060520683621
	P7017-0011 SW-QMASTERV6SDIMB	QMaster SDI/QBox V6 Package w/USB Multi Button Hand Control	QMaster: Fully featured prompting software application. Connects to the QBox-V6 via IP. Qbox: Intelligent scroll engine that delivers video to the prompter monitor. Inc QBox-V6, 12v DC PSU & USB Multi Button Hand Control.	8195	5060520683638
MASTER SERIES - LICENSES					
	P7017-0011 SW-LICENSE/QMASTER	Software license package for QMaster	QMaster software License file. Inc dongle.	4090	5060520681085
	P7017-0011 SW-NEWS	News interface for QMaster	News License file. Enables connectivity of QMaster to NRCS via MOS protocol, file share or FTP	1560	5060520681092
	P7017-0011 SW-MULTIHEAD	Multi-head License	Multi-head license file. connect multiple QBoxes to single QMaster application. Connects via IP enables prompting over long distances or multiple locations. Presenters can rehearse off air. Requires one addit'l QBox per presenter	3645	5060520681115
	P7017-0011 QM-SU	QMaster/QPro Software Application Upgrade	Single upgrade to the latest version of software. Upgrade is per license, not per site	1240	5060520681122
	P7017-0011 SW-MULTICON	License for Multiple Controllers (no hardware)	Multi-controller license. License: Allows multiple presenters & operators to control one QMaster PC/laptop, or one QBox. Enables controllers to be attached to available ports on the PC/laptop, and QBox	980	5060520681573
	P7017-0011 SW-DONGLE	Replacement for lost or stolen QMaster/QPro software dongle	Re-programmed dongle	685	5060520681399
MASTER SERIES - ACCESSORIES + PROMPTERS					
	P7016-0001 SW-QBOX/V6	Standalone/Spare V6 SDI QBox	The QBox-V6 is an intelligent scroll engine that connects to the PC/laptop via ethernet and delivers video to the prompter monitor. V6 QBox with dual SDI output & 12vDC PSU	4430	5060520683645
---	G452-044	SDI-Analog convertor	Converts SD and HD-SDI to analog component, s-video or NTSC/PAL composite. Supports all SD and HD input formats up to 1080p60. 12V universal PSU included with international socket adapters for all countries.	390	5060520681146
	P7008-0902 OCU-MSP17SDIMWAPP	Master Series 17" SDI Prompter with Medium Wide Angle Hood and Pro Plate	Reading Range: 6m (20 ft), Brightness: 1500 Nits, Aspect Ratio: 4:3, Contrast Ratio: 1000:1, Resolution: 1280 x 1024, Image Reverse: Yes, Integrated Tally Light: No. Includes Medium Wide Angle Hood and Pro Plate. Includes: Master Series 2 17" SDI Monitor, Medium Wide Angle Hood and bracket set Pro Plate mounting plate	6275	5060520684260
	P7008-0952 P7011-0901 OCU-MSP17SDILWAPP	Master Series 17" SDI Prompter with Large Wide Angle Hood for Large Studio Lens	Reading Range: 6m (20 ft), Brightness: 1500 Nits, Aspect Ratio: 4:3, Contrast Ratio: 1000:1, Resolution: 1280 x 1024, Image Reverse: Yes, Integrated Tally Light: No. Includes Large Wide Angle Hood and Pro Plate. Includes: Master Series 2 17" SDI Monitor, Large Wide Angle Hood and bracket set. Pro Plate mounting plate.	6275	5060520684277
	P7008-0952 P7011-0900 OCU-MSP17SDILWALR	Master Series 17" SDI Prompter with Large Wide Angle Hood and Long Rods	Reading Range: 6m (20 ft), Brightness: 1500 Nits, Aspect Ratio: 4:3, Contrast Ratio: 1000:1, Resolution: 1280 x 1024, Connectivity: 3G-SDI (with loop-out), CVBS (with loop-out), HDMI, VGA, Image Reverse: Yes, Integrated Tally Light: No. Includes Large Wide Angle Hood and Long Rods. Includes: Master Series 2 17" SDI Monitor, Large Wide Angle Hood and bracket set. Long rods.	6275	5060520684284
	P7008-0952 P7018-0900 ESP-MAN/MSP17SDI	Manual Conference Stand, Glass and Master Series 17" SDI Monitor	"Monitor Brightness: 1500 Nits, Aspect Ratio: 4:3, Contrast Ratio: 1000:1, Resolution: 1280 x 1024, Connectivity: 3G-SDI (with loop-out), CVBS (with loop-out), HDMI, VGA, Image Reverse: Yes, Integrated Tally Light: No. Conference Stand: Stand Height: 86" (220cm) max; 56" (142cm) min Stand Weight: 2.2 kgs (5 lb)" Includes: Master Series 2 17" SDI Monitor, Manual conference stand, glass holder and glass.	6020	5060520684291

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
MASTER SERIES - ACCESSORIES + PROMPTERS					
	P7008-0952 MON-MSP2/17SDI	Master Series 2 17" SDI Monitor Only	Brightness: 1500 Nits, Aspect Ratio: 4:3, Contrast Ratio: 1000:1, Resolution: 1280 x 1024, Connectivity: 3G-SDI (with loop-out), CVBS (with loop-out), HDMI, VGA, Image Reverse: Yes, Integrated Tally Light: No.	4830	5060896404783
	P7008-0901 OCU- MSP20SDILWAPP	Master Series 20" SDI Prompter with Large Wide Angle Hood and Pro Plate	Reading Range: 7m (23 ft), Brightness: 1500 Nits, Aspect Ratio: 4:3, Contrast Ratio: 1000:1, Resolution: 1280 x 1024, Connectivity: 3G-SDI (with loop-out), CVBS (with loop-out), HDMI, VGA, Image Reverse: Yes, Integrated Tally Light: No. Includes Large Wide Angle Hood and Pro Plate. Includes: Master Series 2 20" SDI Monitor, Large Wide Angle Hood and bracket set, Pro Plate mounting plate	6780	5060520684314
	P7008-0901 OCU- MSP20SDILWASRPP	Master Series 20" SDI Prompter with Large Wide Angle Hood, Pro Plate and Short Rods	Reading Range: 7m (23 ft), Brightness: 1500 Nits, Aspect Ratio: 4:3, Contrast Ratio: 1000:1, Resolution: 1280 x 1024, Connectivity: 3G-SDI (with loop-out), CVBS (with loop-out), HDMI, VGA, Image Reverse: Yes, Integrated Tally Light: No. Includes Large Wide Angle Hood and Pro Plate. Includes: Master Series 2 20" SDI Monitor, Large Wide Angle Hood and bracket set, Pro Plate with extender rods and Short Rods	6780	5060520684321
	P7008-0900 OCU- MSP20SDILWALR	Master Series 20" SDI Prompter with Large Wide Angle Hood and Long Rods	Reading Range: 7m (23 ft), Brightness: 1500 Nits, Aspect Ratio: 4:3, Contrast Ratio: 1000:1, Resolution: 1280 x 1024, Connectivity: 3G-SDI (with loop-out), CVBS (with loop-out), HDMI, VGA, Image Reverse: Yes, Integrated Tally Light: No. Includes Large Wide Angle Hood and Long Rods. Includes: Master Series 2 20" SDI Monitor, Large Wide Angle Hood and bracket set. Long rods	6780	5060520684338
	P7008-0950 P7018-0900 ESP-MAN/MSP20SDI	Manual Conference Stand, Glass and Master Series 20" SDI Monitor	"Monitor Brightness: 1500 Nits, Aspect Ratio: 4:3, Contrast Ratio: 1000:1, Resolution: 1280 x 1024, Connectivity: 3G-SDI (with loop-out), CVBS (with loop-out), HDMI, VGA, Image Reverse: Yes, Integrated Tally Light: No. Conference Stand: Stand Height: 86" (220cm) max; 56" (142cm) min Stand Weight: 2.2 kgs (5 lb)." Includes: Master Series 2 20" SDI Monitor, Manual conference stand, glass holder and glass.	6540	5060520684345
	P7008-0950 MON-MSP2/20SDI	Master Series 2 20" SDI Monitor Only	Brightness: 1500 Nits, Aspect Ratio: 4:3, Contrast Ratio: 1000:1, Resolution: 1280 x 1024, Connectivity: 3G-SDI (with loop-out), CVBS (with loop-out), HDMI, VGA, Image Reverse: Yes, Integrated Tally Light: No.	5455	5060896404790




2017
[Click to learn more]

➤ **autoscript™**

Market leading end to end prompting solutions

Autoscript is the leading global provider of professional teleprompting equipment to broadcasters.

Autoscript manufactures reliable, premium-quality hardware and software solutions for both networks and stand-alone operations.



Key products

WinPlus-IP

Prompting Software Application

- Powerful, modern version of the industry standard
- Supports a fully IP-enabled workflow with remote device configuration and monitoring
- Intuitive and fast operation with simple menus
- Super smooth scroll real time preview ensures a clear overview of what the talent is reading

Voice

Advanced Speech Recognition

- Developed with a leading news broadcaster
- Highly responsive scroll control and show navigation for presenters and production staff
- Automatically handles script formats, ad libs, and interview segments
- IP and virtual machine compliant

EPIC-IP

High-bright Integrated Prompting System

- Unique design combines a high-bright EVO-IP prompting screen with an integrated talent monitor
- EVO-IP prompt monitor networks directly to WinPlus-IP
- Dual HD-SDI and Composite inputs enable traditional video workflow
- Folding hood design massively reduces setup time





2017
[Click to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
IP SOFTWARE SYSTEMS					
---	WP-IP	WinPlus-IP studio prompting software	Powerful, modern refresh of WinPlus supports a fully IP-enabled workflow; Intuitive & fast operation; simple menus to assist live script editing; Customisable user interface; Super smooth scroll real time preview. Sys Req: O/S: Win 7 or later; 1GB Disk space; RAM: 4GB; Processor: i3; OpenGL 3	6725	5060520683133
---	WP-IPN	WinPlus-IP studio prompting software - Newsroom licence	Closed caption options; multi-rundown capability; compatibility via MOS and/or FTP with leading NRCS inc: Avid iNews, Dalet, Annova Open Media, AP ENPS, Octopus, Dayang, Sobey, NIS4, Inception. Sys Req: O/S: Win 7 or later; 1GB Disk space; RAM: 4GB; Processor: i3; OpenGL 3	1330	5060520683140
---	WP-IPNPKG	WinPlus-IP studio prompting software - Newsroom licence, XBOX-IP prompt video generator, and HC-IP desktop controller pkg	Inc WP-IP, WP-IPN, A9009-0002: HC-IP desktop scroll control; A9009-0001: XBox-IP HD-SDI prompt video generator; A9009-5003: PSU-SC 12v DC PSU	11350	5060896404486
---	WP-IPPKG	WinPlus-IP studio prompting software - XBOX-IP prompt video gen., + HC-IP desktop controller pkg	Inc WP-IP, A9009-0002: HC-IP desktop scroll control; A9009-0001: XBox-IP HD-SDI prompt video generator; A9009-5003: PSU-SC 12v DC PSU	10025	5060896404479
---	WP-IPLPNDI	Local display output and NDI license FOR WinPlus-IP studio prompting software	Allows local display output (HDMI, VGA, DP etc) or NDI stream of prompt preview or prompt output. Requires Winplus-IP(S) V1.12 or later.	1500	5060896404448
---	WP-IPU	12 month software upgrades licence (WP-IP)	Enables installation of software updates to WP-IP for one year after purchase. Does not include support. Applicable to WP-IP. Licence is per system. None transferable.	1205	5060520684710
---	WP-I	iPad/iPhone licence, single device	WP-i Single device licence for use with iPad/iPhone. Compatible with WP-IP, WP-IPN or WP-IPS. Multiple licences can be applied to each WinPlus-IP application. Activation licence for iEVO app (available from Apple App Store)	1320	5060896404554
---	A9009-2086	Winplus-IP USB license dongle	Allows Winplus-IP (and Winplus-IPS) licenses to be transferred between machines as required. Ideal for rental applications where the client is using their own PC to run Winplus-IP. Requires Winplus-IP(S) V1.12 or later.	215	5060896404431
---	A9009-0001	XBOX-IP: WinPlus-IP compatible HD-SDI prompt video generator	Compact & portable; network & status indicator; PoE output for scroll control, Managed remotely in WP-IP, auto detected; Not required for EVO-IP/EPIC-IP prompt monitors. Inputs: 1 x RJ45 Ethernet, 1 x 12V DC; Output: 2 x HD-SDI, 1 x RJ45 PoE. Weight: 600g / 1.35lb; Size: H 37mm x W 162mm x L 182mm	1885	5060520684017
---	A9009-0002	HC-IP: Desktop scroll control for WinPlus-IP	Desktop scroll control for WP-IP software; Wrist support, neutral hand position; central buttons support left & right-handed operation; 2 x programmable function buttons; PoE to simplify integration and reduce cabling. Ethernet Cable and PoE injector solution must be sourced separately.	1205	5060520684024
---	A9009-0003	FC-IP: IP Enabled Foot Scroll Control for use with WP-IPS, WP-IP & WP-IPN	Foot scroll control with unique, ergonomic design; Remote configuration in WinPlus-IP; Adjustable sensitivity and range; Programmable function button; Powered over Ethernet to simplify integration. Weight: 950g/2.1lb; Size: H 63mm x W 195mm x L 232mm; Connector: 1 x RJ45	2200	5060520684574
---	A9009-0007	WC-IP Wireless Scroll Control	Bespoke, ergonomic design for discreet operation; Easy operation Forward/Reverse joystick for intuitive scroll speed control; Rechargeable battery for long run-time. Simple USB-C charging; Configuration, connection status review and battery management within WinPlus-IP; Single receiver required (per controller) even for large studios. Dimensions: 4.75 x 1.6 x 0.8" (120 x 40 x 20mm); Weight: 0.15lb (70g); Connector: USB-C	1700	5060520688893
---	A9009-0008	WB-IP: Wireless Basestation	Receiver for WHC-IP; powered over Ethernet to simplify integration and reduce cabling; Status monitoring in WP-IP; Small, lightweight for easy positioning. Dimensions: 1 x 2.9 x 4.6" (25 x 73 x 116mm); Weight: 0.3lb (150g); Connector: RJ45	1605	5060520688909
---	WC-PKG	Wireless controller and base station package for use with Winplus-IP	Intelligent Prompting wireless hand control (WC-IP) and base station (WB-IP) package; allows total freedom for the presenter to move around a studio and control the speed of the prompted text. Package includes both WC-IP (A9009-0007) and WB-IP (A9009-0008)	3295	5060520688916
---	FC/WIRELESS-IP	Wireless Foot Control and serial to IP converter package	Autocue wireless foot controller with 2 programmable buttons with serial to IP adaptor for use with Winplus-IP. Package includes Autocue FC-CON/WIRELESS and serial to IP converter	2195	5060896404561



2017
[Click to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
IP ON-CAMERA PACKAGES					
	EPIC-IP15	EPIC-IP on-camera package with 15" prompt monitor and integrated 15" talent monitor	15" prompt & talent monitor; Integrated HD talent monitor; Folding hood; Prompt screen: 15"; Talent screen: 15.6"; Weight: 5.3 kg / 11.7 lb; Complete system weight: 13.1 kg / 28.9 lb Ethernet, HD-SDI and Composite inputs. Complete on-camera system incl. integrated monitors, mounting and hood	15605	5060520683171
	EPIC-IP17	EPIC-IP on-camera package with 17" prompt monitor and integrated 17" talent monitor	17" prompt & talent monitor; integrated HD talent monitor; carbon fibre hood; Prompt screen: 17"; Talent screen: 17.3"; Weight: 6.1 kg / 13.4 lb; Complete system weight: 13.7 kg / 30.2 lb Ethernet, HD-SDI and Composite inputs. Complete on-camera system incl. integrated monitors, mounting and hood	17010	5060520683423
	EPIC-IP19	EPIC-IP on-camera package with 19" prompt monitor and integrated 19" talent monitor	19" prompt & talent monitor; integrated HD talent monitor; carbon fibre hood; Prompt screen: 19"; Talent screen: 18.5"; Weight: 6.9 kg / 15.2 lb; Complete system weight: 14.7 kg / 32.4 lb Ethernet, HD-SDI and Composite inputs. Complete on-camera system incl. integrated monitors, mounting and hood	18190	5060520683188
	EPIC-IP19XL	EPIC-IP on-camera package with 19" prompt monitor and integrated 24" talent monitor	19" prompt & 24" talent monitor; integrated HD talent monitor; carbon fibre hood; Prompt screen: 19"; Talent screen: 24"; Weight: 8.6 kg / 19.0 lb; Complete system weight: 16.4 kg / 36.2 lb Ethernet, HD-SDI and Composite inputs. Complete on-camera system incl. integrated monitors, mounting and hood	20020	5060520683195
	EVO-IP15	EVO-IP on-camera package with 15" prompt monitor	15" on-camera system; carbon fibre hood; 4 integrated tally lights; Size: 15"; Monitor only weight: 3.0 kg / 6.6 lb; Complete system weight: 10.5 kg / 23.1 lb Ethernet, HD-SDI and Composite inputs. Complete on-camera system incl. integrated monitors, mounting and hood	10200	5060520683201
	EVO-IP17	EVO-IP on-camera package with 17" prompt monitor	17" on-camera system; carbon fibre hood; 4 integrated tally lights; Size: 17"; Monitor only weight: 3.5 kg / 7.7 lb; Complete system weight: 11 kg / 24.3 lb Ethernet, HD-SDI and Composite inputs. Complete on-camera system incl. integrated monitors, mounting and hood	11605	5060520683218
	EVO-IP19	EVO-IP on-camera package with 19" prompt monitor	19" on-camera system; carbon fibre hood; 4 integrated tally lights; Size: 19"; Monitor only weight: 3.9 kg / 8.6 lb; Complete system weight: 11.5 kg / 25.4 lb Ethernet, HD-SDI and Composite inputs. Complete on-camera system incl. integrated monitors, mounting and hood	12455	5060520683225
IP ON-CAMERA MONITOR ONLY					
---	EPIC-IP15M	EPIC-IP 15" prompt monitor and integrated 15" talent monitor only	15" prompt + talent monitor; Unique integrated HD talent monitor; 4 integrated tally lights; Prompt screen: 15"; Integrated Talent screen: 15.6"; Combined weight: 5.3 kg / 11.7 lb Ethernet, HD-SDI and Composite inputs. EPIC-IP 15" prompt monitor & integrated 15" talent monitor, tally sensor & PSU	12660	5060520683270
---	EPIC-IP17M	EPIC-IP 17" prompt monitor and integrated 17" talent monitor only	17" prompt + talent monitor; Unique integrated HD talent monitor; 4 integrated tally lights; Prompt screen: 17"; Integrated Talent screen: 17.3"; Combined weight: 6.1 kg / 13.4 lb Ethernet, HD-SDI and Composite inputs. EPIC-IP 17" prompt monitor & integrated 17" talent monitor, tally sensor & PSU	14155	5060520683287
---	EPIC-IP19M	EPIC-IP 19" prompt monitor and integrated 19" talent monitor only	19" prompt + talent monitor; Unique integrated HD talent monitor; 4 integrated tally lights; Prompt screen: 19"; Integrated Talent screen: 18.5"; Combined weight: 6.9 kg / 15.2 lb Ethernet, HD-SDI and Composite inputs. EPIC-IP 19" prompt monitor & integrated 19" talent monitor, tally sensor & PSU	15365	5060520683294
---	EPIC-IP19XLM	EPIC-IP 19" prompt monitor and integrated 24" talent monitor only	19" prompt + 24" talent monitor; Unique integrated HD talent monitor; 4 integrated tally lights; Prompt screen: 19"; Integrated Talent screen: 24"; Combined weight: 8.6 kg / 19.0 lb Ethernet, HD-SDI and Composite inputs. EPIC-IP 19" prompt monitor & integrated 24" talent monitor, tally sensor & PSU	17365	5060520683300
---	EVO-IP15M	15" EVO-IP prompt monitor only	Slim and lightweight 15" prompt monitor; 4 integrated tally lights; Size: 15"; Weight: 3.0 kg / 6.6 lb Ethernet, HD-SDI and Composite inputs. EVO-IP15M: 15" high-bright prompt monitor only	7595	5060520683317
---	EVO-IP17M	17" EVO-IP prompt monitor only	Slim and lightweight 17" prompt monitor; 4 integrated tally lights; Size: 17"; Weight: 3.5 kg / 7.7 lb Ethernet, HD-SDI and Composite inputs. EVO-IP17M: 17" high-bright prompt monitor only	8620	5060520683324
---	EVO-IP19M	19" EVO-IP prompt monitor only	Slim and lightweight 19" prompt monitor; 4 integrated tally lights; Size: 19"; Weight: 3.9 kg / 8.6 lb Ethernet, HD-SDI and Composite inputs. EVO-IP19M: 19" high-bright prompt monitor only	9855	5060520683331



2017
[Click to learn more]



BACK TO CONTENTS
[click here]



IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
IP SYSTEM ACCESSORIES					
---	A9009-5002	SRL-CL: Legacy Autoscript Serial Controller Cable	Cable to connect legacy Autoscript serial controllers to Serial-Ethernet convertor (not supplied). Length: 3M. 9-Pin to 25-Pin	80	5060520683560
---	A9009-5003	PSU-SC: 12v DC PSU with locking connector	Required if the XBox-IP is being used as an independent unit without a Power over Ethernet (PoE) switch or injector. 12v, 1 Amp output. Includes interchangeable mains connectors, 1.5M cable	210	5060520684048
---	A9010-0016	MT-ROBO: Robotic Mounting Kit	Required for EVO-IP & EPIC-IP on-camera systems on robotic heads. Enables system mounting to suit robotic heads. Includes long mounting rail and 2 x 5kg counterbalance weights.	1430	5060896404967
---	A9010-0017	Compact Box Lens Mounting Kit	Required for EVO-IP & EPIC-IP on-camera systems being used with compact box lenses. Includes low-profile camera carriage, fabric lens seal and Canon SUP-300 supporter extension plate.	880	5060896405421
---	A9010-1024	MT-CB2.5: 2.5kg / 5.5lb Intelligent Prompting counterbalance weight	Slides on to Intelligent Prompting mounting rail; Integral clamp lever for toolless fixing. Weight: 2.5 kg / 5.5 lb	405	5060520684000
---	A9010-1025	MT-CB5: 5kg / 11lb Intelligent Prompting counterbalance weight	Slides on to Intelligent Prompting mounting rail; Integral clamp lever for toolless fixing. Weight: 5 kg / 11 lb	460	5060520683355
---	A9010-1031	MT-CB5P: 5kg / 11lb Intelligent Prompting counterbalance weight with pan bar mounting	Slides on to Intelligent Prompting mounting rail; Integral clamp lever for toolless fixing; Vinten Vision panbar rosettes. Weight: 5 kg / 11 lb	515	5060896404608
---	A9010-1043	Vision camera plate spacer assy	Allows greater rearward adjustment on Vinten Vision 250 heads to remove the use for counterweights	175	5060896404615
---	A9010-1057	Fabric Lens Surround Assembly	Alternate lens surround where lens will not fit in standard hood lens seal, such as semi-servo ENG lens. Compatible with all EVO-IP(S) and EPIC-IP on-camera units.	200	5060896405438
---	A9010-1045	Talent monitor mounting bracket kit	Allows the fitting of 3rd party talent monitors using VESA 75x75, 100x100 and 200x100 mount. Compatible with all EVO-IP monitors with or without Clockplus-IP	515	5060896404615
---	A9010-1046	FHR-35 IP Prompting cradle	Offset cradle for Vinten FHR-35 robotic head. Enables use of EVO-IP(S) & EPIC-IP on-camera systems without counterweight	1285	5060896404622
---	A9010-1048	Moulded/folded hood attachment bracket	Adaptor to enable the fitting of FH-S, MH-S and FH-XW hoods to IP prompt monitor backplate assembly	440	5060896404639
---	A9010-2001	RGCF: Carbon Fibre Hood Glass	70:30 replacement beamsplitter glass for carbon fibre hood. No tools required. 663mm (top edge) x 394mm (bottom edge) x 486mm (height). 3mm (thickness)	560	5060896404646
---	A9011-1006	CLOCKPLUS-IP: Timecode, tally and camera number display for Intelligent Prompting monitors	Timecode, tally & camera number display; attaches to EVO-IP or EPIC talent monitor; Inputs (from EVO-IP): LTC, NTP (VITC / D-VITC optional); Time display: HR:MIN:SEC; 12/24 hour mode with AM/PM indicator. Weight: 465 g / 1.0 lb; Dims: L 336mm x D 30mm x H 47mm (13.2" x 1.2" x 1.8")	2755	5060520683898
---	MT-PTZ-IP	PTZ mounting system	Hardware and hood with glass to mount EVO-IPS, EVO-IP & EPIC-IP monitors to PTZ camera systems. Includes wide angle hood: FH-XW, MT-BLACK, TR-5 & backplate adaptor	3235	5060520685038
---	MT-EVOLVE	Legacy hardware backplate adaptor	Allows mounting of all EVO and EPIC-IP monitors to existing Autoscript on-camera mounting and hoods. Backplate with fixing screws	1285	5060896404653
---	MT-BL	Studio box lens mounting kit and hood	Hardware and hood with glass to mount 17" and 19" EVO-IP and EPIC-IP monitors to studio box lens camera systems. Includes wide angle hood, mounting rods & MT-EVOLVE backplate adaptor	2560	5060520683393
---	SRL-IP	Legacy controller convertor package	Package includes Cable and Serial-Ethernet convertor to enable legacy Autoscript serial controllers to be integrated into IP workflow. 1 x Serial connection, 1 x Ethernet connection. Convertor includes 100-240V AC PSU with interchangeable mains connectors. 12v output	515	5060520683577



2017
[Click to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
IPS SOFTWARE SYSTEMS					
---	WP-IPSLIC	WP-IPS Software License	WinPlus-IPS (WP-IPS) is a simple but powerful application designed with corporate, educational and government productions in mind. Sys Req: O/S: Win 7 or later; 1GB Disk space; RAM: 4GB; Processor: i3; OpenGL 3	1845	5060896404455
---	WP-IPSPKG	WinPlus-IPS software application, XBOX-IP prompt video generator, + HC-IP desktop controller package	Inc WP-IPS, A9009-0002: HC-IP desktop scroll control; A9009-0001: Xbox-IP HD-SDI prompt video generator; A9009-5003: PSU-SC 12v DC PSU	5145	5060896404493
---	WP-IPSU	12 month software upgrades licence (WP-IPS)	Enables installation of software updates to WP-IPS for one year after purchase. Does not include support. Applicable to WP-IPS. Licence is per system. None transferable.	665	5060520686141
IPS ON-CAMERA PACKAGES					
	EVO-IPS15	EVO-IPS15 on-camera package with 15" prompt monitor & carbon fibre hood	15" IP only, standard bright on-camera system; connects via network to WP-IP or WP-IPS prompting software; inc monitor, carbon fibre hood, glass & mounting hardware. Complete on-camera system weight: 10.3 kg / 22.7 lb Ethernet input only. Complete on-camera system incl. integrated monitors, mounting and hood	5595	5060896404578
	EVO-IPS19	EVO-IPS19 on-camera package with 19" prompt monitor & carbon fibre hood	19" IP only, standard bright on-camera system; connects via network to WP-IP or WP-IPS prompting software; inc monitor, carbon fibre hood, glass & mounting hardware. Complete on-camera system weight: 11.5 kg / 25.4 lb Ethernet input only. Complete on-camera system incl. integrated monitors, mounting and hood	7000	5060896404585
IPS ON-CAMERA MONITOR ONLY					
---	EVO-IPS15M	15" EVO-IPS prompt monitor only	Slim and lightweight 15" IP only, standard bright prompt monitor. Weight: 2.8 kg / 6.2 lb; Script inputs: LAN only; Power input: 4-pin XLR, 12VDC ±5%; Power consumption: 20.4W Max; Dimensions: 400mm x 317mm x 42mm / 15.7 x 12.5 x 1.6" Ethernet input only	3010	5060520684673
---	EVO-IPS19M	19" EVO-IPS prompt monitor only	Slim and lightweight 19" IP only, standard bright prompt monitor. Weight: 4 kg / 8.8 lb; Script inputs: LAN only; Power input: 4-pin XLR, 12VDC ±5%; Power consumption: 30W Max; Dimensions: 468 x 399 x 42mm / 18.4 x 15.7 x 1.6" Ethernet input only	4405	5060520684680
ON-CAMERA ACCESSORIES					
---	CBMT-R	Adjustable Sliding Counter Balance Weights	Two 5 lbs. (2.3 kg) counterbalance weights bolted together. Total weight: 10 pounds (4.5 kg). Suitable for use with MT-RED & MT-BLACK mounting plates. Slide into position. WHILE SUPPLIES LAST!	345	5060312089990
CONFERENCE EQUIPMENT					
---	ESP-MAN	Manual Conference Stand and Glass	Manual conference stand, Glass holder and glass	1890	5060520680118
---	MRFS	Robotic Rise & Fall Stand	Including Robotic Stand, Glass and Deskpad. Height can be adjusted locally by deskpad or remotely by WP-C Software. Does not include Monitors, Power or Video (BNC) Cables	6490	5060520680460
---	WP-C	Stand & Deliver Software	Can control 1 to 8 MRFS Rise & Fall stands. Compatible with WP-Xlite, WP-NXU, and WP-SXU. Includes Software, 1 x USB Cable and 1 x USB - Coax Adapter	1035	5060520680866
---	GL-ESP	Conference Glass	Replacement Glass/Beamsplitter for use with conference stands. Compatible with MRFS, MTS and ESP-MAN	390	5060520680200
---	TC-MRF	Travel Case for Robotic Conference Stand	Can contain: 1 x MRFS Rise & Fall Stand, 2 x GL-ESP Replacement Glass for Rise & Fall Stand, 1 x RDP-CNF Remote Deskpad, all associated cables. Dimensions: 117 cm x 28 cm x 41 cm (46.1 in x 11.0 in x 116.1 in)	1270	5060520680729



2017
[Click to learn more]



[BACK TO CONTENTS](#)
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
SPARES					
---	RGFH-S	Glass For Folding Hood-Standard (FH-S)	When purchased as a spare, Universal Glass Carton (A9990-1014) must be added. 41.9 cm x 25.7 cm x 39 cm (16 1/2 in x 10 1/8 in x 15 3/8 in)	415	5060520680613
---	RGFH-8	Glass for carbon fibre hood8" (FH-8)	Universal Glass Carton (A9990-1014) NOT required. 34 cm x 16.8 cm x 25 cm (13 3/8 in x 6 5/8 in x 9 7/8 in)	330	5060520680606
---	RGMH-S	Glass for Moulded Hood-Standard (MH-S)	When purchased as a spare, Universal Glass Carton (A9990-1014) must be added. 47.6 cm x 34 cm x 44 cm (18 3/4 in x 13 3/8 in x 17 3/8 in)	460	5060520680637
---	RGMH-W	Glass for Moulded Hood-Wide (MH-W)	When purchased as a spare, Universal Glass Carton (A9990-1014) must be added. 61 cm x 31.8 cm x 42.1 cm (24 1/8 in x 12 1/2 in x 16 9/16 in)	520	5060520680644
---	RGFH-XW	Glass for Folding Hood-Wide (FH-XW)	When purchased as a spare, Universal Glass Carton (A9990-1014) must be added. 66.4 cm x 45.2 cm x 48 cm (26 1/8 in x 17 13/16 in x 19 in)	610	5060520680620
---	A9990-1014	Universal glass carton	Holds up to 2 pieces of glass for safe transporting. Reusable, can also be used for glass storage. Must be added to all individual glass sales. Non discountable item	75	5060312089983





2005, 2009 and 2021
 [Click here to learn more]

BACK TO CONTENTS
 [click here]

Litepanels®

Exceptional Light – endless creativity

Litepanels are pioneering developers of award-winning professional LED lighting fixtures, including high-powered LED Fresnels, hard and soft panels and versatile on-camera fixtures.

Litepanels' Emmy® award-winning technology (third Emmy received in 2021) has been used on thousands of productions worldwide and is trusted by the world's leading broadcasters and cinematographers.



Key products



Gemini 2x1 Hard RGBWW LED Panel

TLCI/CRI	97
CCT Range	2700k - 10,000k
Lux @ 3200k	8k w/ultra light diff. 10ft
Lux @ 5600k	6700 w/ultra light diff. 10ft
+/- Green-Magenta Adj.	continuously variable
Weight	25.3lb manual
DMX, CRMX, RDM Bluetooth	
Flicker Free w/no color shift.	



Gemini 1x1 Hard RGBWW LED Panel

TLCI/CRI	98
CCT Range	2700k - 10,000k
Lux @ 3200k	912 w/domed diff. 10ft
Lux @ 5600k	1003 w/domed diff. 10ft
+/- Green-Magenta Adj.	continuously variable
Weight	13.25lb manual
DMX, Wireless DMX, Bluetooth	
Flicker Free w/no color shift.	



Astra Family Bi-Color Panel lights

TLCI/CRI	98, 97
CCT Range	3200k - 5600k
Lux @ 3200k	1421 at 10ft
Lux @ 5600k	1583 at 10ft
Optics	46 degree custom TIR lens
Weight	7lb manual
DMX, Wireless DMX, Bluetooth	
Smooth dimming curve	

LITEPANELS Web Links:

WEBSITE | DATA SHEETS | YOUTUBE TUTORIALS | FACEBOOK | INSTAGRAM





2005, 2009 and 2021
[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
ASTRA FIXTURES					
---	935-1002	Astra 1x1 Tungsten	Astra 1x1 Tungsten: Includes: Astra 1x1 Tungsten fixture, Manual Yoke, Power Supply and US & EU Power Cords.	1145	5060312089754
	935-1021	Astra 6X Daylight LED Panel	Astra 6X Daylight LED Panel: Includes: Astra 6X Daylight Fixture, Standard Yoke, Power Supply, US & EU Power Cables	1135	5060520682501
	935-1023	Astra 6X Bi-Color LED Panel	Astra 6X Bi-Color LED Panel: Includes: Astra 6X Bi-Color Fixture, Standard Yoke, Power Supply, US & EU Power Cables	1185	5060520682525
	935-2021	Astra 3X Daylight LED Panel	Astra 3X Daylight LED Panel: Includes: Astra 3X Daylight Fixture, Standard Yoke, Power Supply, US & EU Power Cables	915	5060520682518
	935-2023	Astra 3X Bi-Color LED Panel	Astra 3X Bi-Color LED Panel: Includes: Astra 3X Bi-Color Fixture, Standard Yoke, Power Supply, US & EU Power Cables	915	5060520682532
	935-5021	Astra Soft Bi-Color LED Panel	Astra Soft Bi-Color LED Panel: Includes: Astra Soft Bi-Color Fixture, Standard Yoke, Power Supply, US & EU Power Cables	1195	5060520682549
	935-6000	Astra Bi-Focus Daylight	Astra Bi-Focus Daylight: Includes: Astra Bi-Focus Daylight Fixture, Diffusion Gel, Standard Yoke, Power Supply, US & EU Power Cables	1195	5060520682556
	935-3202	Astra 6X Traveler Trio V-Mount Kit	Astra 6X Traveler Trio V-Mount Kit: Includes: (3) ASTRA 6X Bi-Color LED Panels [935-1023], (3) Compact Nano Stands [900-3009], (3) AC Power Supply w/ Mounting Bracket, (3) US AC Power Cables [900-0003], (3) EU AC Power Cables [900-0013], (3) Anton/Bauer V-Mount Battery Adapter Plates [900-3508], (3) 3-Pin XLR to P-Tap Adapter Cables [900-0024], (1) Pelican Storm Hard Case with Custom Foam [900-3041]	5255	859058005518
	935-3201	Astra 6X Traveler Duo V-Mount Kit	Astra 6X Traveler Duo V-Mount Kit: Includes: (2) ASTRA 6X Bi-Color LED Panels [935-1023], (2) Compact Nano Stands [900-3009], (2) AC Power Supply w/ Mounting Bracket, (2) US AC Power Cables [900-0003], (2) EU AC Power Cables [900-0013], (2) Anton/Bauer V-Mount Battery Adapter Plates [900-3508], (2) 3-Pin XLR to P-Tap Adapter Cables [900-0024], (1) Pelican Storm Hard Case with Custom Foam [900-3043]	3470	859058005525
	935-3205	Astra 3X Bi-Color LED Panel Traveler Trio V-Mount Kit	Astra 3X Bi-Color LED Panel Traveler Trio V-Mount Kit: Includes: (3) ASTRA 3X Bi-Color LED Panels [935-2023], (3) Compact Nano Stands [900-3009], (3) AC Power Supply w/ Mounting Bracket, (3) US AC Power Cables [900-0003], (3) EU AC Power Cables [900-0013], (3) Anton/Bauer V-Mount Battery Adapter Plates [900-3508], (3) 3-Pin XLR to P-Tap Adapter Cables [900-0024], (1) Pelican Storm Hard Case with Custom Foam [900-3041]	4355	859058005532
	935-3203	Astra 3X Bi-Color LED Panel Traveler Duo V-Mount Kit	Astra 3X Bi-Color LED Panel Traveler Duo V-Mount Kit: Includes: (2) ASTRA 3X Bi-Color LED Panels [935-2023], (2) Compact Nano Stands [900-3009], (2) AC Power Supply w/ Mounting Bracket, (2) US AC Power Cables [900-0003], (2) EU AC Power Cables [900-0013], (2) Anton/Bauer V-Mount Battery Adapter Plates [900-3508], (2) 3-Pin XLR to P-Tap Adapter Cables [900-0024], (1) Pelican Storm Hard Case with Custom Foam [900-3043]	2890	859058005549

LITEPANELS Web Links:

WEBSITE | DATA SHEETS | YOUTUBE TUTORIALS | FACEBOOK | INSTAGRAM





2005, 2009 and 2021
[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
	935-3207	Astra 6X Traveler Trio Gold Mount Kit	Astra 6X Traveler Trio Gold Mount Kit - Includes: (3) ASTRA 6X Bi-Color LED Panels [935-1023], (3) Compact Nano Stands [900-3009], (3) AC Power Supply w/ Mounting Bracket, (3) US AC Power Cables [900-0003], (3) EU AC Power Cables [900-0013], (3) Anton/Bauer Gold Mount Battery Adapter Plates [900-3507], (3) 3-Pin XLR to P-Tap Adapter Cables [900-0024], (1) Pelican Storm Hard Case with Custom Foam [900-3041]	5255	859058005556
	935-3208	Astra 6X Traveler Duo Gold Mount Kit	Astra 6X Traveler Duo Gold Mount Kit - Includes: (2) ASTRA 6X Bi-Color LED Panels [935-1023], (2) Compact Nano Stands [900-3009], (2) AC Power Supply w/ Mounting Bracket, (2) US AC Power Cables [900-0003], (2) EU AC Power Cables [900-0013], (2) Anton/Bauer Gold Mount Battery Adapter Plates [900-3507], (2) 3-Pin XLR to P-Tap Adapter Cables [900-0024], (1) Pelican Storm Hard Case with Custom Foam [900-3043]	3470	859058005563
	935-3209	Astra 3X Bi-Color LED Panel Traveler Trio Gold Mount Kit	Astra 3X Bi-Color LED Panel Traveler Trio Gold Mount Kit - Includes: (3) ASTRA 3X Bi-Color LED Panels [935-2023], (3) Compact Nano Stands [900-3009], (3) AC Power Supply w/ Mounting Bracket, (3) US AC Power Cables [900-0003], (3) EU AC Power Cables [900-0013], (3) Anton/Bauer Gold Mount Battery Adapter Plates [900-3507], (3) 3-Pin XLR to P-Tap Adapter Cables [900-0024], (1) Pelican Storm Hard Case with Custom Foam [900-3041]	4355	859058005570
	935-3210	Astra 3X Bi-Color LED Panel Traveler Duo Gold Mount Kit	Astra 3X Bi-Color LED Panel Traveler Duo Gold Mount Kit - Includes: (2) ASTRA 3X Bi-Color LED Panels [935-2023], (2) Compact Nano Stands [900-3009], (2) AC Power Supply w/ Mounting Bracket, (2) US AC Power Cables [900-0003], (2) EU AC Power Cables [900-0013], (2) Anton/Bauer Gold Mount Battery Adapter Plates [900-3507], (2) 3-Pin XLR to P-Tap Adapter Cables [900-0024], (1) Pelican Storm Hard Case with Custom Foam [900-3043]	2890	859058005587
	935-3211	Astra Soft + Astra 6X Traveler Trio V-Mount Kit	Astra Soft + Astra 6X Traveler Trio V-Mount Kit : Includes: (2) ASTRA Soft Bi-Color LED Panels [935-5021], (1) ASTRA 6X Bi-Color LED Panel [935-1023], (3) Compact Nano Stands [900-3009], (3) AC Power Supply w/ Mounting Bracket, (3) US AC Power Cables [900-0003], (3) EU AC Power Cables [900-0013], (3) Anton/Bauer V-Mount Battery Adapter Plates [900-3508], (3) 3-Pin XLR to P-Tap Adapter Cables [900-0024], (1) Pelican Storm Hard Case with Custom Foam [900-3041]	5255	859058005594
	935-3212	Astra Soft + Astra 6X Traveler Trio Gold Mount Kit	Astra Soft + Astra 6X Traveler Trio Gold Mount Kit : Includes: (2) ASTRA Soft Bi-Color LED Panels [935-5021], (1) ASTRA 6X Bi-Color LED Panel [935-1023], (3) Compact Nano Stands [900-3009], (3) AC Power Supply w/ Mounting Bracket, (3) US AC Power Cables [900-0003], (3) EU AC Power Cables [900-0013], (3) Anton/Bauer Gold Mount Battery Adapter Plates [900-3507], (3) 3-Pin XLR to P-Tap Adapter Cables [900-0024], (1) Pelican Storm Hard Case w/Custom Foam [900-3041]	5255	859058005600
	935-3213	Astra 6X + Astra Soft Traveler Duo V-Mount Kit	Astra 6X + Astra Soft Traveler Duo V-Mount Kit : Includes: (1) ASTRA Soft Bi-Color LED Panel [935-5021], (1) ASTRA 6X Bi-Color LED Panel [935-1023], (2) Compact Nano Stands [900-3009], (2) AC Power Supply w/ Mounting Bracket, (2) US AC Power Cables [900-0003], (2) EU AC Power Cables [900-0013], (2) Anton/Bauer V-Mount Battery Adapter Plates [900-3508], (2) 3-Pin XLR to P-Tap Adapter Cables [900-0024], (1) Pelican Storm Hard Case with Custom Foam [900-3043]	3470	859058005617
	935-3214	Astra 6X + Astra Soft Traveler Duo Gold Mount Kit	Astra 6X + Astra Soft Traveler Duo Gold Mount Kit : Includes: (1) ASTRA Soft Bi-Color LED Panel [935-5021], (1) ASTRA 6X Bi-Color LED Panel [935-1023], (2) Compact Nano Stands [900-3009], (2) AC Power Supply w/ Mounting Bracket, (2) US AC Power Cables [900-0003], (2) EU AC Power Cables [900-0013], (2) Anton/Bauer Gold Mount Battery Adapter Plates [900-3507], (2) 3-Pin XLR to P-Tap Adapter Cables [900-0024], (1) Pelican Storm Hard Case w/Custom Foam [900-3043]	3470	859058005624

LITEPANELS Web Links:

WEBSITE | DATA SHEETS | YOUTUBE TUTORIALS | FACEBOOK | INSTAGRAM





2005, 2009 and 2021
[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
ASTRA ACCESSORIES					
---	900-3041	Traveler Case Astra Trio Pelican w/Cut Foam	Custom cut foam insert to fit 3 Astra's with accessories	795	5060312088351
	900-3715	Traveler Case Trio for Astra Family and Gemini 1x1	Includes: Pelican case, Custom foam insert, 3 foam fillers	795	5060896400839
---	900-3043	Traveler Case Astra Duo Pelican w/Cut Foam	Custom cut foam insert to fit 1 Astra Soft and 1 regular Astra or 2 regular Astras with accessories	580	5060312088375
	900-3506	Astra Nanoptic Lens Set with Bag	flat lenses w/nanoptic texture to bend and lightly diffuse the light in Narrow Spot (NSP), Medium Flood (MFL), Wide Flood Horizontal (WFL-H) and Wide Flood Vertical (WFL-V)	575	5060312088542
	900-3503	Astra 5-piece CTO Gel Set with Bag	including Full CTO, 1/2 CTO, 1/4 CTO, 1/8 CTO, Opal Frost Diffusion and Gel Bag.	235	5060312088511
	900-3504	Astra 5-piece CTB Gel Set with Bag	including Full CTB, 1/2 CTB, 1/4 CTB, 1/8 CTB, Opal Frost Diffusion and Gel Bag.	235	5060312088528
	900-3505	Astra Individual Gel-Opal Frost Diffusion	Astra 1x1 Individual Gel - Opal Frost Diffusion	45	5060312088535
	900-3501	Astra DMX (RJ-45) Communications Module	Astra 1x1 DMX (RJ-45) Communications Module	370	5060312088498
	900-3502	Astra DMX XLR 5pin Communications Module	Astra 1x1 DMX XLR 5pin Communications Module	370	5060312088504
	900-3519	Astra Bluetooth Communications Module	Download the "Litepanels Smartlite" APP from the Apple APP Store.	185	5060312088597
	900-3536	Astra Wireless DMX Module	Includes: Communications module, Antenna, Instruction Card	360	891353002199
	900-3509	Fixture Cover for Astra and Gemini 1x1	with a clear plastic front to allow fixture operation in damp or dusty conditions.	125	5060312088573
	900-3521	Light carry case for (1) Astra or (1) Gemini 1x1	Comfortably and securely transport one Astra or Gemini 1x1 fixture with yoke, power supply and gels. Int. L47.0xW42.0xH12.0 cmExt.L56.0xW48.0xH17.0 cm	230	5060312084940
	900-3522	Light carry case for (2) Astra's or (2) Gemini 1x1's	including one Accessory Bag. Comfortably and securely transport two Astra or Gemini 1x1 fixtures with yokes and power supplies. Int. L54.0xW40.0xH24.0 cmExt.L58.0xW45.0xH30.0 cm	350	5060312084957
	900-3530	Barn Door 4 way Astra Direct Fit	Fits directly on all Astra models (no adapter frame needed)	315	5060520687964
	900-3534	Honeycomb Grid, Astra Direct Fit, 60 Deg	Fits directly on all Astra models (no adapter frame needed)	275	5060896401676

LITEPANELS Web Links:

WEBSITE | DATA SHEETS | YOUTUBE TUTORIALS | FACEBOOK | INSTAGRAM





2005, 2009 and 2021
[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
ASTRA ACCESSORIES					
	900-3021	1x1 4-Way Barndoors	Works with all original 1x1 models and Astra models (in conjunction with 900-3520 Astra Accessory Adapter Frame).	325	5060312088276
	900-3017	1x1 Honeycomb Grid - 30 Degree	Works with all original 1x1 models and Astra models (in conjunction with 900-3520 Astra Accessory Adapter Frame).	275	5060312088238
	900-3018	1x1 Honeycomb Grid - 45 Degree	Works with all original 1x1 models and Astra models (in conjunction with 900-3520 Astra Accessory Adapter Frame).	275	5060312088245
	900-3019	1x1 Honeycomb Grid - 60 Degree	Works with all original 1x1 models and Astra models (in conjunction with 900-3520 Astra Accessory Adapter Frame).	275	5060312088252
	900-3020	1x1 Honeycomb Grid - 90 Degree	Works with all original 1x1 models and Astra models (in conjunction with 900-3520 Astra Accessory Adapter Frame).	275	5060312088269
	900-0032	Astra Snapbag Softbox	including 1/2 Grid Cloth and bag	335	5060312088016
	900-0027	Cloth Set for Snapbag Softbox for Astra 1x1 and Hilio D12/T12	must be used with 900-0032 Snapbag Softbox	110	5060312087996
	900-0028	40° Snapgrid Eggcrate for Snapbag Softbox for Astra 1x1 and Hilio D12/T12	including bag; must be used with 900-0032 Snapbag Softbox.	305	5060312088009
	900-0033	Snapbag Oversized Astra 1x1 Soft Bi-Color	Also fits Astra family products. Comes with 1/2 Grid cloth and Magic cloth	740	5060312088023
	900-0034	Snapgrid 40 deg for Oversized Astra Snapbag	Fits 900-0033 only	570	5060312088030
---	900-3520	Adapter Frame	For mounting the 1x1 Barn Door or a 1x1 Honeycomb to Astra	95	5060312088603
	900-3518	Pole Operated Yoke for Astra	for tilt and panning control of ceiling-mounted Astra 1x1 fixtures with a dedicated pole.	530	5060312088580
	900-3507	A/B Gold Mount Battery Bracket with P-Tap to 3-pin XLR cable	including mounting screws	180	87249600789
	900-3508	A/B V-Mount Battery Bracket with P-Tap to 3-pin XLR cable	including mounting screws	185	87249600790

LITEPANELS Web Links:

[WEBSITE](#) | [DATA SHEETS](#) | [YOUTUBE TUTORIALS](#) | [FACEBOOK](#) | [INSTAGRAM](#)





2005, 2009 and 2021
[\[Click here to learn more\]](#)



[BACK TO CONTENTS](#)
 [click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
GEMINI 1X1					
	945-1301	Gemini 1x1 Soft RGBWW LED Panel (Standard Yoke, US Power Cable)	Includes: Litepanels Gemini 1x1 Soft RGBWW LED Panel, Standard Yoke, Medium Diffuser, US Power Cable, Limited one-year warranty, extend to a total of two years with product registration	2095	859058005808
	945-1401	Gemini 1x1 Soft RGBWW LED Panel (Standard Yoke, Bare Ends)	Includes: Litepanels Gemini 1x1 Soft RGBWW LED Panel, Standard Yoke, Medium Diffuser, Bare Ends Power Cable, Limited one-year warranty, extend to a total of two years with product registration	2095	891353002168
	945-1311	Gemini 1x1 Soft RGBWW LED Panel (Pole-Operated Yoke, US Power Cable)	Includes: Litepanels Gemini 1x1 Soft RGBWW LED Panel, US Power Cable, Medium Diffuser, Pole-Operated Yoke, Limited one-year warranty, extend to a total of two years with product registration	2500	859058005853
	945-1411	Gemini 1x1 Soft RGBWW LED Panel (Pole-Operated Yoke, Bare Ends)	Includes: Litepanels Gemini 1x1 Soft RGBWW LED Panel, Pole-Operated Yoke, Medium Diffuser, Bare Ends Power Cable, Limited one-year warranty, extend to a total of two years with product registration	2500	891353002175
	945-2301	Gemini 1x1 Hard RGBWW LED Panel (Standard Yoke, US Power Cable)	Includes: Litepanels Gemini 1x1 Hard RGBWW LED Panel, Standard Yoke, Ultra Light and Dome Diffuser, US Power Cable, Limited one-year warranty, extend to a total of two years with product registration	2650	5060520689784
	945-2401	Gemini 1x1 Hard RGBWW LED Panel (Standard Yoke, Bare Ends)	Includes: Litepanels Gemini 1x1 Hard RGBWW LED Panel, Standard Yoke, Ultra Light and Dome Diffuser, Bare ends Power Cable, Limited one-year warranty, extend to a total of two years with product registration	2650	5060520689807
	945-2311	Gemini 1x1 Hard RGBWW LED Panel (Pole-Operated Yoke, US Power Cable)	Includes: Litepanels Gemini 1x1 Hard RGBWW LED Panel, Pole-Operated Yoke, Ultra Light and Dome Diffusers, US Power Cable, Limited one-year warranty, extend to a total of two years with product registration	3320	5060520689791
	945-2411	Gemini 1x1 Hard RGBWW LED Panel (Pole-Operated Yoke, Bare Ends)	Includes: Litepanels Gemini 1x1 Hard RGBWW LED Panel, Pole-Operated Yoke, Ultra Light and Dome Diffusers, Bare Ends Power Cable, Limited one-year warranty, extend to a total of two years with product registration	3320	5060520689814
	900-3730	Gemini 1x1 Hard Dual Array Light Kit	Includes (2) Gemini 1x1 Hard (945-2301) , Dual Array Yoke (900-3705), Power cable, RJ45 connector, dual IEC connector	5340	5060896404325
	900-3731	Gemini 1x1 Hard Quad Array Light Kit	Includes (4) Gemini 1x1 Hard (945-2301) , Quad Array Yoke (900-3706), (4) Power cable, (3) RJ45 connector, Quad IEC connector, 3 Pin XLR cable Extension	10680	5060896404332

LITEPANELS Web Links:

[WEBSITE](#) | [DATA SHEETS](#) | [YOUTUBE TUTORIALS](#) | [FACEBOOK](#) | [INSTAGRAM](#)





2005, 2009 and 2021
[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
GEMINI 1X1 ACCESSORIES					
---	411-0060	Cable Adapter, Locking IEC to Powercon	Cable Adapter enabling use of Powercon cables to power Gemini 1x1	95	891353002182
---	411-0061	Cable Assembly, IEC EU AC Power 3m	EU rated power cord, IEC 3 meter length	30	859058005860
---	411-0062	Cable Assembly, IEC US AC Power 3m	US rated power cord, IEC 3 meter length	30	859058005877
---	411-0063	Cable Assembly, IEC UK AC Power 3m	UK Rated power cord, IEC 3 meter length	30	5060896404349
---	411-0064	Cable Assembly, IEC AC Bare Ends 3m	EU safety rated Fixture Power cable with Bare wire ends, IEC 3 meter length	30	5060896404356
---	900-3703	Gemini 1x1 Battery Plate Gold Mount	Battery Plate with cable to be used with (1) 14.4V Gold Mount Battery. Fits on Gemini 1x1 yoke or directly on fixture.	475	891353002106
---	900-3704	Gemini 1x1 Battery Plate V-Mount	Battery Plate with cable to be used with (1) 14.4V "V" Mount Battery. Fits on Gemini 1x1 yoke or directly on fixture.	475	891353002113
---	900-3707	Gemini 1x1 Diffuser Heavy	Heavy diffusion panel, fits Gemini 1x1	155	859058005907
---	900-3708	Gemini 1x1 Diffuser Medium	Medium diffusion panel, fits Gemini 1x1	155	859058005914
---	900-3709	Gemini 1x1 Diffuser Light	Light diffusion panel, fits Gemini 1x1	155	859058005921
---	900-3711	Gemini 1x1 Diffuser Ultra Light	Ultra Light diffusion panel, fits Gemini 1x1	155	5060896404363
---	900-3712	Gemini 1x1 Domed Diffuser	Dome diffusion panel, fits Gemini 1x1	95	5060896404370
---	900-3710	Gemini 1x1 Intensifier	Intensifier panel, fits Gemini 1x1	280	859058005938
---	900-3702	Gemini 1x1 Honeycomb 60 Deg	Honeycomb 60 degrees, fits Gemini 1x1	280	859058005945
---	900-3701	Gemini 1x1 Barn Doors 4 Way	Barn Doors, 4 way, fits Gemini 1x1	440	859058005952

LITEPANELS Web Links:

[WEBSITE](#) | [DATA SHEETS](#) | [YOUTUBE TUTORIALS](#) | [FACEBOOK](#) | [INSTAGRAM](#)





2005, 2009 and 2021
[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
GEMINI 1X1 ACCESSORIES					
---	900-3716	Gemini 1x1 Snapbag Softbox	Snapbag softbox fits only Gemini 1x1	500	5060520688978
---	900-3717	Gemini 1x1 Snapgrid 40 deg Eggcrate for Fixture	SnapGrid 40 degree eggcrate, fits directly on front of Gemini 1x1	300	891353002069
---	900-3719	Gemini 1x1 Snapbag Cloth set, 1/4, 1/2, Full	SnapBag cloth set, fits Gemini 1x1 Snapbag, includes 1/4, 1/2, full diffusion	175	891353002083
---	900-3720	Gemini 1x1 Snapbag Snapgrid 40 deg Eggcrate	SnapGrid 40 degree eggcrate, fits on front of SnapBag for Gemini 1x1 (fits on SnapBag, not directly on Gemini 1x1 fixture)	415	891353002090
---	900-3722	Gemini 1x1 Snapbag Softbox w/removable baffle	Snapbag softbox fits only Gemini 1x1	545	5060896400433
---	900-3705	Dual Gemini 1x1 Array Kit with Yoke	Dual Gemini 1x1 Array Kit, including hardware and yoke for mounting two Gemini 1x1 fixtures side by side.	485	859058005969
---	900-3706	Quad Gemini 1x1 Array Kit with Yoke	Quad Gemini 1x1 Array Kit, including hardware and yoke for mounting four (4) Gemini 1x1 fixtures in a 2 by 2 (2 wide by 2 high) configuration	725	859058005976
---	900-3718	Gemini 1x1 Pole Operated Yoke	Pole operated yoke, fits Gemini 1x1 only	825	891353002076
---	900-3714	Hard Case for Astra and Gemini 1x1	Pelican case with custom foam to fit either two (2) Gemini 1x1 fixtures or one (1) Gemini 1x1 fixture and room for accessories.	630	859058005990
GEMINI 2X1 FIXTURES					
	940-1301	Gemini 2x1 Soft RGBWW LED Panel (Standard Yoke, US Power Cable)	Includes: Litepanels Gemini 2x1 Soft RGBWW Fixture with integrated power supply, Standard Yoke with Junior Pin, 3m US powerCON cable	4700	859058005303
	940-1401	Gemini 2x1 Soft RGBWW LED Panel (Standard Yoke, Bare Ends)	Includes: Litepanels Gemini 2x1 Soft RGBWW Fixture with integrated power supply, Standard Yoke with Junior Pin, 3m Bare Ends powerCON cable	4700	859058005310
	940-1311	Gemini 2x1 Soft RGBWW LED Panel (Pole-Operated Yoke, US Power Cable)	Includes: Litepanels Gemini 2x1 Soft RGBWW Fixture with integrated power supply, Pole-Operated Yoke with Junior Pin, 3m US powerCON cable	5045	859058005679
	940-1411	Gemini 2x1 Soft RGBWW LED Panel (Pole-Operated Yoke, Bare Ends)	Includes: Litepanels Gemini 2x1 Soft RGBWW Fixture with integrated power supply, Pole-Operated Yoke with Junior Pin, 3m Bare Ends powerCON cable	5045	859058005686

LITEPANELS Web Links:

WEBSITE | DATA SHEETS | YOUTUBE TUTORIALS | FACEBOOK | INSTAGRAM





2005, 2009 and 2021
[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
	940-2301	Gemini 2X1 Hard RGBWW LED Panel (Standard Yoke, US Power Cable)	Includes: Litepanels Gemini 2x1 Hard RGBWW Fixture with integrated power supply, Standard Yoke with Junior Pin, 3m US powerCON cable	6400	5060520689654
	940-2401	Gemini 2X1 Hard RGBWW LED Panel (Standard Yoke, Bare Ends Power Cable)	Includes: Litepanels Gemini 2x1 Hard RGBWW Fixture with integrated power supply, Standard Yoke with Junior Pin, 3m Bare Ends powerCON cable	6400	5060520689678
	940-2311	Gemini 2X1 Hard RGBWW LED Panel Pole Operated Yoke, US Power Cable)	Includes: Litepanels Gemini 2x1 Hard RGBWW Fixture with integrated power supply, Pole Operated Yoke with Junior Pin, 3m US powerCON cable	6700	5060520689661
	940-2411	Gemini 2X1 Hard RGBWW LED Panel (Pole Operated Yoke, Bare Ends)	Includes: Litepanels Gemini 2x1 Hard RGBWW Fixture with integrated power supply, Pole Operated Yoke with Junior Pin, 3m Bare Ends powerCON cable	6700	5060896402376
	940-2302	Gemini 2x1 Hard RGBWW LED Panel Dual Array Light Kit, US Power Cable	Includes: (2) Gemini 2x1 Hard US Power cable (940-2301), Dual Gemini 2x1 stacking Kit with Yoke (900-3604), (1) RJ45 connector, (1) AC power-thru cable	12700	5060896402406
	940-2303	Gemini 2x1 Hard RGBWW LED Panel Quad Array Light Kit, US Power Cable	Includes: (4) Gemini 2x1 Hard US Power cable (940-2301), Quad Gemini 2x1 stacking Kit with Yoke (900-3604), (3) RJ45 connector, (3) AC power-thru cable	24800	5060896402437
GEMINI 2X1 ACCESSORIES					
---	410-0086	Cable Assembly, Gemini 2x1, US AC Power Thru	For connecting (daisy chain) up to 4 Gemini 2x1 Panels using 115V Power	95	859058005327
---	410-0095	Cable Assembly, Gemini 2x1 or 1x1, XLR Battery	For connecting Gemini 2x1 or 1x1 to VCLX style battery or Gemini Dual Battery Bracket	95	859058005334
---	410-0096	Cable Assembly, Gemini 2x1, EU AC Power Thru	For connecting (daisy chain) up to 4 Gemini 2x1 Panels using 220-240V Power	95	859058005341
---	411-0055	Cable Assembly, Gemini 2x1, EU AC Power	3m cable for connecting Gemini 2x1 to EU AC Power Mains	95	859058005358
---	411-0056	Cable Assembly, Gemini 2x1, US AC Power	3m cable for connecting Gemini 2x1 to US AC Power Mains	95	859058005365
---	411-0057	Cable Assembly, Gemini 2x1, UK AC Power	3m cable for connecting Gemini 2x1 to UK AC Power Mains	95	859058005372
---	411-0059	Cable Assembly, Gemini 2x1, EU AC Bare Ends	3m cable with bare end for connecting Gemini 2x1 to power mains	95	859058005389
---	900-3617	Gemini Dual Battery Bracket Gold Mount w/XLR Cable	Powers Gemini 2x1 or 1x1 with 2 Gold Mount 14.4V Batteries	505	859058005754
---	900-3618	Gemini Dual Battery Bracket V Mount with XLR Cable	Powers Gemini 2x1 or 1x1 with 2 V Mount 14.4V Batteries	505	859058005747

LITEPANELS Web Links:

WEBSITE | DATA SHEETS | YOUTUBE TUTORIALS | FACEBOOK | INSTAGRAM





2005, 2009 and 2021
[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
GEMINI 2X1 ACCESSORIES					
---	900-3601	Wireless DMX Communications Module	Plug in module for wireless DMX control of Gemini and other fixtures	335	859058005396
---	900-3602	Gemini 2x1 Honeycomb 60 Deg	Fits Gemini 2x1 only	335	859058005402
---	900-3603	Gemini 2x1 Barn Doors	Fits Gemini 2x1 only	400	859058005419
---	900-0035	Gemini 2x1 Snapbag Softbox	Snapbag softbox fits only Gemini 2x1	715	859058005464
---	900-0041	Gemini 2x1 Hard Snapbag Softbox with removable baffle	Snapbag softbox fits only Gemini 2x1	740	5060896402505
---	900-0036	Gemini 2x1 Snapgrid 40 deg Eggcrate for Fixture	Snapgrid 40 deg eggcrate fits Gemini directly (not for use with Snapbag)	490	859058005471
---	900-0037	Gemini 2x1 Snapbag Cloth set 1/4, 1/2, Full	Snapbag cloth set, fits Gemini 2x1 Snapbag, includes 1/4, 1/2, full diffusion	235	859058005495
---	900-3667	Gemini 2x1 Hard Diffuser Super Ultra Light	Super ultra light diffusion panel, fits Gemini 2x1 Hard	265	5060896402444
---	900-3653	Gemini 2x1 Hard Diffuser Ultra Light	Ultra light diffusion panel, fits Gemini 2x1 Hard	265	5060896402451
---	900-3652	Gemini 2x1 Hard Diffuser Light	Light diffusion panel, fits Gemini 2x1 Hard	265	5060896402468
---	900-3651	Gemini 2x1 Hard Diffuser Medium	Medium diffusion panel, fits Gemini 2x1 Hard	265	5060896402475
---	900-3650	Gemini 2x1 Hard Diffuser Heavy	Heavy diffusion panel, fits Gemini 2x1 Hard	265	5060896402482
---	900-3649	Gemini 2x1 Hard Domed Diffuser	Domed diffusion panel, fits Gemini 2x1 Hard	160	5060896402499
---	900-0038	Snapgrid 40 deg Eggcrate for Gemini 2x1 Snapbag	Snapgrid 40 deg eggcrate fits with Snapbag for Gemini 2x1 (does not fit directly on Gemini 2x1 fixture)	435	859058005501
---	900-3622	Snapbag Softbox for Gemini 2x1 Dual Array (Vertical)	Fits Gemini 2x1 Array (use with 2 Gemini 2x1's and 900-3604 Dual Gemini Stacking Kit)	1150	5060520688947
---	900-3623	Gemini 2x1 Dual Array (Vertical) Snapgrid direct fit	Fits Gemini 2x1 Array (use with 2 Gemini 2x1's and 900-3604 Dual Gemini Stacking Kit)	525	5060520688954

LITEPANELS Web Links:

[WEBSITE](#) | [DATA SHEETS](#) | [YOUTUBE TUTORIALS](#) | [FACEBOOK](#) | [INSTAGRAM](#)


















2005, 2009 and 2021
[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
GEMINI 2X1 ACCESSORIES					
	900-3624	Snapgrid for Gemini 2x1 Dual Array (Vertical) Snapbag	Fits Gemini 2x1 Array (use with 2 Gemini 2x1's and 900-3604 Dual Gemini Stacking Kit)	955	5060520688961
	900-3627	Gemini 2x1 Soft RGBWW SNAPBAG Horizontal Array	Includes: SNAPBAG softbox, Storage bag, Half Grid cloth diffuser	1150	810033920004
	900-3628	Gemini 2x1 Soft RGBWW SNAPGRID Horizontal Array - direct fit	Includes: SNAPGRID, Storage bag	525	810033920011
	900-3626	Gemini 2x1 Soft RGBWW SNAPGRID Horizontal Array - SNAPBAG fit	Includes: SNAPGRID, Storage bag	955	810033920035
	900-3630	Gemini 2x1 Soft RGBWW SNAPBAG Softbox - Quad Array	Includes: SNAPBAG softbox, Storage bag, Half Grid cloth diffuser	1615	810033920042
	900-3631	Gemini 2x1 Soft RGBWW SNAPGRID - Quad Array - SNAPBAG fit	Includes: SNAPGRID, Storage bag	1675	810033920059
	900-3632	Gemini 2x1 Soft RGBWW SNAPGRID - Quad Array - direct fit	Includes: SNAPGRID, Storage bag	900	810033920066
	900-3604	Dual Gemini 2x1 Stacking Kit with Yoke	Connects two Gemini 2x1 units together vertically, includes yoke	685	859058005426
	900-3605	Quad Gemini 2x1 Stacking Kit with Yoke	Connects four Gemini 2x1 units together, includes yoke	750	859058005433
	900-3619	1 by 2 Dual Gemini 2x1 Array Kit with Yoke	Connects two Gemini 2x1 units together side by side, includes yoke	685	5060896404417
	900-3625	Gemini 2x1 Floor Stand Kit	Allows Gemini 2x1 to stand on floor	545	891353002151
	900-3629	Ball Joint Mount Kit for Gemini 2x1 Soft RGBWW LED Panel	Includes: Fully-assembled Ball Mount, Fixing bracket, Spigot, Junior Pin	545	810033920028
---	900-3633	Ball Mount Clamp Base Gemini 2x1	Clamp with ball - attaches clamp to Ball Joint Mount for Gemini 2x1 (900-3629)	215	810033920073
	900-3616	Gemini 2x1 Pole Operated Yoke	Pole Operated yoke, fits Gemini 2x1 only	670	859058005488

LITEPANELS Web Links:

[WEBSITE](#) | [DATA SHEETS](#) | [YOUTUBE TUTORIALS](#) | [FACEBOOK](#) | [INSTAGRAM](#)





2005, 2009 and 2021
[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
GEMINI 2X1 ACCESSORIES					
	900-3614	Gemini 2x1 Fixture cover	Fixture cover to protect Gemini 2x1 from dust and elements	200	859058005440
	900-3615	Gemini 2x1 Road Case	Anvil style case, fits one Gemini 2x1 fixture with yoke	830	859058005457
	900-3621	Gemini 2x1 Soft Carry Case	Soft side case with zipper closure, fits Gemini 2x1	460	5060520688930
ADDITIONAL ACCESSORIES FOR 1X1 FIXTURES					
	900-3000	1x1 6-Piece CTO Gel Set with Gel Bag	Works with all original 1x1 models only. Including Full CTO, 1/2 CTO, 1/4 CTO, 1/8 CTO, Half White Diffusion, Opal Frost Diffusion and Gel Bag.	280	5060312088153
	900-3001	1x1 6-Piece CTB Gel Set with Gel Bag	Works with all original 1x1 models only. Including Full CTB, 1/2 CTB, 1/4 CTB, 1/8 CTB, Half White Diffusion, Opal Frost Diffusion and Gel Bag.	280	5060312088160
	900-3002	1x1 6-Piece Bi-Color Gel Set with Gel Bag	Works with all original 1x1 models only. Including 1/2 CTO, 1/4 CTO, 1/2 CTB, 1/4 CTB, Half White Diffusion, Opal Frost Diffusion and Gel Bag.	280	5060312088177
	900-0001	Gel Bag for 1x1, Sola 9/Inca 9 and Ringlite Mini Gels	Gel Bag for 1x1, Sola 9/Inca 9 and Ringlite Mini Gels	105	5060312087866
	900-3250	1x1 Individual Gel - Half White Diffusion	Works with all original 1x1 models only	55	5060312088474
	900-3410	1x1 Individual Gel - Opal Frost Diffusion	Works with all original 1x1 models only	55	5060312088481
---	900-3201	1x1 Individual Gel - Full CTB	Works with all original 1x1 models only - while supplies last!	55	5060312088399
---	900-3202	1x1 Individual Gel - 1/2 CTB	Works with all original 1x1 models only - while supplies last!	55	5060312088405
---	900-3203	1x1 Individual Gel - 1/4 CTB	Works with all original 1x1 models only - while supplies last!	55	5060312088412
---	900-3218	1x1 Individual Gel - 1/8 CTB	Works with all original 1x1 models only - while supplies last!	55	5060312088450
---	900-3204	1x1 Individual Gel - Full CTO	Works with all original 1x1 models only - while supplies last!	55	5060312088429
---	900-3205	1x1 Individual Gel - 1/2 CTO	Works with all original 1x1 models only - while supplies last!	55	5060312088436
---	900-3206	1x1 Individual Gel - 1/4 CTO	Works with all original 1x1 models only - while supplies last!	55	5060312088443
---	900-3223	1x1 Individual Gel - 1/8 CTO	Works with all original 1x1 models only - while supplies last!	55	5060312088467

LITEPANELS Web Links:

[WEBSITE](#) | [DATA SHEETS](#) | [YOUTUBE TUTORIALS](#) | [FACEBOOK](#) | [INSTAGRAM](#)





2005, 2009 and 2021
[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
GEMINI 1X1 ACCESSORIES					
---	900-3022	Fixture Cover for 1x1 Fixtures	Works with all original 1x1 models only. With a clear plastic front to allow fixture operation in damp or dusty conditions.	75	5060312088283
---	900-3025	1x1 4-Lite Carrying Case	Works with all original 1x1 models only. Including two Accessory Bags. Comfortably and securely transport four original 1x1 fixtures with yokes, power supplies and gels. while supplies last!	545	5060312088313
---	900-3029	Pole Operated Yoke for 1x1 fixtures	Works with all original 1x1 models only. For tilt and panning control of ceiling-mounted original 1x1 fixtures with a dedicated pole. while supplies last!	385	5060312088320
---	900-3010	2x1 Manual Yoke for 1x1 Fixtures	Works with all original 1x1 models only. W/mounting accessories for side-by-side mounting of two original 1x1 fixtures with plastic housings (Mono, Bi-Color, Bi-Focus, and LS). while supplies last!	255	5060312088191
---	900-3014	1x1 V-Mount Battery Adapter Plate	Works with all original 1x1 models only. Including a 6 in (15 cm) D-Tap Power Cable which allows the use of professional V-Mount batteries to power all original 1x1 fixtures.	265	5060312088207
---	900-3015	1x1 Gold Mount Battery Adapter Plate	Works with all original 1x1 models only. Including a 6 in (15 cm) D-Tap Power Cable allows the use of professional Anton/Bauer batteries to power all original 1x1 fixtures.	265	5060312088214
---	900-3016	1x1 D-Tap Power Cable for Battery Adapter Plates - 6 in (15 cm)	Works with all original 1x1 models only. Use with Anton/Bauer Gold Mount Battery Adapter Plate (900-3015) or V-Mount Battery Adapter Plate (900-3014).	65	5060312088221
---	900-0002	1x1/Ringlite Mini Power Supply	Works with all original 1x1 models only. Does not include Power Cord. while supplies last!	145	5060312087873
---	900-3005	1x1 Power Supply Mounting Bracket	Works with all original 1x1 models only. while supplies last!	110	5060312088184
---	900-6290	Yoke 2-Knob Kit	for original 1X1, Sola 4, Inca 4, Sola 6 and Inca 6.	35	5060312089051
HILIO ACCESSORIES					
---	900-7313	Nanoptic Lens Set (4-piece) with Bag for Hilio D12/T12	including Narrow Spot (NSP), Medium Flood (MFL), Wide Flood (WFL) Horizontal and Vertical Nanoptic Lenses and Bag.	600	5060312089389
---	900-7311	Hilio D12 5-Piece CTO Gel Set with Gel Bag	including Full CTO, 1/2 CTO, 1/4 CTO, 1/8 CTO, Half White Diffusion and Gel Bag.	300	5060312089365
---	900-7312	Hilio T12 5-Piece CTB Gel Set with Gel Bag	including Full CTB, 1/2 CTB, 1/4 CTB, 1/8 CTB, Half White Diffusion and Gel Bag.	300	5060312089372
---	900-7000	Hilio D12/T12 Gel Bag	also fits filters of the original Hilio	55	5060312089242
---	900-7305	Hilio D12/T12 Individual Gel - Half White Diffusion	Hilio D12/T12 Individual Gel - Half White Diffusion	55	5060312089310

LITEPANELS Web Links:

WEBSITE | DATA SHEETS | YOUTUBE TUTORIALS | FACEBOOK | INSTAGRAM





2005, 2009 and 2021
 [Click here to learn more]



BACK TO CONTENTS
 [click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
HILIO ACCESSORIES					
---	900-7301	Hilio D12 Individual Gel - Full CTO	Hilio D12 Individual Gel - Full CTO - <i>while supplies last!</i>	55	5060312089273
---	900-7302	Hilio D12 Individual Gel - 1/2 CTO	Hilio D12 Individual Gel - 1/2 CTO - <i>while supplies last!</i>	55	5060312089280
---	900-7303	Hilio D12 Individual Gel - 1/4 CTO	Hilio D12 Individual Gel - 1/4 CTO - <i>while supplies last!</i>	55	5060312089297
---	900-7304	Hilio D12 Individual Gel - 1/8 CTO	Hilio D12 Individual Gel - 1/8 CTO - <i>while supplies last!</i>	55	5060312089303
---	900-7307	Hilio T12 Individual Gel - Full CTB	Hilio T12 Individual Gel - Full CTB - <i>while supplies last!</i>	55	5060312089327
---	900-7308	Hilio T12 Individual Gel - 1/2 CTB	Hilio T12 Individual Gel - 1/2 CTB - <i>while supplies last!</i>	55	5060312089334
---	900-7309	Hilio T12 Individual Gel - 1/4 CTB	Hilio T12 Individual Gel - 1/4 CTB - <i>while supplies last!</i>	55	5060312089341
---	900-7310	Hilio T12 Individual Gel - 1/8 CTB	Hilio T12 Individual Gel - 1/8 CTB - <i>while supplies last!</i>	55	5060312089358
---	900-7315	Fixture Cover for Hilio D12/T12	with a clear plastic front to allow fixture operation in damp or dusty conditions.	315	5060312089396
---	900-7013	Snapgrid for Oversized Softbox for Hilio D12/T12	40 Deg. Fits into Oversized Snapbag 900-7321	600	5060312089266
---	900-7012	Oversized Snapbag Softbox Cloth Set for Hilio D12/T12	Fits into Oversized Snapbag 900-7321	230	5060312089259
---	900-7321	Hilio D12/T12 Oversized Softbox w/diffusion	Includes bag, 1X Baffle, and 1X front diffuser.	785	5060312089501
---	900-7320	Pole Operated Yoke for Hilio D12/T12	for tilt and panning control of ceiling-mounted Astra 1x1 fixtures with a dedicated pole.	545	5060312089495
---	900-7316	Hilio D12/T12 Power Supply	Does not include Power Cord.	955	5060312089464
---	900-7317	Extension Cable for Sola/Inca 12 and Hilio D12/T12	Extension Cable (Power Supply to Fixture) for Sola/Inca 12 and Hilio D12/T13	220	5060312089471
---	900-7318	Hilio D12/T12 Floor Stand/Hanging Bracket for Power Supply	Hilio D12/T12 Floor Stand/Hanging Bracket for Power Supply	110	5060312089488

LITEPANELS Web Links:

[WEBSITE](#) | [DATA SHEETS](#) | [YOUTUBE TUTORIALS](#) | [FACEBOOK](#) | [INSTAGRAM](#)





2005, 2009 and 2021
[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
2" FRESNEL FIXTURES + 3" FRESNEL ACCESSORIES					
	909-1001	Caliber 3-Light Kit	including (3) [Caliber Fresnel fixtures, Pixi tripods, Gel Sets, Color Frames, 4-way barndoors, international power supplies], compact light stand, stand adapter, and softcase bag.	1395	5060312089716
	909-1002	Caliber Single Light Pack	including (1) [Caliber Fresnel fixture, Pixi tripod, Gel Set, Color Frame, 4-way barndoors, international power supply].	545	5060312083387
---	900-0023	Sola ENG Diffuser Filter only (for Softbox)	Sola ENG Diffuser Filter only (for Softbox) - while supplies last!	45	5060312087972
---	900-6101	Sola ENG 3-Piece CTO Gel Set	including Full CTO, 1/2 CTO and Diffusion. - while supplies last!	65	5060312088726
---	900-6100	Sola ENG 2-Way Barn-door and Gel Holder	Sola ENG 2-Way Barndoor and Gel Holder - while supplies last!	45	5060312088719
---	900-6103	Sola ENG Power Supply	Does not include Power Cord.	100	5060312088733
4" FRESNEL FIXTURES + ACCESSORIES					
	906-4024	Sola 4+ Daylight Fresnel	including Sola 4+ Daylight Fresnel fixture with 4-inch lens, 4-Way (4-Leaf) Barndoor, Manual Yoke, Power Supply and US & EU Power Cord.	1635	5060520682570
	906-4230	Sola 4+ Traveler Kit	including (3) [Sola 4+ Daylight Fresnel, 4-Way (4-Leaf) Barndoor, Manual Yoke, Power Supply, (3) kit stands, US & EU Power Cord] and Trolley Case.	5160	859058005648
---	900-6225	Sola 4 5-Piece CTO Gel Set with Gel Bag	including Full CTO, 1/2 CTO, 1/4 CTO, 1/8 CTO, Opal Frost Diffusion and Gel Bag.	215	5060312088900
---	900-6226	Inca 4 5-Piece CTB Gel Set with Gel Bag	including Full CTB, 1/2 CTB, 1/4 CTB, 1/8 CTB, Opal Frost Diffusion and Gel Bag.	215	5060312088917
---	900-6207	Gel Bag for Sola 4, Inca 4, Sola 6 and Inca 6	Gel Bag for Sola 4, Inca 4, Sola 6 and Inca 6	45	5060312088818
---	900-0410	Sola 4/Inca 4 Individual Gel - Opal Frost Diffusion	Sola 4/Inca 4 Individual Gel - Opal Frost Diffusion	45	5060312088061
---	900-0204	Sola 4 Ind.Gel - Full CTO	Sola 4 Individual Gel - Full CTO - while supplies last!	45	5060312088047
---	900-0206	Sola 4 Ind. Gel - 1/4 CTO	Sola 4 Individual Gel - 1/4 CTO - while supplies last!	45	5060312088054
---	900-6224	Sola 4/Inca 4 4-Way 4-Leaf Barndoor	Sola 4/Inca 4 4-Way 4-Leaf Barndoor	205	5060312088894
---	900-6212	Sola 4/Inca 4 Power Supply	Does not include Power Cord.	160	5060312088849
---	900-6497	Sola 4/Inca 4 Yoke Kit (Black)	Requires Knob Kit (900-6290).	130	5060312089082
---	900-6254	Hardware conversion kit, 4" Fresnel, Pole Operated Yoke	Hardware conversion kit, 4" Fresnel, Pole Operated Yoke	145	5060896400006

LITEPANELS Web Links:

WEBSITE | DATA SHEETS | YOUTUBE TUTORIALS | FACEBOOK | INSTAGRAM






2005, 2009 and 2021
[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
6" FRESNEL FIXTURES + ACCESSORIES					
	906-2024	Sola 6+ Daylight Fresnel	including Sola 6+ Daylight Fresnel fixture with 6-inch lens, 4-Way (8-Leaf) Barndoor, Manual Yoke, Power Supply and US & EU Power Cord. Improved CRI (96) & 16-20% increased efficiency	2785	5060520682563
---	900-6201	Sola 6 5-Piece CTO Gel Set with Gel Bag	including Full CTO, 1/2 CTO, 1/4 CTO, 1/8 CTO, Opal Frost Diffusion and Gel Bag.	270	5060312088764
---	900-6208	Inca 6 5-Piece CTB Gel Set with Gel Bag	including Full CTB, 1/2 CTB, 1/4 CTB, 1/8 CTB, Opal Frost Diffusion and Gel Bag.	270	5060312088825
---	900-6410	Sola 6/Inca 6 Individual Gel - Opal Frost Diffusion	Sola 6/Inca 6 Individual Gel - Opal Frost Diffusion	55	5060312089075
---	900-6204	Sola 6 Ind. Gel - Full CTO	Sola 6 Individual Gel - Full CTO - while supplies last!	55	5060312088788
---	900-6205	Sola 6 Ind. Gel - 1/2 CTO	Sola 6 Individual Gel - 1/2 CTO - while supplies last!	55	5060312088795
---	900-6206	Sola 6 Ind. Gel - 1/4 CTO	Sola 6 Individual Gel - 1/4 CTO - while supplies last!	55	5060312088801
---	900-6223	Sola 6 Ind. Gel - 1/8 CTO	Sola 6 Individual Gel - 1/8 CTO - while supplies last!	55	5060312088887
---	900-6211	Inca 6 Ind. Gel - Full CTB	Inca 6 Individual Gel - Full CTB - while supplies last!	55	5060312088832
---	900-6222	Fixture Cover for Sola 6 and Inca 6	with a clear plastic front to allow fixture operation in damp or dusty conditions.	240	5060312088870
---	900-6221	Sola 6/Inca 6 4-Way 8-Leaf Barndoor	Sola 6/Inca 6 4-Way 8-Leaf Barndoor	325	5060312088863
---	900-6203	Pole Operated Yoke for Sola 6 and Inca 6	Pole Operated Yoke for Sola 6 and Inca 7	390	5060312088771
---	900-6250	Sola 6/Inca 6 Power Supply	Does not include Power Cord.	305	5060312089020
---	900-6295	Sola 6/Inca 6 Yoke Kit (Black)	Requires Knob Kit (900-6290).	195	5060312089068
9" FRESNEL ACCESSORIES					
---	900-6513	Sola 9 5-Piece CTO Gel Set with Gel Bag	including Full CTO, 1/2 CTO, 1/4 CTO, 1/8 CTO, Opal Frost Diffusion and Gel Bag.	275	5060312089198
---	900-6514	Inca 9 5-Piece CTB Gel Set with Gel Bag	including Full CTB, 1/2 CTB, 1/4 CTB, 1/8 CTB, Opal Frost Diffusion and Gel Bag.	275	5060312089204
---	900-0001	Gel Bag for 1x1, Sola 9/Inca 9 and Ringlite Mini Gels	Gel Bag for 1x1, Sola 9/Inca 9 and Ringlite Mini Gels	105	5060312087866
---	900-6506	Sola 9/Inca 9 Individual Gel - Opal Frost Diffusion	Sola 9/Inca 9 Individual Gel - Opal Frost Diffusion	55	5060312089136

LITEPANELS Web Links:

[WEBSITE](#) | [DATA SHEETS](#) | [YOUTUBE TUTORIALS](#) | [FACEBOOK](#) | [INSTAGRAM](#)





2005, 2009 and 2021
[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
9" FRESNEL ACCESSORIES					
---	900-6501	Sola 9 Ind. Gel - Full CTO	Sola 9 Individual Gel - Full CTO - <i>while supplies last!</i>	50	5060312089099
---	900-6502	Sola 9 Ind. Gel - 1/2 CTO	Sola 9 Individual Gel - 1/2 CTO - <i>while supplies last!</i>	50	5060312089105
---	900-6503	Sola 9 Ind. Gel - 1/4 CTO	Sola 9 Individual Gel - 1/4 CTO - <i>while supplies last!</i>	50	5060312089112
---	900-6504	Sola 9 Ind. Gel - 1/8 CTO	Sola 9 Individual Gel - 1/8 CTO - <i>while supplies last!</i>	50	5060312089129
---	900-6507	Inca 9 Ind. Gel - Full CTB	Inca 9 Individual Gel - Full CTB - <i>while supplies last!</i>	55	5060312089143
---	900-6508	Inca 9 Ind. Gel - 1/2 CTB	Inca 9 Individual Gel - 1/2 CTB - <i>while supplies last!</i>	50	5060312089150
---	900-6509	Inca 9 Ind. Gel - 1/4 CTB	Inca 9 Individual Gel - 1/4 CTB - <i>while supplies last!</i>	50	5060312089167
---	900-6510	Inca 9 Ind. Gel - 1/8 CTB	Inca 9 Individual Gel - 1/8 CTB - <i>while supplies last!</i>	50	5060312089174
---	900-6518	Fixture Cover for Sola 9 and Inca 9	with a clear plastic front to allow fixture operation in damp or dusty conditions.	265	5060312089211
---	900-6512	Pole Operated Yoke for Sola 9 and Inca 9	for tilt and panning control of ceiling-mounted Sola 9 and Inca 9 fixtures with a dedicated pole.	475	5060312089181
12" FRESNEL ACCESSORIES					
---	900-6235	Sola 12 5-Piece CTO Gel Set with Gel Bag	including Full CTO, 1/2 CTO, 1/4 CTO, 1/8 CTO, Opal Frost Diffusion and Gel Bag.	425	5060312088962
---	900-6236	Inca 12 5-Piece CTB Gel Set with Gel Bag	including Full CTB, 1/2 CTB, 1/4 CTB, 1/8 CTB, Opal Frost Diffusion and Gel Bag.	425	5060312088979
---	900-6233	Sola 12/Inca 12 Gel Bag	Sola 12/Inca 12 Gel Bag	70	5060312088955
---	900-6245	Sola 12/Inca 12 Individual Gel - Opal Frost Diffusion	Sola 12/Inca 12 Individual Gel - Opal Frost Diffusion	85	5060312089013
---	900-6241	Sola 12 Ind. Gel - Full CTO	Sola 12 Individual Gel - Full CTO - <i>while supplies last!</i>	85	5060312088986
---	900-6242	Sola 12 Ind. Gel - 1/2 CTO	Sola 12 Individual Gel - 1/2 CTO - <i>while supplies last!</i>	85	5060312088993
---	900-6244	Sola 12 Ind. Gel - 1/8 CTO	Sola 12 Individual Gel - 1/8 CTO - <i>while supplies last!</i>	85	5060312089006
---	900-6252	Fixture Cover for Sola 12 and Inca 12	with a clear plastic front to allow fixture operation in damp or dusty conditions.	310	5060312089044
---	900-6231	Sola 12/Inca 12 4-Way 8-Leaf Barndoor	Sola 12/Inca 12 4-Way 8-Leaf Barndoor	475	5060312088931
---	900-6232	Pole Operated Yoke for Sola 12 and Inca 12	for tilt and panning control of ceiling-mounted Sola 12 and Inca 12 fixtures with a dedicated pole.	475	5060312088948

LITEPANELS Web Links:

[WEBSITE](#) | [DATA SHEETS](#) | [YOUTUBE TUTORIALS](#) | [FACEBOOK](#) | [INSTAGRAM](#)





2005, 2009 and 2021
 [Click here to learn more]



BACK TO CONTENTS
 [click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
STUDIO X FRENELS + ACCESSORIES					
	960-2301	Studio X2 Daylight 60W LED Fresnel (standard yoke, US power cable)	Studio X2 Daylight 60W LED Fresnel , includes: LED Fresnel, standard yoke with baby pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	2060	5060896401201
	960-2302	Studio X2 Tungsten 60W LED Fresnel (standard yoke, US power cable)	Studio X2 Tungsten 60W LED Fresnel , includes: LED Fresnel, standard yoke with baby pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	2060	5060896401218
	960-2303	Studio X2 Bi-Color 60W LED Fresnel (standard yoke, US power cable)	Studio X2 Bi-Color 60W LED Fresnel , includes: LED Fresnel, standard yoke with baby pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	2270	5060896401225
---	960-2311	Studio X2 Daylight 60W LED Fresnel (Pole operated, US power cable)	Studio X2 Daylight 60W LED Fresnel , includes: LED Fresnel, pole operated yoke with baby pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	2200	5060896402802
---	960-2312	Studio X2 Tungsten 60W LED Fresnel (pole operated, US power cable)	Studio X2 Tungsten 60W LED Fresnel , includes: LED Fresnel, pole operated yoke with baby pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	2200	5060896402833
---	960-2313	Studio X2 Bi-Color 60W LED Fresnel (pole operated, US power cable)	Studio X2 Bi-Color 60W LED Fresnel , includes: LED Fresnel, pole operated yoke with baby pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	2400	5060896402758
	960-3301	Studio X3 Daylight 100W LED Fresnel (standard yoke, US power cable)	Studio X3 Daylight 100W LED Fresnel , includes: LED Fresnel, standard yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	2730	5060896401232
	960-3302	Studio X3 Tungsten 100W LED Fresnel (standard yoke, US power cable)	Studio X3 Tungsten 100W LED Fresnel , includes: LED Fresnel, standard yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	2730	5060896401249
	960-3303	Studio X3 Bi-Color 100W LED Fresnel (standard yoke, US power cable)	Studio X3 Bi-Color 100W LED Fresnel , includes: LED Fresnel, standard yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	2990	5060896401256
---	960-3311	Studio X3 Daylight 100W LED Fresnel (pole operated, US power cable)	Studio X3 Daylight 100W LED Fresnel , includes: LED Fresnel, pole operated yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	2900	5060896402925
---	960-3312	Studio X3 Tungsten 100W LED Fresnel (pole operated, US power cable)	Studio X3 Tungsten 100W LED Fresnel , includes: LED Fresnel, pole operated yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	2900	5060896402970
---	960-3313	Studio X3 Bi-Color 100W LED Fresnel (pole operated, US power cable)	Studio X3 Bi-Color 100W LED Fresnel , includes: LED Fresnel, pole operated yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	3180	5060896402888
	960-4301	Studio X4 Daylight 150W LED Fresnel (standard yoke, US power cable)	Studio X4 Daylight 150W LED Fresnel , includes: LED Fresnel, standard yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	3300	5060896401263
	960-4302	Studio X4 Tungsten 150W LED Fresnel (standard yoke, US power cable)	Studio X4 Tungsten 150W LED Fresnel , includes: LED Fresnel, standard yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	3300	5060896401270

LITEPANELS Web Links:

[WEBSITE](#) | [DATA SHEETS](#) | [YOUTUBE TUTORIALS](#) | [FACEBOOK](#) | [INSTAGRAM](#)





2005, 2009 and 2021
 [Click here to learn more]



BACK TO CONTENTS
[\[click here\]](#)

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
STUDIO X FRENELS + ACCESSORIES					
	960-4303	Studio X4 Bi-Color 150W LED Fresnel (standard yoke, US power cable)	Studio X4 Bi-Color 150W LED Fresnel , includes: LED Fresnel, standard yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	3660	5060896401287
---	960-4311	Studio X4 Daylight 150W LED Fresnel (pole operated, US power cable)	Studio X4 Daylight 150W LED Fresnel , includes: LED Fresnel, pole operated yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	3505	5060896403076
---	960-4312	Studio X4 Tungsten 150W LED Fresnel (pole operated, US power cable)	Studio X4 Tungsten 150W LED Fresnel , includes: LED Fresnel, pole operated yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	3505	5060896403120
---	960-4313	Studio X4 Bi-Color 150W LED Fresnel (pole operated, US power cable)	Studio X4 Bi-Color 150W LED Fresnel , includes: LED Fresnel, pole operated yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	3850	5060896403021
	960-5301	Studio X5 Daylight 200W LED Fresnel (standard yoke, US power cable)	Studio X5 Daylight 200W LED Fresnel , includes: LED Fresnel, standard yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	3915	5060896401294
	960-5302	Studio X5 Tungsten 200W LED Fresnel (standard yoke, US power cable)	Studio X5 Tungsten 200W LED Fresnel , includes: LED Fresnel, standard yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	3915	5060896401300
	960-5303	Studio X5 Bi-Color 200W LED Fresnel (standard yoke, US power cable)	Studio X5 Bi-Color 200W LED Fresnel , includes: LED Fresnel, standard yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	4330	5060896401317
---	960-5311	Studio X5 Daylight 200W LED Fresnel (pole operated, US power cable)	Studio X5 Daylight 200W LED Fresnel , includes: LED Fresnel, pole operated yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	4100	5060896403229
---	960-5312	Studio X5 Tungsten 200W LED Fresnel (pole operated, US power cable)	Studio X5 Tungsten 200W LED Fresnel , includes: LED Fresnel, pole operated yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	4100	5060896403274
---	960-5313	Studio X5 Bi-Color 200W LED Fresnel (pole operated, US power cable)	Studio X5 Bi-Color 200W LED Fresnel , includes: LED Fresnel, pole operated yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	4500	5060896403175
	960-6301	Studio X6 Daylight 300W LED Fresnel (standard yoke, US power cable)	Studio X6 Daylight 300W LED Fresnel , includes: LED Fresnel, standard yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	4635	5060896401324
	960-6302	Studio X6 Tungsten 300W LED Fresnel (standard yoke, US power cable)	Studio X6 Tungsten 300W LED Fresnel , includes: LED Fresnel, standard yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	4635	5060896401331
	960-6303	Studio X6 Bi-Color 300W LED Fresnel (standard yoke, US power cable)	Studio X6 Bi-Color 300W LED Fresnel , includes: LED Fresnel, standard yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	5150	5060896401348
---	960-6311	Studio X6 Daylight 300W LED Fresnel (pole operated, US power cable)	Studio X6 Daylight 300W LED Fresnel , includes: LED Fresnel, pole operated yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	4800	5060896403373

LITEPANELS Web Links:

[WEBSITE](#) | [DATA SHEETS](#) | [YOUTUBE TUTORIALS](#) | [FACEBOOK](#) | [INSTAGRAM](#)








2005, 2009 and 2021
[Click here to learn more]



[BACK TO CONTENTS](#)
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
STUDIO X FRENELS + ACCESSORIES					
---	960-6312	Studio X6 Tungsten 300W LED Fresnel (pole operated, US power cable)	Studio X6 Tungsten 300W LED Fresnel , includes: LED Fresnel, pole operated yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	4800	5060896403410
---	960-6313	Studio X6 Bi-Color 300W LED Fresnel (pole operated, US power cable)	Studio X6 Bi-Color 300W LED Fresnel , includes: LED Fresnel, pole operated yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	5300	5060896403328
	960-7301	Studio X7 Daylight 360W LED Fresnel (standard yoke, US power cable)	Studio X7 Daylight 360W LED Fresnel , includes: LED Fresnel, standard yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	5770	5060896401355
	960-7302	Studio X7 Tungsten 360W LED Fresnel (standard yoke, US power cable)	Studio X7 Tungsten 360W LED Fresnel , includes: LED Fresnel, standard yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	5770	5060896401362
	960-7303	Studio X7 Bi-Color 360W LED Fresnel (standard yoke, US power cable)	Studio X7 Bi-Color 360W LED Fresnel , includes: LED Fresnel, standard yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	6390	5060896401379
---	960-7311	Studio X7 Daylight 360W LED Fresnel (pole operated, US power cable)	Studio X7 Daylight 360W LED Fresnel , includes: LED Fresnel, pole operated yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	5900	5060896403519
---	960-7312	Studio X7 Tungsten 360W LED Fresnel (pole operated, US power cable)	Studio X7 Tungsten 360W LED Fresnel , includes: LED Fresnel, pole operated yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	5900	5060896403564
---	960-7313	Studio X7 Bi-Color 360W LED Fresnel (pole operated, US power cable)	Studio X7 Bi-Color 360W LED Fresnel , includes: LED Fresnel, pole operated yoke with junior pin, 4 leaf barndoor, gel frame, 3m/10' US powerCON cable	6500	5060896403465
---	900-6804	X2 4-leaf rotating barndoor Ø168mm		100	5060896403595
---	900-6803	X2 Cone w/ variable aperture Ø168mm		175	5060896403601
---	900-6802	X2 Scrim set	Includes 4 pieces: full single, full double, X2 half single, half double; Ø168mm)	100	5060896403625
---	900-6801	X2 Gel frame Ø168mm		40	5060896403618
---	900-6808	X3 4-leaf rotating barndoor Ø200mm		125	5060896403632
---	900-6807	X3 Cone w/ variable aperture Ø200mm		220	5060896403656
---	900-6806	X3 Scrim set	Includes 4 pieces: full single, full double, X3 half single, half double; Ø198mm)	125	5060896403670
---	900-6809	X3 8-leaf rotating barndoor Ø200mm		230	5060896403649

LITEPANELS Web Links:

[WEBSITE](#) | [DATA SHEETS](#) | [YOUTUBE TUTORIALS](#) | [FACEBOOK](#) | [INSTAGRAM](#)





2005, 2009 and 2021
 [Click here to learn more]



BACK TO CONTENTS
[\[click here\]](#)

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
STUDIO X ACCESSORIES					
---	900-6805	X3 Gel frame Ø198mm		50	5060896403663
---	900-6810	X4 Gel frame Ø258mm		50	5060896403717
---	900-6814	X4 8-leaf rotating barn-door Ø269mm		240	5060896403694
---	900-6813	X4 4-leaf rotating barn-door Ø269mm		125	5060896403687
---	900-6812	X4 Cone w/ variable aperture Ø269mm		230	5060896403700
---	900-6811	X4 Scrim set	Includes 4 pieces: full single, full double, X3 half single, half double; Ø258mm)	175	5060896403724
---	900-6820	X5/X6 4-leaf rotating barn-door Ø323mm		175	5060896403731
---	900-6821	X5/X6 8-leaf rotating barn-door Ø323mm		275	5060896403748
---	900-6815	X5/X6 Gel frame Ø323mm		70	5060896403786
---	900-6816	X5 / X6 Scrim set	Includes 4 pieces: full single, full double, X5 / X6 half single, half double; Ø320mm)	200	5060896403793
---	900-6817	X5/X6 Cone small aperture Ø323mm		135	5060896403779
---	900-6818	X5/X6 Cone medium aperture Ø323mm		135	5060896403762
---	900-6819	X5/X6 Cone large aperture Ø323mm		135	5060896403755
---	900-6822	X7 Gel frame Ø408mm		75	5060896403854
---	900-6823	X7 Scrim set	Includes 4 pieces: full single, full double, X7 half single, half double; Ø408mm)	275	5060896403861
---	900-6827	X7 4-leaf rotating barn-door Ø401mm		210	5060896403809
---	900-6826	X7 Cone large aperture Ø401mm		220	5060896403823
---	900-6825	X7 Cone medium aperture Ø401mm		220	5060896403830
---	900-6824	X7 Cone small aperture Ø401mm		220	5060896403847
---	900-6828	X7 8-leaf rotating barn-door Ø401mm		300	5060896403816

LITEPANELS Web Links:

[WEBSITE](#) | [DATA SHEETS](#) | [YOUTUBE TUTORIALS](#) | [FACEBOOK](#) | [INSTAGRAM](#)







2005, 2009 and 2021
[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
MINI PANELS + ACCESSORIES					
	915-1003	Brick BiColor	Powerful Bi-Color on-camera ENG light, with built in P-Tap connector. IP65 waterproof rated. Comes with (1) 1/2 White diffusion Gel.	610	5060312089730
	910-0001	Brick BiColor 1pc Kit with Accessories	Complete 1pc Brick BiColor kit, includes: (1) Brick BiColor, (1) Power supply adapter, (1) Honeycomb Accessory adapter frame, (1) Diffuser Adapter Frame, (1) Manfrotto Micro 244 mounting arm w/ adapter, and (1) 1/2 white diffusion Gel. In a waterproof flight case.	955	5060312089723
---	900-1504	Honeycomb Accessory Adapter Frame Brick	60 degree Honeycomb.	150	5060312088139
---	900-1505	Diffuser Accessory Adapter Frame Brick	Diffuser frame turns the Brick Bi-Color into a soft broad bicolor light.	150	5060312088146
---	900-1501	Power Supply Adapter Brick	Power supply with P-Tap connector designed to power & connect to the Brick Bi-Color. Comes with US & EU power cords.	155	5060312088122
---	900-5000	Micro/MicroPro Power Supply	Power Supply for Micro and MicroPro including international plug set and 5 ft (1.5 m) cable. while supplies last!	45	5060312088610
---	900-5105	Micro DV Battery Plate for Panasonic	Micro rear-mounted DV battery plate for use with Panasonic CGR-D120, CGR-D220, CGR-D08A and CGR-D16A batteries. - while supplies last!	55	5060312088658
---	900-5204	MicroPro DV Battery Plate for Panasonic	MicroPro rear-mounted DV battery plate for use with Panasonic CGR-D120, CGR-D220, CGR-D08A and CGR-D16A batteries. - while supplies last!	55	5060312088689
---	900-5205	MicroPro DV Battery Plate for Canon	MicroPro rear-mounted DV battery plate for use with Canon BP-911/914/924 batteries as well as Samsung SB-L110, SB-L220, SB-L160, SB-L320 and SB-L480 batteries. while supplies last!	55	5060312088696
---	900-5102	Battery Compartment Door for Micro	Battery Compartment Door for Micro - while supplies last!	40	5060312088641
---	900-5202	Dimmer Knob for MicroPro	Dimmer Knob for MicroPro - while supplies last!	15	5060312088672
---	900-5250	Croma Individual Gel - Half White Diffusion	Croma Individual Gel - Half White Diffusion - while supplies last!	25	5060312088702
---	900-5001	Croma/Luma Power Supply	Power Supply for Croma and Luma including international plug set. while supplies last!	100	5060312088627
---	900-1250	MiniPlus Individual Gel - Half White Diffusion	MiniPlus Individual Gel - Half White Diffusion - while supplies last!	20	5060312088108
---	900-1410	MiniPlus Individual Gel - Opal Frost Diffusion	MiniPlus Individual Gel - Opal Frost Diffusion - while supplies last!	20	5060312088115
---	900-0005	DMX Kit for Ringlite Mini and MiniPlus	including DMX Module and 25 ft (7.6 m) RJ45 to RJ45 Ethernet Cable for Ringlite Mini and MiniPlus. (Not for use with 1x1 Mono, Bi-Color, Bi-Focus or LS.) while supplies last!	400	5060312087903
---	900-1026	MiniPlus One-Lite Kit Carrying Case	MiniPlus One-Lite Kit Carrying Case - while supplies last!	105	5060312088092

LITEPANELS Web Links:

WEBSITE | DATA SHEETS | YOUTUBE TUTORIALS | FACEBOOK | INSTAGRAM





2005, 2009 and 2021
[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
MINI PANELS					
	935-3190	Litepanels Lykos+ Bi Color	Litepanels Lykos+ Bi Color	585	810033920189
	935-3191	Litepanels Lykos+ BiColor Flight Kit	Litepanels Lykos+ BiColor Flight Kit with 3 Litepanels Lykos+ BiColor, 3 Stands, 1 Soft Box	2700	5060896400013
	935-3192	Litepanels Lykos+ BiColor Flight Kit with Battery Bundle - US	Litepanels Lykos+ BiColor Flight Kit with 3 Litepanels Lykos+ BiColor, 3 Stands, 1 Soft Box, 3 NP 976 Batteries and 3 Single Chargers with US power adapter	3190	5060896400020
	935-3195	Litepanels Lykos+ BiColor Soft Box	Litepanels Lykos+ BiColor Soft Box	190	
---	900-3100	Flight Case Lykos BiColor Pelican w/cut foam	Flight Case Lykos BiColor Trio Pelican w/cut foam	470	5060312088382
	MLCROMA2	Croma 2 LED Light	Croma 2 On-camera LED Light - Bicolor	585	8024221646078
	900-4014	Apollo Bridge	Contains (1) Apollo Birdge, (1) universal power suppy, (1) 3dbi RP-TNC antenna (CRMX) (2) SMA 3dbi antenna (WiFi)	2260	5060520688985
GENERAL ACCESSORIES					
---	900-0006	RJ45 to 5-Pin XLR (Male) Conversion Cable	Note: female versions are not available.	105	5060312087910
---	900-3009	Nano Stand	with 4 risers and baby pin (5/8") made of very lightweight but durable aluminium. Extends from 19.5 in to 7 ft 6 in (50 cm to 229 cm).	100	5060896404424
---	900-3031	Kit Stand	and baby pin (5/8"). Extends from 2 ft 5 in to 8 ft 6 in (73 cm to 259 cm).	105	5060312088344
---	900-0024	P-Tap to 3-pin XLR cable	P-Tap to 3-pin XLR cable	100	5060312087989
---	900-0003	Standard 6 ft (1.8m) US Power Cord	Used for power supplies on the following models:Astra, all Fresnels, Hilio, Lykos and Brick.	25	5060312087880
---	900-6619	Locking 6 ft (1.8 m) US Power Cord	Used for power supplies on the following models:Astra, all Fresnels, Hilio, Lykos and Brick.	40	5060312089235
---	900-0013	Standard 8 ft (2.4 m) EU Power Cord (Schuko)	Used for power supplies on the following models:Astra, all Fresnels, Hilio, Lykos and Brick.	25	5060312087941
---	900-6618	Locking 6 ft (1.8 m) EU Power Cord (Schuko)	Used for power supplies on the following models:Astra, all Fresnels, Hilio, Lykos and Brick.	40	5060312089228

LITEPANELS Web Links:

[WEBSITE](#) | [DATA SHEETS](#) | [YOUTUBE TUTORIALS](#) | [FACEBOOK](#) | [INSTAGRAM](#)





2005, 2009 and 2021
[Click here to learn more]



[BACK TO CONTENTS](#)
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
GENERAL ACCESSORIES					
---	908-0001	Bluetooth Dongle	Bluetooth Dongle, Fits Gemini and Lykos	130	5060520689418
---	900-0015	Carrying Case for Sola ENG, MicroPro, Croma and Luma	Carrying Case for Sola ENG, MicroPro, Croma and Luma - while supplies last!	65	5060312087958
---	900-0007	Deluxe Ball Head Shoe Mount	for all on-camera fixtures.	105	5060312087927
---	900-0008	Deluxe Ball Head Shoe Mount Conversion Kit	for MiniPlus, Micro, MicroPro, Sola ENG, Croma and Luma.	35	5060312087934
---	900-6105	TVMP Stand Adapter with T-Handle for Deluxe Ball Head Shoe Mount	TVMP Stand Adapter with T-Handle for Deluxe Ball Head Shoe Mount	35	5060312088757
---	80750010	PowerTap Extension	7 foot cable with PowerTap Male to PowerTap Female 2.1m (7ft) long	69	872496000020
---	83750176	QRC-LG	Gold Mount with clamp to mount to lighting stands	332	5060520686295
---	83750215	QRC LG V-MOUNT	V Mount with clamp to mount to lighting stands	332	5060520685601
---	80750135	PowerTap 36 XLR 4-pin	36 in (91 cm) cable PowerTap to right angle 4p XLR female	64	872496005339
---	900-3023	TVMP Replacement with T-Handle for 1x1, Sola 4 and Inca 4	TVMP Replacement with T-Handle for 1x1, Sola 4 and Inca 4	40	5060312088290



OConnor

Feel the difference

OConnor products have long been the choice of professional cinematographers worldwide and are renowned for their smooth feel, fluid movement and intuitive control.

All OConnor products exceed expectations and are respected and trusted worldwide by individual users and rental houses for their reliability, longevity and toughness.

All five nominees in the 2021 Oscar for Best Cinematography were filmed with OConnor products.

Key products

2560

Fluid Head

- Continuously adjustable OConnor sinusoidal counterbalance and fluid drag
- Cine standard position of controls (including brakes) and front handle mount for intuitive, controlled positioning of camera
- Lightweight magnesium housing and carbon fibre cover for best in class performance, power to weight ratio and reliability



2575D

Fluid Head

- Includes OConnor's patented sinusoidal counterbalance system for true, accurate balance at any point in the tilt range
- Stepless, ultra-smooth pan & tilt fluid drag give ultimate control and stability for film style shooting
- Platform controls on the operator's side of the head
- Platform release lever with a one touch finger actuated safety release catch



[Click ICONS to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
TRIPOD SYSTEMS					
	C1040-FT100	1040 Fluid Head & Flowtech 100 Tripod w/Feet, Handle & Case	1040 Fluid Head Package (C1265-0001) + Oconnor Flowtech 100 Tripod & Feet (C1266-0002) + Handle (S2051-1061) + Case (C1254-0001). 0-45 lb (0-20 kg) payload at 5 in (127 mm) C of G above platform.	14000	5060520685939
	C2560-60LM-F	2560 Head & 60L Mitchell Tripod with Floor Spreader	2560 Fluid Head Package (C1260-0001) + 60L Mitchell Tripod (C1255-0002) + Spreader (C1258-0001). 0-66lb (0-30kg) payload at 6in (152mm) C of G above platform.	20960	5060312086814
	C2560-60LM-M	2560 Head & 60L Mitchell Tripod with Mid Level Spreader	2560 Fluid Head Package (C1260-0001) + 60L Mitchell Tripod (C1255-0002) + Spreader (C1252-0001) + Feet (7004). 0-66lb (0-30kg) payload at 6in (152mm) C of G above platform. (Excludes base and accessories)	21395	5060312086821
	C2560-60L150-F	2560 Head & 60L 150mm Bowl Tripod with Floor Spreader	2560 Fluid Head Package (C1260-0001) + 60L 150mm Bowl Tripod (C1255-0001) + Spreader (C1258-0001). 0-66lb (0-30kg) payload at 6in (152mm) C of G above platform.	20960	5060312086838
	C2560-60L150-M	2560 Head & 60L 150mm Bowl Tripod with Mid Level Spreader	2560 Fluid Head Package (C1260-0001) + 60L 150mm Bowl Tripod (C1255-0001) + Spreader (C1252-0001) + Feet (7004). 0-66lb (0-30kg) payload at 6in (152mm) C of G above platform. (Excludes base and accessories)	21395	5060312086845
	C2575-CINEM-F	2575D Head & Cine Mitchell Tripod with Floor Spreader	2575D Fluid head Package (C1234-0005) + Cine Mitchell Tripod (C1221-0001) + Spreader (C1222-0015). 0-105 lb (0-47.7 kg) payload at 6 in (152 mm) C of G above platform.	26215	5060312087095
	C2575-CINE150-F	2575D Head & Cine 150mm Bowl Tripod with Floor Spreader	2575D Fluid head Package (C1234-0005) + Cine 150mm Bowl Tripod (C1221-0003) + Spreader (C1222-0015). 0-105 lb (0-47.7 kg) payload at 6 in (152 mm) C of G above platform.	26215	5060312087101
	C120EX-CINEM-F	120EX head & Cine Mitchell tripod with floor spreader	120EX Fluid head Package (C1255-0001) + Tripod C1221-0001 + Spreader C1222-0015. 36.5-286 lb (16.5-129.4 kg) payload at 6 in (152 mm) C of G above platform.	29740	5060312087156
FLUID HEADS					
	C1265-0001	Ultimate 1040 Fluid Head Package	Ultimate 1040 + Large Euro Quick Release with Camera Plate (1030-268) + Pan handle for 1030 range (1030-246) + Pan handle extension (2575-135) + 100mm Ball Base (08365) + 100mm FT Tiedown (S2052-1100). 0-45 lb (0-20 kg) payload at 5 in (127 mm) C of G above platform.	10210	5060520685946
	C1260-0001	Ultimate 2560 Fluid Head Package	Ultimate 2560 Fluid Head (C1260-0002) + Euro Style Quick Release (2575-120) + Pan handle (2575-137) + Pan handle extension (2575-135) + Mitchell base & tiedown (08281 & C1234-1018) + 150mm Ball base & tiedown (08414 & C1234-1017). 0-66lb (0-30kg) payload at 6in (152mm) C of G above platform.	18000	5060312086852
	C1260-0002	Ultimate 2560 Fluid Head	Ultimate 2560 Fluid Head. 0-66lb (0-30kg) payload at 6in (152mm) C of G above platform. (Excludes base and accessories)	16350	5060312086869
	C1234-0005	Ultimate 2575D Fluid Head Package	Ultimate 2575D Fluid Head (C1234-0006) + Euro Style Quick Release (2575-120) + Pan handle (2575-137) + Pan handle extension (2575-135) + Mitchell Base & tiedown (08281 & C1234-1018) + 150mm ball base & tiedown (08414 & C1234-1017). 0-105 lb (0-47.7 kg) payload at 6 in (152 mm) C of G above platform.	22560	5060312087118
	C1234-0006	Ultimate 2575D Fluid Head	Ultimate 2575D Fluid Head (Without base, pan bar or plate). 0-105 lb (0-47.7 kg) payload at 6 in (152 mm) C of G above platform.	20880	5060312087125
	C1225-0001	120EX Fluid Head Package (Mitchell Only)	120EX Fluid Head (Mitchell Only) (C1225-0003) + Pan handle for 2065, 2575 & 120EX ranges (2575-137) + Pan handle extension for 1030-246 & 2575-137 (2575-135). 36.5-286 lb (16.5-129.4 kg) payload at 6 in (152 mm) C of G above platform.	26075	5060312087163
	C1226-0001	120EXE Fluid Head Package	120EXE Fluid Head (Special Mitchell Only) +Pan handle (2575-137) + Pan handle extension (2575-135) 1 + Geared Platform Plate Assembly c/w Screws (C1225-1007) + Mitchell Tiedown (C1234-1018). 36.5-286 lb (16.5-129.4 kg) payload at 6 in (152 mm) C of G above platform.	32560	5060312087200

OConnor Web Links:

[WEBSITE](#) | [DATA SHEETS](#) | [FACEBOOK](#) | [INSTAGRAM](#)





[Click ICONS to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
CAMERA PLATES					
---	C1248-1001	Side Load Quick Release	Top load platform, includes slide plate assembly (V4045-1901).	980	5060312086586
---	1030-268	Large Euro Quick Release for 1030 range	Includes Large Euro Plate (08285).	1213	5060312086593
---	08430	Mini Euro Quick Release for 1030 range	Includes Mini Euro plate (08427).	1060	5060312086609
---	C1249-1002	OConnor ARRI style dovetail plate for 1030/1040	OConnor ARRI style dovetail plate for 1030/1040	534	5060520689067
---	V4045-1901	Camera Slide Plate Assembly	for Vision 8AS, 10AS, 100 & 250. Also fits OConnor 1030.	160	5060312081796
---	08285	Large Euro plate	120mm European plate with a pair of 3/8" - 16 screws (08274)	264	5060312086616
---	08427	Mini Euro plate	80 mm European plate with one 3/8 -16 (08274) and one 1/4 -20 screw (08330).	228	5060312086623
---	2575-120	Euro Style Quick Release	includes Large Euro Plate (08285).	1920	5060312086876
---	08283	OConnor Plate with Screws	with two x 3/8" - 16 screws (08274).	740	5060312086883
---	C1249-1001	OConnor ARRI style dovetail plate 12"	12" (30cm)	667	5060520689050
---	C1225-1007	Geared Platform Plate Assembly c/w Screws		1899	5060312087170
PAN HANDLES / ADAPTERS					
---	1030-246	Pan handle for 1030 range	30 degree bend, 30 cm (12 in) length, 18 mm (0.7 in) diameter.	390	5060312086630
---	2575-137	Pan handle for 2065, 2575 & 120EX ranges	30 degree bend, 30 cm (12 in) length, 18 mm (0.7 in) diameter	390	5060312086920
---	2575-107	Large Pan Handle (for 2560, 2575 & 120EX)	30 degree bend, 42 cm (16.5 in) length, 2.54 cm (1 in) diameter	420	5060312086944
---	2575-135	Pan handle extension for 1030-246 & 2575-137	29.2 cm (11.5 in) length.	415	5060312086647
---	2575-105	Large Pan Handle Extension (for 2575-107)	30 cm (12 in) length	449	5060312086951
---	C1260-1010	Front End Handle, small rosette		575	5060312086937
---	08409	Front End Handle (for 2065, 2575 & 120EX)		545	5060312087132
---	C1249-1000	OConnor Rosette Adaptor	OConnor Rosette Adaptor. Converts OConnor Platform rosettes to other mounting standards for accessory mounting (60 tooth ARRI style rosette and 1/4-20 and 3/8-16 threads)	247	5060520689043
---	C1234-2077	Sachtler Rosette	Sachtler Rosette. 60 tooth rosette for using Sachtler Pan bar with OConnor head	205	5060520683539




OConnor Web Links:

[WEBSITE](#) | [DATA SHEETS](#) | [FACEBOOK](#) | [INSTAGRAM](#)





[Click ICONS to learn more]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
BASES & TIEDOWNS					
---	08365	100mm Ball Base		353	5060312086654
---	C1237-1015	100mm Tiedown	for 100mm Ball Base 08365.	168	5060520682747
---	S2052-1100	Tie down 100 mm	works with flowtech100 and Sachtler 100 mm heads (except aktiv)	69	5060520684932
---	08281	Mitchell Base		576	5060312086678
---	C1225-1011	Mitchell Base		878	5060312087187
---	C1234-1018	Mitchell Tiedown	for Mitchell base 08281.	208	5060520682754
---	08414	150 mm Ball Base		576	5060312086692
---	C1225-1020	150 mm Ball Base	for 120EX only, with 08417 Tiedown. 110.5 lb (50 kg) Maximum Payload	816	5060312087194
---	C1234-1017	150 mm Ball Tiedown	for 150 mm Base 08414.	207	5060520682761
---	08349	Studio Pedestal / Tripod Adaptor	For Vinten & Sachtler studio Pedestals and Tripods	576	5060520682730
OTHER FLUID HEAD ACCESSORIES					
	C1504-1000	OConnor Eyepiece Leveller Bracket	for all OConnor heads	678	5060312086715
	08308	OConnor Assistant's Front Box Mount		545	5060312086722
	CSE-MFB100	Assistant's Front Box		545	5060312086739
TRIPODS & HIHATS					
	C1266-0002	OConnor Flowtech 100 with Feet & attachment mount	66lb (30kg) payload	3350	5060520685953
	C1251-0001	30L Carbon Fibre Tripod	2-stage, 100 mm bowl, carbon fiber tripod. 209.0 lb (95.0 kg) payload height range 22.0 - 61.8 in (56 - 157 cm). Requires mid-level spreader & rubber feet"	2750	5060312086753
	C1255-0001	60L Carbon Fiber Tripod (150mm).	2-stage, 150 mm bowl, carbon fiber tripod. 209.0 lb (95.0 kg) payload height range 22.8 60.6 in (58 - 154 cm) Requires mid-level spreader & rubber feet"	2900	5060312087002
	C1255-0002	60L Carbon Fiber Tripod (Mitchell)	2-stage, Mitchell, carbon fiber tripod. 209.0 lb (95.0 kg) payload height range 58 - 154 cm (22.8 60.6 in.) Requires mid-level spreader & rubber feet"	2900	5060312087019












[Click ICONS to learn more]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
TRIPODS & HIHATS					
	C1221-0001	Cine HD Tall Tripod (Mitchell)	309.0 lb (140.0 kg) payload height range 33.6 - 69.2 in (85.3 - 175.8 cm)"	3260	5060312087026
	C1221-0003	Cine HD Tall Tripod (150 mm)	309.0 lb (140.0 kg) payload height range 33.6 - 69.2 in (85.3 - 175.8 cm)"	3260	5060312087040
	C1221-0002	Cine HD Baby Tripod (Mitchell)	309.0 lb (140.0 kg) payload height range 4.0 - 34.6 in (10.2 - 87.9 cm)"	3040	5060312087033
	C1221-0004	Cine HD Baby Tripod (150 mm)	"140.0 kg (309.0 lb) payload height range 4.0 - 34.6 in (10.2 - 87.9 cm)"	3040	5060312087057
	45A-002	HiHat 100mm (fixed legs)		390	5060312086746
	C1250-0002	HiHat 150 mm (fixed legs)		545	5060312086982
	C1250-0001	HiHat Mitchell (fixed legs)		545	5060312086975
	C1250-0003	LowHat Mitchell (fixed legs)		545	5060312086999
TRIPOD ACCESSORIES					
---	C1267-0001	Mid-level spreader flowtech100	Carbon fibre mid-level spreader for Flowtech.	850	5060520685960
---	C1268-0001	Ground spreader flowtech	for Flowtech tripods.	655	5060520685977
---	C1252-0001	Mid-Level Spreader	for 30L & 60L tripods.	850	5060312086760
---	C1258-0001	Floor Spreader	for 30L & 60L tripods.	810	5060312086777
---	C1222-0015	Floor Spreader Cine	for Cine HD Tripods.	1000	5060312087064
---	S2057-0001	Dolly flowtech Studio	with cable guards, 100 mm wheels, multi-position track lock	2140	5060520685731
---	C1261-0001	OConnor DCM - Wheeled Dolly	for 30L & 60L tripods.	2140	5060520683508
---	C1262-0002	OConnor DCL - Wheeled Dolly	for Cine HD Tripods.	3665	5060520683546
---	7004	Rubber Feet	set of 3, rubber locking for 100/150 mm tripods (except Cine tripods and flowtech)	344	5060312083158
---	V4162-1073	Rubber feet flowtech	Set of 3, for flowtech tripod.	196	5060520686158
---	S2051-1900	flowtech attachment mount	Attachment mount for Flowtech tripod	16	5060520681443
---	S2051-1061	Carry handle flowtech	for flowtech tripods	66	5060520685373



[Click ICONS to learn more]


IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
BAGS & CASES					
	C1254-0001	Soft Carrying Case	for 1030 Systems with 30L or Flowtech Tripods. 9.3 x 7. 9 x 42 in (23.5 x 20 x 106 cm)	456	5060312086807
	08362	Molded Case.	for 1030/1040 (+ 30L or Flowtech) Systems (without bag). 9 x 36 to 41 in (22.8 x 91.4 to 104.1 cm)	702	5060312086784
	08170	Molded Case	for Model Cine HD Tall Tripods + 1030/1040 Tripod Systems in soft bag. 11 x 39 to 44 in (27.9 x 99.0 to 111.8 cm)	918	5060312087071
	08169	Moulded Case	for Model Cine HD Baby Tripods. 11 x 23 to 28 in (27.9 x 58.4 to 71.1 cm)	702	5060312087088
	08144	Moulded Case	for 30L, 60L & Flowtech tripods. 9 x 26 to 31 in (22.8 x 66.0 to 78.7 cm)	702	5060312086791
	C1260-1850	Foam Fitted Case	for 2560 Head and Accessories. 17 x 19 x 14.5 in (43 x 48 x 37 cm)	1117	5060520685397
	C1234-1850	Foam Fitted Case	for 2575 Head and Accessories. 17 x 19 x 14.5 in (43 x 48 x 37 cm)	1117	5060520685403
	08744	Foam Fitted ATA Case, with wheels and handle	for 120EX Head and Accessories. 19 in x 23 in x 23 in (48.2 cm x 58.4 cm x 58.4 cm)	1275	5060312087149
	C1264-0001	OConnor AC Bag	Includes inserts for transporting OConnor fluid Heads & Designed to Fit Standard Pelican case 1620. Ext. Dims. 22 x 14.5 x 13.5" (57 x 37 x 34 cm) Main Int. cavity dims 18 x 12 x 10.5 in (46 x 30 x 27 cm)	503	5060520683522

QUASAR SCIENCE

Quasar Science began in 2012 in Los Angeles, CA by a group of I.A.T.S.E Local 728 Studio Electric Lighting Technicians with over 100 years in combined experience. Their goal of easing the work load led to the invention of Quasar LED tubes that stormed the market in its infancy. Now, they have evolved into the new, **image-based lighting (IBL)** LED cinema/event lighting tubes known as the Rainbow Series that can sync with your Virtual Production environment. [Learn more on IBL here.](#)



starCNTRL
Quasar Science RR R2 Control
for iphone and ipad



Key products

Rainbow Series

Linear RGBX LED Light

* Flicker-Free *
* Built-in transmitter *



Pixels	Rainbow2: 10, 24, 48 pixels Double Rainbow: 20, 48 pixels
Color	RGBX SSCE
Kelvin	1750K - 10,000K & Full +/- Green White Light
Lux at 3200 K	3m for RR50: 65.2 footcandles 3m for RR100: 127 footcandles
Lux at 5600 K	3m for RR50: 76.4 footcandles 3m for RR100: 148 footcandles
Watts	25W, 50W, 100W
Power	AC 110v-240v. DC 10v-30v.

DMX	4x DMX profiles including VRGB , RGBVW for Virt. Prod.
Control	DMX, CRMX, Bluetooth, Wifi, DMX over Cat5, Ethernet, sACN*, ArtNet. Lead/Follow. RDM Compatible. IBL ready.



Crossfade X

Linear Bi-Color LED Light

The Crossfade X, a low-profile linear light source, offers a simple, broad spectrum, tunable white light from a beautifully warm 2,000K to a crisp 6,000K.



Q-Lion

Linear LED Light

The Q-Lion linear battery light is short for "Quasar Lithium-ion" and is a compact turnkey lighting solution, serving as a toolbelt staple for set lighting technicians, camera team art departments, and YouTubers alike. Great for lighting actors and craft service.





CCT: 3200K $x: 0.4234$ $u: 0.2449$
 duv: 0.0000 $y: 0.3999$ $v: 0.5173$
SSI[P3200] 83

CCT: 4300K $x: 0.3688$ $u: 0.2198$
 duv: 0.0009 $y: 0.3798$ $v: 0.4972$
SSI[TM30 4300] 76





CCT: 5602K $x: 0.3391$ $u: 0.2036$
 duv: 0.0033 $y: 0.3454$ $v: 0.4794$
SSI[CIE D5602] 73

CCT: 6504K $x: 0.3127$ $u: 0.1978$
 duv: 0.0032 $y: 0.3299$ $v: 0.4685$
SSI[CIE D65] 70

Spectral Power Distribution



TM-30 Color Vector Graphic



TM-30 Color Sample Fidelity



CCT = P3200 (0.0)
TLCI-2012: 91 (P3200)

CCT = M4294 (+0.8)
TLCI-2012: 94 (M4294)

CCT = D5602 (0.0)
TLCI-2012: 97 (D5602)

CCT = D6506 (0.0)
TLCI-2012: 99 (D6506)

TLCI ColorChecker



TLCI Colorist Advice Table


Sector	Lightness	Chroma	Hue
R	0	0	0
R/Y	0	0	+
Y	0	0	0
Y/G	0	0	0
G	0	-	-
G/C	0	-	+
C	0	0	+++
C/B	-	0	+++
B	0	0	0
B/M	0	0	0
M	0	0	0
M/R	-	0	0

Sector	Lightness	Chroma	Hue
R	-	0	0
R/Y	0	0	+
Y	0	0	0
Y/G	0	0	0
G	0	0	0
G/C	0	-	+
C	0	0	+++
C/B	0	0	++
B	0	0	0
B/M	0	0	0
M	0	0	0
M/R	0	0	0


Sector	Lightness	Chroma	Hue
R	0	0	0
R/Y	0	0	+
Y	0	0	0
Y/G	0	0	0
G	0	0	0
G/C	0	-	+
C	0	0	+
C/B	0	0	-
B	0	0	0
B/M	0	0	0
M	0	0	0
M/R	0	0	0

Sector	Lightness	Chroma	Hue
R	0	0	0
R/Y	0	0	+
Y	0	0	0
Y/G	0	0	0
G	0	0	0
G/C	0	0	+
C	0	0	0
C/B	0	0	0
B	0	-	0
B/M	0	0	0
M	0	0	0
M/R	0	0	0

CRI



QUASAR SCIENCE **RR** Photometrics at 3 meters away



QUASAR SCIENCE **RR** Photometrics at 10' away




IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
	921-2302	CROSSFADE X LINEAR LED LIGHT - 2'	Crossfade X Linear LED Light - 2' - Crossfade X 25W linear LED tube with a tunable bi-color range of 2000-6000K. 120V, US	165	768480723993
	921-2303	CROSSFADE X LINEAR LED LIGHT - 4'	Crossfade X Linear LED Light - 4' - Crossfade X 50W linear LED tube with a tunable bi-color range of 2000-6000K. 120V, US	215	768480724006
	921-2305	CROSSFADE X LINEAR LED LIGHT - 8'	Crossfade X Linear LED Light - 8' - Crossfade X 100W linear LED tube with a tunable bi-color range of 2000-6000K. 120V, US	435	768480724020
	921-5223	CROSSFADE X KIT - 2' (2x tube kit.)	CROSSFADE X KIT - 2' (2x tube kit.) - Includes: 2' 2-Bank Shell c/w Ossium plate & 2x 2' CrossfadeX (US Power Cable). (2) CrossfadeX Linear LED Light - 2' / 240V, US (921-2307), (1) 2' 2-Bank Polyshell c/w dual plate (929-1001), (1) Ossium Baby Pin (817-0204), (1) Power 2 Multibank TRUE1 Splitter w/ Switch Assembly, Type B (P2MB-NT-B-A), (4) Q-Blocks w/ fastening bolts (QBKT12)	1000	5060896405896
	921-5243	CROSSFADE X KIT - 2' (4x tube kit.)	CROSSFADE X KIT - 2' (4x tube kit.) - Includes 2' 4-Bank Shell c/w Ossium plate & 4x 2' CrossfadeX (US Power Cable). (4) CrossfadeX Linear LED Light - 2' / 240V, US (921-2307), (1) 2' 4-Bank Polyshell c/w quad plate (929-1101), (1) Ossium Baby Pin (817-0204), (1) Power 4 Multibank TRUE1 Splitter w/ Switch Assembly, Type B (P4MB-NT-B-A), (8) Q-Blocks w/ fastening bolts (QBKT12)	1600	5060896405902
	921-5423	CROSSFADE X KIT - 4' (2x tube kit.)	CROSSFADE X KIT - 4' (2x tube kit.) - Includes: 4' 2-Bank Shell c/w Ossium plate & 2x 4' CrossfadeX (US Power Cable). (2) CrossfadeX Linear LED Light - 4' / 240V, US (921-2308), (1) 4' 2-Bank Polyshell c/w dual plate (929-1201), (1) Ossium Baby Pin (817-0204), (1) Power 2 Multibank TRUE1 Splitter w/ Switch Assembly, Type B (P2MB-NT-B-A), (4) Q-Blocks w/ fastening bolts (QBKT12)	1200	5060896405919
	921-5443	CROSSFADE X KIT - 4' (4x tube kit.)	CROSSFADE X KIT - 4' (4x tube kit.) - Includes: 4' 4-Bank Shell c/w Ossium plate & 4x 4' CrossfadeX (US Power Cable). (4) CrossfadeX Linear LED Light - 4' / 240V, US (921-2308), (1) 4' 4-Bank Polyshell c/w quad plate (929-1301), (1) Ossium Baby Pin (817-0204), (1) Power 4 Multibank TRUE1 Splitter w/ Switch Assembly, Type B (P4MB-NT-B-A), (8) Q-Blocks w/ fastening bolts (QBKT12)	1800	5060896405926

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
	924-2301	Rainbow 2 Linear LED Light - 2'	Rainbow 2 Linear LED Light - 2' - 25W linear LED light with multi-pixel RGBX color system	680	768480725386
	924-2302	Rainbow 2 Linear LED Light - 4'	Rainbow 2 Linear LED Light - 4' - 50W linear LED light with multi-pixel RGBX color system	920	768480725379
	924-2303	Rainbow 2 Linear LED Light - 8'	Rainbow 2 Linear LED Light - 8' - 100W linear LED light with multi-pixel RGBX color system	1515	768480725393
	921-5223	Rainbow 2 Kit - 2' (2x tube kit) Incl: 2-bank shell and Ossium plate	Rainbow 2 Kit - 2' (2x tube kit) - Incl: 2-bank shell and Ossium plate. (2) Rainbow 2 Linear LED Light - 2', US (924-2301), (1) 2' 2-Bank Polyshell c/w dual plate (929-1001), (1) Ossium Baby Pin (817-0204), (1) Power 2 Multibank TRUE1 Splitter w/ Switch Assembly, Type B (P2MB-NT-B-A)	2000	5060896405933
	921-5243	Rainbow 2 Kit - 2' (4x tube kit.) Incl: 4-bank shell and Ossium plate	Rainbow 2 Kit - 2' (4x tube kit) - Incl: 4-bank shell and Ossium plate. (4) Rainbow 2 Linear LED Light - 2', US (924-2301), (1) 2' 4-Bank Polyshell c/w quad plate (929-1101), (1) Ossium Baby Pin (817-0204), (1) Power 4 Multibank TRUE1 Splitter w/ Switch Assembly, Type B (P4MB-NT-B-A)	3600	5060896405940
	921-5423	Rainbow 2 Kit - 4' (2x tube kit.) Incl: 2-bank shell and Ossium plate	Rainbow 2 Kit - 4' (2x tube kit) - Incl: 2-bank shell and Ossium plate. (2) Rainbow 2 Linear LED Light - 4', US (924-2302), (1) 4' 2-Bank Shell c/w Ossium Plate, 2-Bank (929-1201), (1) Ossium Baby Pin (817-0204), (1) Power 2 Multibank TRUE1 Splitter w/ Switch Assembly, Type B (P2MB-NT-B-A)	2600	5060896405957
	921-5443	Rainbow 2 Kit - 4' (4x tube kit.) Incl: 4-bank shell and Ossium plate	Rainbow 2 Kit - 4' (4x tube kit) - Incl: 4-bank shell and Ossium plate. (4) Rainbow 2 Linear LED Light - 4', US (924-2302), (1) 4' 4-Bank Shell c/w Ossium Plate, 4-Bank (929-1301), (1) Ossium Baby Pin (817-0204), (1) Power 4 Multibank TRUE1 Splitter w/ Switch Assembly, Type B (P4MB-NT-B-A), (1) Super G Mounting System (929-0161)	4700	5060896405964
	924-2123	Rainbow 2 Kit - 2' (12x tube kit) Incl: Ossium frame	Rainbow 2 Kit - 2' (12x tube kit) - Incl: Ossium frame (12) Rainbow 2 Linear LED Light - 2', US (924-2301), (1) 2' Ossium Frame (OS212), (1) Multibank Power Adaptor, 12 -Bank Type B (P12NT)	8900	5060896406015
	924-4123	Rainbow 2 Kit - 4' (12x tube kit) Incl: Ossium frame	Rainbow 2 Kit - 4' (12x tube kit) - Incl: Ossium frame (12) Rainbow 2 Linear LED Light - 4', US (924-2302), (1) 4' Ossium Frame (OS412), (1) Multibank Power Adaptor, 12 -Bank Type B (P12NT)	11700	5060896406022
	924-3304	Rainbow 2 Kit - 2' (4x tube kit) with hard case	Rainbow 2 Kit - 2' (4x tube kit) with hard case - 25W linear LED light with multi-pixel RGBX color system quad light kit with case	4115	768480725935
	924-3305	Rainbow 2 Kit - 4' (4x tube kit) with hard case	Rainbow 2 Kit - 4' (4x tube kit) with hard case - 50W linear LED light with multi-pixel RGBX color system quad light kit with case	5080	768480725942


IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
	925-2301	Double Rainbow Linear LED Light - 2'	Double Rainbow Linear LED Light - 2' - 50W linear LED light with dual row multi-pixel RGBX color system	1090	768480725355
	925-2302	Double Rainbow Linear LED Light - 4'	Double Rainbow Linear LED Light - 4' - 100W linear LED light with dual row multi-pixel RGBX color system	1525	768480725362
	925-5223	Double Rainbow Kit - 2' (1x tube kit) Incl: 2-bank shell and Ossium plate	Double Rainbow Kit - 2' (1x tube kit) - Incl: 2-bank shell and Ossium plate (1) Double Rainbow Linear LED Light - 2', US (925-2301), (1) 2' 2-Bank Shell c/w Ossium Plate, 2-Bank (929-1001), (1) Ossium Baby Pin (817-0204)	1500	5060896405971
	925-5243	Double Rainbow Kit - 2' (2x tube kit) Incl: 4-bank shell and Ossium plate	Double Rainbow Kit - 2' (2x tube kit) - Incl: 4-bank shell and Ossium plate (2) Double Rainbow Linear LED Light - 2', US (925-2301), (1) 2' 4-Bank Shell c/w Ossium Plate, 4-Bank (929-1101), (1) Ossium Baby Pin (817-0204), (1) Power 2 Multibank TRUE1 Splitter w/ Switch Assembly, Type B (P2MB-NT-B-A)	2800	5060896405988
	925-5423	Double Rainbow Kit - 4' (1x tube kit) Incl: 2-bank shell and Ossium plate	Double Rainbow Kit - 4' (1x tube kit) - Incl: 2-bank shell and Ossium plate (1) Double Rainbow Linear LED Light - 4', US (925-2302), (1) 4' 2-Bank Shell c/w Ossium Plate, 2-Bank (929-1201), (1) Ossium Baby Pin (817-0204)	1900	5060896405995
	925-5443	Double Rainbow Kit - 4' (2x tube kit) Incl: 4-bank shell and Ossium plate	Double Rainbow Kit - 4' (2x tube kit) - Incl: 4-bank shell and Ossium plate (2) Double Rainbow Linear LED Light - 4', US (925-2302), (1) 4' 4-Bank Shell c/w Ossium Plate, 4-Bank (929-1301), (1) Ossium Baby Pin (817-0204), (1) Power 2 Multibank TRUE1 Splitter w/ Switch Assembly, Type B (P2MB-NT-B-A), (1) Super G Mounting System (929-0161)	3900	5060896406008
	925-2063	Double Rainbow Kit - 2' (6x tube kit) Incl: Ossium frame	Double Rainbow Kit - 2' (6x tube kit) - Incl: Ossium frame. (6) Double Rainbow Linear LED Light - 2', US (925-2301), (1) 2' Ossium Frame (OS212), (1) Multibank Power Adaptor, 12 -Bank Type B (P12NT)	6900	5060896406039
	925-4063	Double Rainbow Kit - 4' (6x tube kit) Incl: Ossium frame	Double Rainbow Kit - 4' (6x tube kit) - Incl: Ossium frame. (6) Double Rainbow Linear LED Light - 4', US (925-2302), (1) 4' Ossium Frame (OS412), (1) Multibank Power Adaptor, 12 -Bank Type B (P12NT)	9300	5060896406046
	925-3301	Double Rainbow Kit - 2' (2x tube kit) with hard case	Double Rainbow Kit - 2' (2x tube kit) - with hard case. 50W linear LED light with dual row multi-pixel RGBX color system double light kit with case	3590	768480725959
	925-3302	Double Rainbow Kit - 4' (2x tube kit) with hard case	Double Rainbow Kit - 4' (2x tube kit) - with hard case. 100W linear LED light with dual row multi-pixel RGBX color system double light kit with case	4455	768480725966

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
	Q5WLS	Q-Lion Q5 Switch Linear LED Light - 7"	Q-Lion Q5 Switch Linear LED Light - 7" - Switchable tri-color portable linear LED light, 7" long, battery-operated (US ONLY)	140	768480722910
	Q10WLS	Q-Lion Q10 Switch Linear LED Light - 12"	Q-Lion Q10 Switch Linear LED Light - 12" - Switchable tri-color portable linear LED light, 12" long, battery-operated (US ONLY)	215	768480722927
	Q20WLS	Q-Lion Q20 Switch Linear LED Light - 24"	Q-Lion Q20 Switch Linear LED Light - 24" - Switchable tri-color portable linear LED light, 24" long, battery-operated (US ONLY)	330	768480722934
	922-2001	Q-Lion Q5 Switch Linear LED Light - 7"	Q-Lion Q5 Switch Linear LED Light - 7" - Switchable tri-color portable linear LED light, 7" long, battery-operated (UNIVERSAL)	150	768480722910
	922-2002	Q-Lion Q10 Switch Linear LED Light - 12"	Q-Lion Q10 Switch Linear LED Light - 12" - Switchable tri-color portable linear LED light, 12" long, battery-operated (UNIVERSAL)	230	768480722927
	922-2003	Q-Lion Q20 Switch Linear LED Light - 24"	Q-Lion Q20 Switch Linear LED Light - 24" - Switchable tri-color portable linear LED light, 24" long, battery-operated (UNIVERSAL)	340	768480722934
	KIT3X1QLION	Q-Lion 3x1 KIT	Q-Lion 3x1 KIT - 1-Q5, 1-Q10, 1-Q20 w/ 3-Single Chargers, 3-Quasar Acc Pins and Case w/ Foam	667	768480722644
ACCESSORIES					
	929-0212	Rainbow 2 - 2' 40° Snapgrid Eggcrate Incl: carry bag	Rainbow 2 - 2' 40° Snapgrid Eggcrate: Pre-stretched, fireproof fabric w/stainless steel frame. Attaches directly to Rainbow 2 via touch-fasteners. Narrows light beam, controls spill light and provides easy, directional control. Folds down easily to fit in carry bag.	250	5060896405698
	929-0213	Rainbow 2 - 4' 40° Snapgrid Eggcrate Incl: carry bag	Rainbow 2 - 4' 40° Snapgrid Eggcrate: Pre-stretched, fireproof fabric w/stainless steel frame. Attaches directly to Rainbow 2 via touch-fasteners. Narrows light beam, controls spill light and provides easy, directional control. Folds down easily to fit in carry bag.	285	5060896405704
	929-0214	Rainbow 2 - 8' 40° Snapgrid Eggcrate Incl: carry bag	Rainbow 2 - 8' 40° Snapgrid Eggcrate: Pre-stretched, fireproof fabric w/stainless steel frame. Attaches directly to Rainbow 2 via touch-fasteners. Narrows light beam, controls spill light and provides easy, directional control. Folds down easily to fit in carry bag.	400	5060896405711
	929-0215	Double Rainbow - 2' 40° Snapgrid Eggcrate Incl: carry bag	Double Rainbow - 2' 40° Snapgrid Eggcrate: Pre-stretched, fireproof fabric w/stainless steel frame. Attaches directly to Double Rainbow via touch-fasteners. Narrows light beam, controls spill light and provides easy, directional control. Folds down easily to fit in carry bag.	265	5060896405728
	929-0216	Double Rainbow - 4' 40° Snapgrid Eggcrate Incl: carry bag	Double Rainbow - 4' 40° Snapgrid Eggcrate: Pre-stretched, fireproof fabric w/stainless steel frame. Attaches directly to Double Rainbow via touch-fasteners. Narrows light beam, controls spill light and provides easy, directional control. Folds down easily to fit in carry bag.	310	5060896405735

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
ACCESSORIES					
	OS212	Ossium Frame Array - 2' w/Yoke	Ossium Frame Array - 2' w/Yoke: Easily bolt on Rainbow 2 and Double Rainbow to create stacked arrays using the integrated Ossium Rail.	850	5060896405650
	929-0230	Ossium Frame Array - 2' Snapbag Softbox	Ossium Frame - 2' Snapbag Softbox: Mounts directly to Ossium Frame. Softens LED output. Includes: 1X Snapbag softbox, 1X quarter grid baffle, 1X Magic cloth diffusion, 1X carrying bag. <i>Optional Snapgrid available to narrow the Snapbag's beam spread.</i>	400	5060896405797
---	929-0231	Ossium Frame - 2' 40° Snapgrid for Snapbag	Ossium Frame - 2' 40° Snapgrid for Snapbag: 1X 40° Snapgrid for snapbag. Incl. carrying bag	350	5060896405803
---	929-0232	Ossium Frame - 2' Cloth Set for Snapbag	Ossium Frame - 2' Cloth Set for Snapbag: Full, 1/2, 1/4 grid cloth and Magic Cloth front diffusion panels for the Ossium Frame. The cloths must be used w/Snapbag softbox.	275	5060896405810
	OS412	Ossium Frame Array - 4' w/Yoke	Ossium Frame Array - 4' w/Yoke: Easily bolt on Rainbow 2 and Double Rainbow to create stacked arrays using the integrated Ossium Rail.	1000	5060896405650
	929-0233	Ossium Frame - 4' Snapbag Softbox	Ossium Frame - 4' Snapbag Softbox: Mounts directly to Ossium Frame. Softens LED output. Includes: 1X Snapbag softbox, 1X quarter grid baffle, 1X Magic cloth diffusion, 1X carrying bag. <i>Optional Snapgrid available to narrow the Snapbag's beam spread.</i>	500	5060896405827
---	929-0234	Ossium Frame - 4' Snapgrid for Snapbag	Ossium Frame - 4' Snapgrid for Snapbag: 1X 40° Snapgrid for snapbag. Incl. carrying bag	650	5060896405834
---	929-0235	Ossium Frame - 4' Cloth Set for Snapbag	Ossium Frame - 4' Cloth Set for Snapbag: Full, 1/2, 1/4 grid cloth and Magic Cloth front diffusion panels for the Ossium Frame. The cloths must be used w/Snapbag softbox.	300	5060896405841
	929-1001	2-Bank Shell - 2' w/Ossium Plate	2-Bank Shell - 2' w/Ossium Plate: Complete w/Ossium Plate to secure tubes quickly. Control shape + spill using articulating doors. Ossium Baby Pin incl. for back mount - ready for rigging. Compatible w/Crossfade X, Rainbow 2 and Double Rainbow tubes. <i>One Double Rainbow is needed per 2-bank.</i>	550	5060896405568
---	929-0221	2-Bank Shell - 2' Snapbag w/50° Snapgrid	2-Bank Shell - 2' Snapbag w/50° Snapgrid: SnapGrid attaches to the SnapBag w/touch-fasteners. Narrows light beam while controlling spill light, providing easy directional control. The included diffusion softens and unifies the light output.	480	5060896405858
	929-1201	4-Bank Shell - 2' w/Ossium Plate	4-Bank Shell - 2' w/Ossium Plate: Complete w/Ossium Plate to secure tubes quickly. Control shape + spill using articulating doors. Ossium Baby Pin incl. for back mount - ready for rigging. Compatible w/Crossfade X, Rainbow 2 and Double Rainbow tubes. <i>One Double Rainbow is needed per 2-bank.</i>	750	5060896405575
---	929-0223	4-Bank Shell - 2' Snapbag w/50° Snapgrid	4-Bank Shell - 2' Snapbag w/50° Snapgrid: SnapGrid attaches to the SnapBag w/touch-fasteners. Narrows light beam while controlling spill light, providing easy directional control. The included diffusion softens and unifies the light output.	625	5060896405865

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
ACCESSORIES					
	929-1101	2-Bank Shell - 4' w/Ossium Plate	2-Bank Shell - 4' w/Ossium Plate: Complete w/Ossium Plate to secure tubes quickly. Control shape + spill using articulating doors. Ossium Baby Pin incl. for back mount - ready for rigging. Compatible w/Crossfade X, Rainbow 2 and Double Rainbow tubes. <i>One Double Rainbow is needed per 2-bank.</i>	650	5060896405582
---	929-0222	2-Bank Shell - 4' Snapbag w/50° Snapgrid	2-Bank Shell - 4' Snapbag w/50° Snapgrid: SnapGrid attaches to the SnapBag w/touch-fasteners. Narrows light beam while controlling spill light, providing easy directional control. The included diffusion softens and unifies the light output.	575	5060896405872
	929-1301	4-Bank Shell - 4' w/Ossium Plate	4-Bank Shell - 4' w/Ossium Plate: Complete w/Ossium Plate to secure tubes quickly. Control shape + spill using articulating doors. Ossium Baby Pin incl. for back mount - ready for rigging. Compatible w/CHi Eric! Erossfade X, Rainbow 2 and Double Rainbow tubes. <i>One Double Rainbow is needed per 2-bank.</i>	850	5060896405599
---	929-0224	4-Bank Shell - 4' Snapbag w/50° Snapgrid	4-Bank Shell - 4' Snapbag w/50° Snapgrid: SnapGrid attaches to the SnapBag w/touch-fasteners. Narrows light beam while controlling spill light, providing easy directional control. The included diffusion softens and unifies the light output.	750	5060896405889
	817-0206	Ossium Rotator Incl: bag	Ossium Rotator w/Bag	55	768480723139
	QSOS	Ossium Locking Slider	Ossium Locking Slider / Rail Compatible / 3/8" and 1/4"-20 Mounting Points	70	768480723122
	817-0204	Ossium Baby Pin Incl: bag	Ossium Baby Pin in Bag	30	768480723115
	QSVBP	Ossium V-Mount Battery Cheese Plate	Ossium V-Mount Battery Cheese Plate w/ 2-Bolts / Rail and Slider Compatible / Bolts = 1" on center. Power RR and R2 lights anywhere w/plug and play AC/DC capabilities. Seamlessly swap batteries!	60	768480724679
	QSMF	Ossium Magnetic Feet	Ossium Magnetic Feet / Rail Compatible	55	768480725614
	929-0161	SUPER G-MOUNT	SUPER G-MOUNT - Maximum control over the tilt, pan and spin of your Quasar Ossium Shells. Directly attach to the back of the Quasar Plate	200	5060896406213
	QBKT12	Q-Block - T12	Q-Block - T12 / Single Block (1pc) - Easily mount Quasar tube lights to most surfaces incl. drywall, wood, metal, + more. <i>Required for mounting CrossfadeX in Ossium Shells</i>	5	5060896406220
	QMP1	QuasarPlate - T12 / Single	QuasarPlate - T12 / Single / Pin / Receiver / Q-Blocks	80	768480722842
---	QMP2	QuasarPlate - T12 / Double	QuasarPlate - T12 / Double / Pin / Receiver / Q-Blocks	90	768480722835
---	QMP4	QuasarPlate - T12 / Quad	QuasarPlate - T12 / Quad / Pin / Receiver / Q-Blocks	110	768481000000

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
ACCESSORIES					
	QMP1-T8	QuasarPlate - T8 Single	QuasarPlate - T8 / Single	80	768480722767
	QMP2-T8	QuasarPlate - T8 Double	QuasarPlate - T8 / Double	90	768480722774
---	QMP4-T8	QuasarPlate - T8 Quad	QuasarPlate - T8 / Quad	110	768480722781
	P1NT-183-B	TRUE1 Power Cable 8'	Power 1 TRUE1 Power Cable 8'	45	768480725270
	P1RT-183-B	TRUE1 Power Cable 8' Compatible	Power 1 TRUE1 Compatible Power Cable 8'	45	768480725270
	P2MB-NT-B-A	TRUE1 2-Multibank Power Adaptor	Power 2 Multibank TRUE1 Splitter w/ Switch Assembly	240	768480722958
	P4MB-NT-B-A	TRUE1 4-Multibank Power Adaptor	Power 4 Multibank TRUE1 Splitter w/ Switch Assembly	325	768480722972
---	P12NT	Multibank Power Adaptor, Twelve-Bank, Type B	Multibank Power Adaptor, Twelve-Bank, Type B	550	5060896405674
	QC30MC3	Q-Lion QC 3.0 Multi Charger V3	Q-Lion QC 3.0 Multi Charger V3 (US)	75	768480723108
	DC-DDT	Dynamite DMX Tester	DMX Testing Device / 5-Pin XLR Male Connect	170	768480724440
	SB101	Swampbox Distribution Platform	The Swampbox Distribution Platform from Quasar Science lets you keep portable power distribution systems safe and dry	50	768480723375
	QS420114	MQ Mount	MQ Mount	165	768480723931

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
ACCESSORIES					
	QAP-4	Quasar M10 Accessory Pin - 4" long for Q-Lion & BQ Battery Mounts	Mounting Accessory	30	768480723382
---	CASE-QL3X1	Q-Lion 3x1 Kit Case & Foam	Q-Lion 3x1 Kit Case & Foam (US ONLY)	215	768480722729
---	CASE-Q25R2-QUAD	Q25R2 Quad Kit Case & Foam	2' Rainbow 2 Quad Kit Case & Foam	755	768480725300
---	CASE-Q50R2-QUAD	Q50R2 Quad Kit Case & Foam	4' Rainbow 2 Quad Kit Case & Foam	755	768480725317
---	CASE-RR50-DOUBLE	RR50 Double Kit Case & Foam	2' Double Rainbow Double Kit Case & Foam	870	768480725324
---	CASE-RR100-DOUBLE	RR100 Double Kit Case & Foam	4' Double Rainbow Double Kit Case & Foam	870	768480725331



[Click here to learn more]

BACK TO CONTENTS
[click here]

sachtler

Premium camera support - fast, robust, reliable

Sachtler is a worldwide market leader in professional camera support systems for cinematography and television production.

The Sachtler name has been a symbol of top quality and reliability for decades and the company's extensive range of camera support systems make Sachtler a highly qualified partner for broadcast and film applications.



Key products

flowtech[®]75 / 100

Tripod

- Deploy and adjust your tripod in an instant: Unique quick release brakes
- Easy to transport and exceptional torsional stiffness: Ergonomic carbon fibre leg design
- Capture extremely low and high shots: Versatile hinge lock mechanism
- Fast and stable setup on even terrain: Unique ground spreader foot operation
- Superior performance and reliability: Extensive endurance and environmental testing



aktiv

Fluid Head

- Unique SpeedLevel™ technology, can be levelled in seconds giving you time to get the perfect shot in documentary, corporate or news applications.
- Capture extreme low angle shots right down to the ground.
- Switch between tripod and slider in seconds.
- New Illuminated Prism Bubble visible from any height or angle - day or night.

SACHTLER Web Links:

[WEBSITE](#) | [SUPPORT](#) | [YOUTUBE TUTORIALS](#) | [FACEBOOK](#) | [INSTAGRAM](#)













75



[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
FLUID HEADS					
FLUID HEADS - 75MM					
	S2150-0004	Ace XL	75 mm or FB, 1 pan bar. 4.4-17.6 lbs (2 - 8 kg) payload	690	5060520682587
	0307	FSB 4	75 mm or FB, 3+3 drag, sideload plate S, 1 pan bar. 0-8.8 lbs (0-4 kg) payload	1310	5060312080362
	S2065-0001	FSB 6 Mk II	75 mm or FB, 3+3 drag, 15+0 counterbalance steps, sideload plate S, 1 pan bar 0 - 17.6 lbs (0 - 8 kg) payload	1700	5060896400235
	S2069-0001	FSB 8 Mk II	75 mm or FB, 7+7 drag, 15+0 counterbalance steps, sideload plate S, 1 pan bar 0 - 26.5 lbs (0 - 12 kg) payload	2160	5060896400242
	S2064S	aktiv6	75 mm, SpeedLevel, SpeedSwap 3+3 drag, sideload plate S, 1 pan bar, 1 flowtech75 metal bowl insert. 0 - 17.6 lbs (0 - 8 kg) payload	1915	5060520688374
	S2068S	aktiv8	75 mm, SpeedLevel, SpeedSwap, 7+7 drag, sideload plate S, 1 pan bar , 1 flowtech75 metal bowl insert. 0 - 26.5 lbs (0 - 12 kg) payload	2450	5060520688398
	S2068T	aktiv8T	75 mm, SpeedLevel, SpeedSwap, 7+7 drag, Touch & Go plate S, 1 pan bar, 1 flowtech metal bowl insert. 0 - 26.5 lbs (0 - 12 kg) payload	2450	5060520688381
FLUID HEADS - 100MM					
	S2072S	aktiv10	100 mm with SpeedLevel, SpeedSwap, 7+7 drag, sideload plate S, 1 pan bar 0 - 26.5 lbs (0 - 12 kg) payload	3100	5060520688404
	S2072T	aktiv10T	100 mm with SpeedSwap, SpeedLevel, 7+7 drag, 15+0 counterbalance, Touch & Go S, 1 pan bar 0 - 26.5 lb (0 - 12 kg) payload	3100	5060896400129
	S2074T	aktiv12T	100 mm with SpeedSwap, SpeedLevel, 7+7 drag, 15+0 counterbalance, Touch & Go plate 16, 1 pan bar. 0 - 30.9 lb (0 - 14 kg) payload	4600	5060896401706
	S2076T	aktiv14T	100 mm with SpeedSwap, SpeedLevel, 7+7 drag, 15+0 counterbalance, Touch & Go plate 16, telescopic pan bar. 0 - 35.3 lb (0 - 16 kg) payload	5560	5060896401713
	S2073-0001	FSB 10 Mk II	100 mm, 7+7 drag, 15+0 counterbalance, Sideload plate S, 1 pan bar. 0 - 26.5 lb (0 - 12 kg) payload	2700	5060896400266
	S2077-0002	FSB 14T Mk II	100 mm, 7+7 drag, 15+0 counterbalance, Touch & Go plate 16, telescopic pan bar. 0 - 35.3 lb (0 - 16 kg) payload	5000	5060896401195
	1811	Video 18 S2	100 mm, 7+7 drag, Touch & Go plate 16, 1 telescopic pan bar. 4-48 lbs (2-22 kg) payload	6500	5060312082984
	2010	Video 20 S1	100 mm, 7+7 drag, Touch & Go plate 16, 1 telescopic pan bar. 4-61.7 lbs (2-28 kg) payload	9650	5060312080515
	1910	Cine 7+7 HD	100 mm, 7+7 drag, sideload plate M, 1 telescopic pan bar. 4-44.1 lbs (2-22 kg) payload	8590	5060312080546

SACHTLER Web Links:

WEBSITE | SUPPORT | YOUTUBE TUTORIALS | FACEBOOK | INSTAGRAM





[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
FLUID HEADS - 150MM + FLAT BASE					
	2500P	Video 25 Plus	150 mm, 7+7 drag, Touch & Go plate 16, 2 telescopic pan bars. 18-77 lbs (8-35 kg) payload	10800	5060312080522
	2501P	Video 25 Plus FB	flat base (FB), 7+7 drag, Touch & Go plate 35, 2 telescopic pan bars. 18-77 lbs (8-35 kg) payload	10800	5060312080539
	3006	Cine 30 HD	150 mm, 7+7 drag, sideload plate 30 HD, 1 telescopic pan bar. 7-77 lbs (3-35 kg) payload	12900	5060312080553
	6000	Video 60 Plus EFP	150 mm, 9+9 drag, Touch & Go plate 35, 2 telescopic pan bars. 35-143 lbs (16-65 kg) payload	14490	5060312081055
	6001	Video 60 Plus Studio	flat base (FB), 9+9 drag, V-plate, 2 pan bar front sections, for all FB mounts. 35-143 lbs (16-65 kg) payload	14490	5060312081048
	6002	Studio 9+9	150 mm, 9+9 drag, Touch & Go plate 35, 1 telescopic pan bar. 18-121 lbs (8-55 kg) payload	14490	5060312083134
	7500	Video 75 Plus EFP	150 mm, 9+9 drag, Touch & Go plate 35, 2 telescopic pan bars. 26-187 lbs (12-85 kg) payload	17000	5060312081062
	7501	Video 75 Plus Studio	flat base (FB), 9+9 drag, V-plate, 2 pan bar front sections, for all FB mounts. 26-187 lbs (12-85 kg) payload	17000	5060312081079
---	8092	Video 90 FB	flat base (FB), 7+7 plus drag, 2 pan bar front sections; for Vario/Studio Pedestals and tripod OB 2000. 0-254 lbs (0-115 kg) payload	17800	5060312081086
TRIPODS					
75MM TRIPODS					
---	S2036-0002	Tripod 75/2 AL	2-stage, 75 mm bowl, aluminium. 44 lb /20 kg payload	538	5060312081284
---	S2036-0003	Tripod 75/2 AL MS	2-stage, 75 mm bowl, aluminium incl. mid-level spreader 75 and rubber feet 75. 44 lb /20 kg payload	812	5060520685632
---	4585	Tripod flowtech75 aktiv MS	2-stage carbon fibre tripod with quick release brakes, mid-level spreader flowtech75, rubber feet flowtech and carry handle. 44 lb /20 kg payload	2025	5060312089402
---	4587	Tripod flowtech75 aktiv GS	2-stage carbon fibre tripod with quick release brakes, ground spreader flowtech and carry handle. 44 lb /20 kg payload	2025	5060520685182
---	S2155-0002	Tripod 75/2 CF	75 mm Tripod, 2-stage, Carbon Fibre. 44 lb /20 kg payload	680	5060896401119
---	S2155-0003	Tripod 75/2 CF MS	75 mm tripod, 2-stage, carbon fibre, with mid-level spreader and rubber feet. 44 lb /20 kg payload	940	5060520685649
100MM TRIPODS					
---	5186	Tripod ENG 2 D	2-stage, height 18.1 - 61 in (46-155 cm). 77 lbs (35 kg) payload	1740	5060312081185
---	5122	Tripod DA 100 K	1-stage, height 5.1 - 10.6 in (13-27 cm). 88 lbs (40 kg) payload	1176	5060312081208
---	5584	Tripod flowtech100	2-stage carbon fibre tripod with quick release brakes; including rubber feet. 66 lb (30 kg) payload	3350	5060520685861
---	5585	Tripod flowtech100 MS	2-stage carbon fibre tripod with quick release brakes, mid-level spreader flowtech100, rubber feet and carry handle. 66 lb (30 kg) payload	4200	5060520684543

SACHTLER Web Links:

WEBSITE | SUPPORT | YOUTUBE TUTORIALS | FACEBOOK | INSTAGRAM





[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
100MM TRIPODS					
---	5587	Tripod flowtech100 GS	2-stage carbon fibre tripod with quick release brakes, ground spreader flowtech and carry handle. 66 lb (30 kg) payload	3800	5060520685076
---	5386	Tripod ENG 2 CF	2-stage, height 18.1 - 61 in (46-155 cm). 88 lbs (40 kg) payload	2300	5060312080577
---	5590	Tripod Speed Lock CF HD	2-stage with quick release clamp, height 21.7 - 63.4 in (55-161 cm), extended stability. 209 lbs (95 kg) payload	3200	5060312080584
---	5390	Tripod ENG 2 CF heavy duty	2-stage, height 21.7 - 63.4 in (55-161 cm), extended stability. 209 lbs (95 kg) payload	2750	5060312080591
---	5382	Tripod CF 100 L	1-stage, height 25.6 - 55.9 in (65-142 cm). 99 lbs (45 kg) payload	2200	5060312081222
---	5351	Tripod CF 100 M	1-stage, height 5.5 - 30.3 in (14-77 cm). 99 lbs (45 kg) payload	2100	5060312081239
---	5385/10	Hot Pod CF 10	1-stage with pneumatic lift column; for fluid heads DV 10 and DV 12. "33 lbs (15 kg) payload. height 31.1 - 68.5 in (79-174 cm)"	4140	5060312080607
---	5385/14	Hot Pod CF 14	1-stage with pneumatic lift column; for fluid heads Video 15 and Video 18. "55 lbs (25 kg) payload. height 31.1 - 68.5 in (79-174 cm)"	4140	5060312080614
150MM TRIPODS					
---	6186	Tripod EFP 2 D	2-stage, height 22.8 - 63.4 in (58-161 cm). 198 lbs (90 kg) payload	2710	5060312081116
---	6157	Tripod DA 150 medium	1-stage, height 8.3-33.5 in (21-85 cm). 110 lbs (50 kg) payload	2020	5060312082823
---	6132	Tripod DA 150 K	1-stage, height 9.5 - 15.4 in (15-39 cm). 110 lbs (50 kg) payload	1800	5060312081123
---	6290	Tripod Cine 150 long	1-stage, height 33.5 - 69.3 in (85-176 cm), heavy duty. 309 lbs (140 kg) payload	3260	5060312081130
---	6250	Tripod Cine 150 medium	1-stage, height 7.9 - 34.6 in (20-88 cm), heavy duty. 309 lbs (140 kg) payload	3040	5060312081147
---	6232	Tripod Cine 2000 short	extended stability, height 6.7 - 16.9 in (17-43 cm). 110 lbs (50 kg) payload	2690	5060312081154
---	6386	Tripod EFP 2 CF	2-stage, height 22.8 - 63.4 in (58-161 cm). 209 lbs (95 kg) payload	2900	5060312081215
FLATBASE TRIPODS - ALUMINUM					
	6481	Tripod OB 2000	Mount: flat base (FB), height 26 - 48.8 in (66-124 cm), incl. mid-level spreader. 309 lbs (140 kg) payload	4050	5060312081161

SACHTLER Web Links:

[WEBSITE](#) | [SUPPORT](#) | [YOUTUBE TUTORIALS](#) | [FACEBOOK](#) | [INSTAGRAM](#)





[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
SYSTEM PACKAGES					
SYSTEM PACKAGES - 75MM					
	1001	System Ace M MS	Ace M fluid head + tripod Ace 75/2 D w/footpads w/retractable spikes + mid-level spreader 75 + Ace M bag . 0-8.8 lbs (0-4 kg) payload	895	5060312080003
	1002	System Ace M GS	Ace M fluid head + tripod Ace 75/2 D + ground spreader SP 75 (7001) + Ace M bag. 0-8.8 lbs (0-4 kg) payload	895	5060312080010
	1017GS	System Ace XL flowtech75 GS	Ace XL fluid head (S2150-0004) + tripod flowtech75 aktiv GS with ground spreader (4587) + padded bag flowtech75 (9116) + carry handle (S2051-1061). 4.4 - 17.6 lbs (2-8 kg) payload	2350	5060520685205
	1017MS	System Ace XL flowtech75 MS	Ace XL fluid head (S2150-0004) + tripod flowtech75 aktiv MS w/mid-level spreader and rubber feet (4585) + padded bag flowtech75 (9116) + carry handle (S2051-1061). 4.4 - 17.6 lbs (2-8 kg) payload	2350	5060520684062
	1018A	System Ace XL MS AL	Ace XL fluid head (S2150-0004) + tripod Ace 75/2 D + mid-level spreader 75 (S2036-1200) + rubber feet 75 (ssp12p0150) + padded bag Ace (9115). 4.4 - 17.6 lbs (2-8 kg) payload	1260	5060520682617
	1018C	System Ace XL MS CF	Ace XL fluid head (S2150-0004) + tripod Ace 75/2 CF + mid-level spreader 75 (S2036-1200) + rubber feet 75 (ssp12p0150) + padded bag Ace (9115). 4.4 - 17.6 lbs (2-8 kg) payload	1600	5060520682594
	1019A	System Ace XL GS AL	Ace XL fluid head (S2150-0004)+ tripod Ace 75/2 D + ground spreader SP 75 (7001) + padded bag Ace (9115). 4.4 - 17.6 lbs (2-8 kg) payload	1260	5060520682624
	1019C	System Ace XL GS CF	Ace XL fluid head (S2150-0004)+ tripod Ace 75/2 CF + ground spreader SP 75 (7001) + padded bag Ace (9115). 4.4 - 17.6 lbs (2-8 kg) payload	1600	5060520682600
	0371A	System FSB 4 75/2 AL GS	FSB 4 fluid head (0307) + tripod 75/2 AL (S2036-0002) + ground spreader SP 75 (7001) + padded bag 75 (9116). 0-8.8 lbs (0-4 kg) payload	1635	5060520685779
	0373A	System FSB 4 75/2 AL MS	FSB 4 fluid head (0307) + tripod 75/2 AL MS (S2036-0003) + padded bag 75 (9116) 0-8.8 lbs (0-4 kg) payload	1635	5060520685786
	0371C	System FSB 4 75/2 CF GS	FSB 4 fluid head (0307) + tripod 75/2 CF + ground spreader SP 75 (7001) + padded bag 75 (9116) 0-8.8 lbs (0-4 kg) payload	1785	5060896401089
	0373C	System FSB 4 75/2 CF MS	FSB 4 fluid head (0307) + tripod 75/2 CF with mid-level spreader + padded bag 75 (9116) 0-8.8 lbs (0-4 kg) payload	1785	5060896401096
	0471AM	System FSB 6 Mk II 75/2 AL GS	FSB 6 Mk II fluid head (S2065-0001) + tripod 75/2 AL (S2036-0002) + ground spreader SP 75 (7001) + padded bag 75 (9116). 0 -17.6 lbs (0-8 kg) payload	2390	5060896400471
	0473AM	System FSB 6 Mk II 75/2 AL MS	FSB 6 Mk II fluid head (S2065-0001) + tripod 75/2 AL MS (S2036-0003) + padded bag 75 (9116). 0 -17.6 lbs (0-8 kg) payload	2390	5060896400488
	0471CM	System FSB 6 Mk II 75/2 CF GS	FSB 6 Mk II fluid head (S2065-0001) + tripod 75/2 CF + ground spreader SP 75 (7001) + padded bag 75 (9116). 0 -17.6 lbs (0-8 kg) payload	2535	5060896401027
	0473CM	System FSB 6 Mk II 75/2 CF MS	FSB 6 Mk II fluid head (S2065-0001) + tripod 75/2 CF with mid-level spreader + padded bag 75 (9116). 0 -17.6 lbs (0-8 kg) payload	2535	5060896401034

SACHTLER Web Links:

[WEBSITE](#) | [SUPPORT](#) | [YOUTUBE TUTORIALS](#) | [FACEBOOK](#) | [INSTAGRAM](#)





[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
SYSTEM PACKAGES - 75MM					
	S2064S-FTMS	System aktiv6 flowtech75 MS	aktiv6 fluid head (S2064S) + tripod flowtech75 aktiv MS with mid-level spreader and rubber feet (4585) + padded bag flowtech75 (9116). 0 -17.6 lbs (0-8 kg) payload	3400	5060520687292
	S2064S-FTGS	System aktiv6 flowtech75 GS	aktiv6 fluid head (S2064S) + tripod flowtech75 aktiv GS with ground spreader (4587) + padded bag flowtech75 (9116). 0 -17.6 lbs (0-8 kg) payload	3400	5060520687308
	0771AM	System FSB 8 Mk II 75/2 AL GS	FSB 8 Mk II fluid head (S2069-0001) + tripod 75/2 AL (S2036-0002) + ground spreader SP 75 (7001) + padded bag 75 (9116). 0 - 26.5 lbs (0 - 12 kg) payload	3000	5060896400518
	0773AM	System FSB 8 Mk II 75/2 AL MS	FSB 8 Mk II fluid head (S2069-0001) + tripod 75/2 AL MS (S2036-0003) + padded bag 75 (9116). 0 - 26.5 lbs (0 - 12 kg) payload	3000	5060896400525
	0771CM	System FSB 8 Mk II 75/2 CF GS	FSB 8 Mk II fluid head (S2069-0001) + tripod 75/2 CF + ground spreader SP 75 (7001) + padded bag 75 (9116). 0 - 26.5 lbs (0 - 12 kg) payload	3150	5060896401041
	0773CM	System FSB 8 Mk II 75/2 CF MS	FSB 8 Mk II fluid head (S2069-0001) + tripod 75/2 CF with mid-level spreader + padded bag 75 (9116). 0 - 26.5 lbs (0 - 12 kg) payload	3150	5060896401058
	S2068S-FTMS	System aktiv8 flowtech75 MS	aktiv8 fluid head (S2068S) + tripod flowtech75 aktiv MS with mid-level spreader and rubber feet (4585) + padded bag flowtech75 (9116). 0 - 26.5 lbs (0 - 12 kg) payload	4025	5060520687315
	S2068S-FTGS	System aktiv8 flowtech75 GS	aktiv8 fluid head (S2068S) + tripod flowtech75 aktiv GS with ground spreader (4587) + padded bag flowtech75 (9116). 0 - 26.5 lbs (0 - 12 kg) payload	4025	5060520687322
	S2068T-FTMS	System aktiv8T flowtech75 MS	aktiv8T fluid head (S2068T) + tripod flowtech75 aktiv MS with mid-level spreader and rubber feet (4585) + padded bag flowtech75 (9116). 0 - 26.5 lbs (0 - 12 kg) payload	4025	5060520687339
	S2068T-FTGS	System aktiv8T flowtech75 GS	aktiv8T fluid head (S2068T) + tripod flowtech75 aktiv GS with ground spreader (4587) + padded bag flowtech75 (9116). 0 - 26.5 lbs (0 - 12 kg) payload	4025	5060520687346
SYSTEM PACKAGES - 100MM					
	1041M	System FSB 10 Mk II ENG AL GS	FSB 10 fluid head (S2073-0001) + tripod ENG 2 D (5186) + ground spreader 100 (7002) + bag ENG (9104). 0 - 26.5 lb (0 - 12 kg) payload	4200	5060896400563
	1042M	System FSB 10 Mk II ENG CF GS	FSB 10 fluid head (S2073-0001) + tripod ENG 2 CF (5386) + ground spreader 100 (7002) + bag ENG (9104). 0 - 26.5 lb (0 - 12 kg) payload	5045	5060896400570
	1043M	System FSB 10 Mk II ENG CF MS	FSB 10 fluid head (S2073-0001) + tripod ENG 2 CF (5386) + mid-level spreader 100/150 (7007), rubber feet 100/150 (7004) + bag ENG (9104). 0 - 26.5 lb (0 - 12 kg) payload	5500	5060896400587
	S2072S-FT	System aktiv10 flowtech	aktiv10 fluid head (S2072S) + tripod flowtech100 with rubber feet (5584) + padded bag ENG (9104). 0 - 26.5 lb (0 - 12 kg) payload	5525	5060520688268
	S2072S-FTGS	System aktiv10 flowtech100 GS	aktiv10 fluid head (S2072S) + tripod flowtech100 GS with ground spreader (5587) + padded bag ENG (9104). 0 - 26.5 lb (0 - 12 kg) payload	6000	5060520688282
	S2072S-FTMS	System aktiv10 flowtech100 MS	aktiv10 fluid head (S2072S) + tripod flowtech100 MS with mid-level spreader and rubber feet (5585) + padded bag ENG (9104). 0 - 26.5 lb (0 - 12 kg) payload	6400	5060520688275

SACHTLER Web Links:

[WEBSITE](#) | [SUPPORT](#) | [YOUTUBE TUTORIALS](#) | [FACEBOOK](#) | [INSTAGRAM](#)





[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
SYSTEM PACKAGES - 100MM					
	S2072T-FTGS	System aktiv10T flowtech100 GS	aktiv10T fluid head (S2072T) + tripod flowtech100 GS with ground spreader (5587) + padded bag ENG (9104). 0 - 26.5 lb (0 - 12 kg) payload	6000	5060896400143
	S2072T-FTMS	System aktiv10T flowtech100 MS	aktiv10T fluid head (S2072T) + tripod flowtech100 MS with mid-level spreader and rubber feet (5585) + padded bag ENG (9104). 0 - 26.5 lb (0 - 12 kg) payload	6400	5060896400136
	S2074T-FTGS	System aktiv12T flowtech100 GS	aktiv12T fluid head (S2074T) + tripod flowtech100 GS with ground spreader (5587) + padded bag ENG (9104). 0 - 30.9 lb (0 - 14 kg) payload	8300	5060520688305
	S2074T-FTMS	System aktiv12T flowtech100 MS	aktiv12T fluid head (S2074T) + tripod flowtech100 MS with mid-level spreader and rubber feet (5585) + padded bag ENG (9104). 0 - 30.9 lb (0 - 14 kg) payload	8700	5060520688299
	1442M	System FSB 14T Mk II ENG CF GS	FSB 14T fluid head (S2077-0002) + tripod ENG 2 CF (5386) + ground spreader 100 (7002) + bag ENG (9104). 0 - 35.3 lb (0 - 16 kg) payload	8200	5060896401720
	1443M	System FSB 14T Mk II ENG CF MS	FSB 14T fluid head (S2077-0002) + tripod ENG 2 CF (5386) + mid-level spreader 100/150 (7007), rubber feet 100/150 (7004) + bag ENG (9104). 0 - 35.3 lb (0 - 16 kg) payload	8600	5060896401737
	1446M	System FSB 14T Mk II HotPod	FSB 14T fluid head (S2077-0002) + HotPod CF 14 (5385/14) + cover 100 II (9309). 0 - 35.3 lb (0 - 16 kg) payload	9500	5060896401744
	1470M	System FSB 14T Mk II Ped C III	FSB 14T fluid head (S2077-0002) + Pedestal C III (5195) + adaptor Ped C III / FSB Mk II (S2080-0007) + pan bar DV left (3471). 0 - 35.3 lb (0 - 16 kg) payload	17700	5060896401751
	S2076T-FTGS	System aktiv14T flowtech100 GS	aktiv14T fluid head (S2076T) + tripod flowtech100 GS with ground spreader (5587) + padded bag ENG (9104). 0 - 35.3 lb (0 - 16 kg) payload	9000	5060520688329
	S2076T-FTMS	System aktiv14T flowtech100 MS	aktiv14T fluid head (S2076T) + tripod flowtech100 MS with mid-level spreader and rubber feet (5585) + padded bag ENG (9104). 0 - 35.3 lb (0 - 16 kg) payload	9400	5060520688312
	1861S2	System 18 S2 ENG 2 D	Video 18 S2 fluid head (1811) + tripod ENG 2 D (5186) + ground spreader SP 100 (7002) + Speedlevel Clamp (S2044-0001) + padded bag ENG 2 (9104). 4-48 lbs (2-22 kg) payload	8800	5060520684079
	1862S2	System 18 S2 ENG 2 CF	Video 18 S2 fluid head (1811) + tripod ENG 2 CF (5386) + ground spreader SP 100 (7002) +Speedlevel Clamp (S2044-0001) + padded bag ENG 2 (9104). 4-48 lbs (2-22 kg) payload	9800	5060312082991
	1863S2	System 18 S2 ENG 2 MCF	Video 18 S2 fluid head (1811) + tripod ENG 2 CF (5386) + mid-level spreader 100/150 (7007) + rubber feet 100/150 (7004) + Speedlevel Clamp (S2044-0001) + padded bag ENG 2 (9104). 4-48 lbs (2-22 kg) payload	10400	5060312083004
	1811FTGS	System Video 18 flowtech100 GS	Video 18 fluid head (1811) + tripod flowtech100 GS with ground spreader (5587) + Speedlevel Clamp (S2044-0001) + padded bag ENG (9104) + carry handle (S2051-1061). 4-48 lbs (2-22 kg) payload	10100	5060520685137
	1811FTMS	System Video 18 flowtech100 MS	Video 18 fluid head (1811) + tripod flowtech100 MS with mid-level spreader and rubber feet (5585) + Speedlevel Clamp (S2044-0001) + padded bag ENG (9104) + carry handle (S2051-1061). 4-48 lbs (2-22 kg) payload	10500	5060520684802
	1868S2	System 18 S2 ENG 2 D Dolly	Video 18 S2 fluid head (1811) + tripod ENG 2 D (5186) + Dolly S (7065) + pan bar Plus left (3271). 4-48 lbs (2-22 kg) payload	10200	5060520684383
	1870S2	System 18 HotPod CF 14	Video 18 S2 (1811) + HotPod CF 14 (5385/14) + cover 100 II (9309). 4-48 lbs (2-22 kg) payload	10800	5060896402208

SACHTLER Web Links:

WEBSITE | SUPPORT | YOUTUBE TUTORIALS | FACEBOOK | INSTAGRAM





[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
SYSTEM PACKAGES - 100MM					
	1866S2	System 18 S2 HD MCF	Video 18 S2 (1811) + tripod ENG 2 CF HD (5390) + mid-level spreader 100/150 (7007) + rubber feet 100/150 (7004) + padded bag ENG/EFP (9106). 4-48 lbs (2-22 kg) payload	10800	5060896402192
	1867S2	System 18 S2 SL HD MCF	Video 18 S2 fluid head (1811) + tripod Speed Lock CF HD (5590) + mid-level spreader 100/150 (7007) + rubber feet 100/150 (7004) + padded bag ENG /EFP (9106). 4-48 lbs (2-22 kg) payload	11400	5060312083042
	1910FTGS	System Cine 7+7 flowtech100 GS	Cine 7+7 fluid head (1910) + tripod flowtech100 GS with ground spreader flowtech (5587) + Speedlevel Clamp (S2044-0001) + padded bag ENG (9104) + carry handle (S2051-1061). 4-48 lbs (2-22 kg) payload	12390	5060520685144
	1910FTMS	System Cine 7+7 flowtech100 MS	Cine 7+7 fluid head (1910) + tripod flowtech100 MS with mid-level spreader and rubber feet (5585) + Speedlevel Clamp (S2044-0001) + padded bag ENG (9104) + carry handle (S2051-1061). 4-48 lbs (2-22 kg) payload	12960	5060520684819
	1972	System 7 + 7 HD CF	Cine 7+7 HD fluid head (1910) + tripod ENG 2 CF HD (5390) + ground spreader SP 100/150 + padded bag ENG/EFP (9106). 4-48 lbs (2-22 kg) payload	12000	5060312083929
	1973	System 7+7 HD MCF	Cine 7+7 HD fluid head (1910) + tripod ENG 2 CF HD (5390) + mid-level spreader 100/150 (7007) + rubber feet 100/150 (7004) + padded bag ENG/EFP (9106). 4-48 lbs (2-22 kg) payload	12990	5060312081017
	2072S1	System 20 S1 HD CF	Video 20 S1 fluid head (2010) + tripod ENG 2 CF HD (5390) + heavy duty ground spreader SP 100/150 (7003) + padded bag ENG/EFP (9106). 4-61.7 lbs (2-28 kg) payload	13300	5060312080959
	2073S1	System 20 S1 HD MCF	Video 20 S1 fluid head (2010) + tripod ENG 2 CF HD (5390) + mid-level spreader 100/150 (7007) + rubber feet 100/150 (7004) + padded bag ENG/EFP (9106). 4-61.7 lbs (2-28 kg) payload	13760	5060312080966
	2075S1	System 20 S1 SL HD MCF	Video 20 S1 fluid head (2010) + tripod Speed Lock CF HD (5590) + mid-level spreader 100/150 (7007) + rubber feet 100/150 (7004) + padded bag ENG/EFP (9106). 4-61.7 lbs (2-28 kg) payload	14110	5060312080973
SYSTEM PACKAGES - 150MM					
	2512	System 25 EFP 2 CF	Video 25 Plus fluid head (2500P) + tripod EFP 2 CF (6386) + heavy duty ground spreader SP 100/150 (7003) + cover EFP 2 (9315). 18-77 lbs (8-35 kg) payload	15100	5060312080980
	2513	System 25 EFP 2 MCF	Video 25 fluid head (2500P) + tripod EFP 2 CF (6386) + mid-level spreader 100/150 (7007) + rubber feet 100/150 (7004) + cover (9315). 18-77 lbs (8-35 kg) payload	15400	5060520682341
---	2514	System 25 EFP 2 D Dolly	Video 25 fluid head (2500P) + tripod EFP 2 D (6186) + dolly S (7065). 18-77 lbs (8-35 kg) payload	14300	5060520684253
	3012	System 30 EFP 2 MCF	Cine 30 HD fluid head (3006) + front pan bar (3372) + tripod EFP 2 CF (6386) + mid-level spreader 100/150 (7007) + rubber feet 100/150 (7004). 7-77 lbs (3-35 kg) payload	16800	5060312080997
	3025	System Cine 30	Cine 30 HD fluid head (3006) + front pan bar HD (3372)+ tripod Cine 150 long (6290) + spreader Cine (7023). 7-77 lbs (3-35 kg) payload	16800	5060312081024

SACHTLER Web Links:

[WEBSITE](#) | [SUPPORT](#) | [YOUTUBE TUTORIALS](#) | [FACEBOOK](#) | [INSTAGRAM](#)





[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
SYSTEM PACKAGES - PEDESTALS					
	2570	System 25 C III	Video 25 Plus FB fluid head (2501P) + Multi Disc (3914) + Pedestal C III (5195) 18-77 lbs (8-35 kg) payload	23800	5060312081031
	2585	System 25 Vario 1-70	Video 25 FB fluid head (2501P) + Vario Ped 1-70 (S2302-0001) + Manual Pump max payload 77.2 lb (35 kg)	30670	5060896402642
	2596	System 25 Vario 2-80	Video 25 FB fluid head (2501P) + Vario Ped 2-80 (S2303-0001) + Manual pump max payload 77.2 lb (35 kg)	40600	5060896402659
	6085	System 60 Vario 1-70	Video 60 Studio fluid head (6001) + Vario Ped 1-70 (S2302-0001) + Manual Pump max payload 77.2 lb (35 kg)	34200	5060896402666
	6096	System 60 Vario 2-80	Video 60 Studio fluid head (6001) + Vario Ped 2-80 (S2303-0001) + Manual Pump max payload 77.2 lb (35 kg)	44160	5060896402673
SYSTEM PACKAGES - PTZ					
	S2036-0006	PTZ Tripod System	PTZ & Prompter plate (V4166-1002) + 75mm ball base and tiedown (V4166-1010 and S2150-1300) + 2 stage aluminium tripod (S2036-0002) + Ground spreader (7001). 0 - 26.5 lbs (0 - 12 kg) payload	800	5060896401126
	S2036-0007	PTZ Tripod & Dolly System	PTZ & Prompter plate (V4166-1002) + 75mm ball base and tiedown (V4166-1010 and S2150-1300) + 2 stage aluminium tripod (S2036-0002) + Dolly DV 75 (7063). 1 - 26.5 lbs (0 - 12 kg) payload	1677	5060896401133
	S2036-0008	PTZ HD Tripod and Dolly System	PTZ & Prompter plate (V4166-1002) + 100mm ball base and tiedown (08365 and S2052-1100) + 2 stage aluminium tripod (5186) + Dolly DV 100 (7067). 0-55 lbs (0-25 kg) payload	3170	5060896401140
	S2036-0009	PTZ HD Pedestal System	PTZ & Prompter plate (V4166-1002) + Pedestal adaptor (08349) + CI Pedestal (4191). 0-44 lbs (0-20 kg) payload	5185	5060896401157
PEDESTALS					
---	4191	Pedestal C I	flat base mount; features one manually adjusted tripod stage & one 15.4 in (39 cm) lift air column; compatible fluid heads: FSB series; for DV 10/ DV 12/Video15 with adapter 1030; for Video 18 S1/S2/SB/Plus with adapter 3941; "44 lbs (20 kg) payload. height range: 26.8 - 61.8 in (68-157 cm)"	4720	5060312081246
---	5195	Pedestal C III	flat base mount; features one manually adjusted tripod stage & one 16.5 in (42 cm) lift air column; compatible fluid heads: DV 10, DV 12, Video 15; Video 18/20 S1/SB/Plus with adapter 3913; Video 25 Plus, Video 60/75 Plus with adapter 3914; "121 lbs (55 kg) payload. height range 28.1 - 61.8 in (71,5-157 cm)"	12600	5060312081253
---	S2302-0001	Pedestal Vario Ped 1-70	flat base mount; on shot stroke 16.1 in (41 cm); height range 26.4- 58.3 in (68 - 148 cm); Crab&Steer mode. payload 154 lb (70 kg)	21150	5060896402628
---	S2303-0001	Pedestal Vario Ped 2-80	flat base mount; 2-stage pedestal with on shot stroke 30.3 in (77 cm); height range 26 - 56.3 in (66-143cm); Crab&Steer mode. 176 lb (80 kg) payload	31500	5060896402635
PEDESTAL ACCESSORIES					
---	SPE11B0392	Manual pump for CI, CIII, Comi Ped 1-40, Vario 2-75	for Sachtler pedestals C I, C III, Combi Ped 1-40 and Vario Ped 2-75	219	5060312084148
---	V4172-1900	Manual pump with adaptor	for Osprey, Quattro Pedestals and Vario Ped 1-70 / 2-80	348	5060896404318

SACHTLER Web Links:

WEBSITE | SUPPORT | YOUTUBE TUTORIALS | FACEBOOK | INSTAGRAM





[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
PEDESTAL ACCESSORIES					
---	V4172-1003	Pedestal accessory holder, assembly	for Vinten Osprey Plus / Plus S / Elite S / Studio S and Sachtler Vario Ped 1-70 / 2-80	280	5060896402697
---	3329-32	Kick Ring Pedestal	for Vinten Osprey Plus S, Osprey Elite S, Sachtler Vario Ped 1-70, Vario Ped 2-80	580	5060896403908
---	3329-30	Accessory OB wheel set	set of 3; for Vinten Osprey Plus S / Elite S and Sachtler Vario Ped 1-70 / 2-80	2775	5060312085237
---	3329-43	Accessory Studio wheel set	set of 3, for Vinten Osprey Plus S / Osprey Elite and Sachtler Vario Ped 1-70 / 2-80 5 in / 125 mm diameter	2775	5060312085244
---	3429-21	Steering ring, large	for Osprey Elite S, Osprey Plus S, Vario 1-70 (standard on Osprey Studio S, Vario 2-80) diameter 63.5 cm / 25 in	685	5060896404288
---	3374-17	Steering ring, small	for Osprey Studio S and Vario 2-80 (Standard for Osprey Elite S, Osprey Plus S, Vario 1-70) diameter 21 in / 53.3 cm	685	5060896404295
---	3913	FB Converter	flat base for fluid heads Video 18/20 S2/ S1/SB/Plus on Pedestals and OB tripods (except Pedestal C I)	467	5060312084544
---	3912	Quickfix kit Vario 1-70 / Vario 2-80	includes Vinten Quickfix and Multi Disc. for Video 25 FB, Video 60 Studio und Video 75 Studio	1175	5060896402703
---	3914	Multi Disc	flat base for DV 10, DV 12, Video 15-20 III FB and Euro adapter on Quickfix as well as Video 25 Plus FB, Cine 30 HD, Video 60 Plus Studio, Video 75 Plus Studio and other flat base heads on Vario Ped, C III or Combi Ped 1-40 (except Video 25 Plus FB)	346	5060312084551
---	1030	Adapter Ped C I / DV	for fluid heads FSB 10, DV 10, DV 12 and Video 15 on Pedestal C I	110	5060312084599
---	3941	Adapter Ped C I / Plus	for fluid heads Video 18 S1/SB/Plus on Pedestal C I	289	5060312084605
---	S2080-0010	Adaptor Ped C I / C III with aktiv 75 mm	adaptor to mount an aktiv 75 mm head onto a C I or C III pedestal	230	5060896400624
---	S2080-0011	Adaptor Ped C I / C III with aktiv 100 mm	adaptor to mount an aktiv 100 mm head onto a C I or C III pedestal	266	5060896400631
---	S2080-0007	Adaptor Ped C III / FSB Mk II	adaptor to mount an FSB Mk II head onto a C III pedestal	156	5060896400181
---	3330-16	Bowl Adaptor 100mm to 4-bolt flat base	100mm Levelling Bowl Adaptor with Quickfix ring and 4-bolt flat base fixing.	321	5060312081871
---	3330-17	Bowl Adaptor 150mm to 4-bolt flat base	for fluid heads with 150 mm ball on FB tripods and pedestals	536	5060312081888
ACCESSORIES					
ADAPTERS					
---	S2044-0001	SpeedLevel Clamp	for all Sachtler fluid heads with 100 mm bowl (except aktiv). max payload 55 lbs / 25 kg	225	5060312081314
---	S2001-1056	Adapter block FSB 6/8	for fluid heads FSB 6, FSB 6 T, FSB 8, FSB 8 T, FSB 10 and FSB 10 T	99	5060312084568
---	3980	Adapter viewfinder extension 12/15	for fluid heads DV 12 SB and Video 15 SB	92	5060312084575
---	3981	Adapter viewfinder extension 18/20	for fluid heads Video 18/20 S1/SB, Video 18 Plus since 05/2005 and Video 20 Plus since 2002	92	5060312084582

SACHTLER Web Links:

WEBSITE | SUPPORT | YOUTUBE TUTORIALS | FACEBOOK | INSTAGRAM





[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
ACCESSORIES					
ADAPTERS					
---	3985	Adapter accessory, 1/4", 3/8", M8	for fluid heads with adapter viewfinder extension	80	5060312084674
---	3987	Accessory mount with 1/4 in, M8, 3/8 in tap holes	for mounting additional accessories on FSB 6/8	125	5060312084681
---	3906	Adapter 75/100	for fluid heads with 75 mm ball (except aktiv and FSB Mk II) on tripods with 100 mm mount except flowtech100	260	5060312084612
---	S2052-1101	Adapter 75/100 on flowtech	for fluid heads with 75 mm ball (except aktiv and FSB Mk II) on flowtech100	265	5060520685380
---	S2024-1500	Adapter kit FSB / 75 mm on Hot Pod	for FSB 4, FSB 6, FSB 8, FSB 8T with 75 ball on Hot Pod	128	5060312083141
---	S2080-0008	Adaptor 75/100 FSB Mk II	for FSB Mk II heads with 75 mm ball on Sachtler tripods with 100 mm bowl	265	5060896401065
---	S2080-0014	Adapter 75/100 aktiv	for aktiv6, aktiv8, aktiv8T on Sachtler tripods with 100 mm bowl. works w/ Sachtler flowtech100, ENG 2D, ENG 2 CF, ENG 2 CF HD, Speedlock CF, Speedlock CF HD	320	5060896400617
---	3901	Adapter 100/150	for fluid heads with 100 mm ball (except aktiv) on tripods with 150 mm mount (except Cine 150 tripods)	386	5060312084629
---	S2350-2044	Adapter 100/Cine 150	for fluid heads with 100 mm ball (except aktiv) on Cine 150 long and Cine 150 medium	364	5060312084636
---	S2051-1900	flowtech attachment mount	Attachment mount for Flowtech tripod	16	5060520681443
---	S2080-0012	aktiv bowl connector 75 mm V2	connector for aktiv 75 mm heads onto Sachtler 75 mm tripods (except Soom)	115	5060896401782
---	S2080-0013	aktiv bowl connector 100 mm V2	for Sachtler 100 mm tripods (except HotPod)	135	5060896401799
---	S2080-0003	Adaptor aktiv head / slider 75 mm	adaptor to mount an aktiv 75 mm fluid head to slider with 3/8" connection; with SpeedSwap System	76	5060520687391
---	S2080-0004	Adaptor aktiv head / slider 100 mm	adaptor to mount an aktiv 100 mm fluid head to slider with 3/8" connection; with SpeedSwap system	110	5060896400099
---	S2080-0005	Adaptor aktiv slider / tripod 75 mm	adaptor to mount slider on a Sachtler 75 mm tripod with installed aktiv 75 mm bowl connector. payload 10 kg / 22 lb for slider with 60 cm / 23.6 in length	559	5060520687407
---	S2080-0006	Adaptor aktiv slider / tripod 100 mm	adaptor to mount a slider to a 100 mm tripod with SpeedSwap system. payload 12.5 kg / 27.5 lb for slider with 60 cm / 23.6 in length	690	5060896400105
---	S2052-1100	Tie down 100 mm	works with flowtech100 and Sachtler 100 mm heads (except aktiv)	69	5060520684932
---	0075	75mm Tiedown	for FSB fluid heads	63	5060520689425
---	1091	Sandwich Touch & Go	for conversion of other fluid heads, and monopod; with Touch & Go plate 16	461	5060312084650

SACHTLER Web Links:

[WEBSITE](#) | [SUPPORT](#) | [YOUTUBE TUTORIALS](#) | [FACEBOOK](#) | [INSTAGRAM](#)





[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
ADAPTERS					
---	6053	Adapter piece Mitchell with locking knob	for fluid heads Cine 30 HD, Studio 9+9 and Cine 75 HD on Mitchell tripod - attaches to head via 4 screws	542	5060312084698
---	6052	Adapter ball with screw	for fluid heads Video 25 Plus FB, Video 60 Plus Studio and Video 75 Plus Studio - converts FB to ball	323	5060312084704
---	3910	Quickfix	quick mount on pedestals and tripod OB 2000 for Video 90 FB and for Video 25 Plus FB - Video 75 Plus Studio with 3914	1300	5060312084711
---	S2051-1061	Carry handle flowtech	for flowtech tripods	66	5060520685373
---	S2051-1062	Carry handle flowtech, rotating	for flowtech tripods, recommended for aktiv systems	72	5060520688442
---	V4166-1001	Universal PTZ Plate	for PTZ cameras without centrally aligned tripod mount holes	428	5060520688411
---	V4166-1002	PTZ and Prompter Plate	for PTZ cameras with centrally aligned tripod mount holes and teleprompters	185	5060520688428
---	V4166-1010	75mm Ball base		185	5060520688435
---	S2150-1300	75mm Tiedown		76	5060896400228
---	08365	100mm Ball Base		353	5060312086654
---	08414	150 mm Ball Base		576	5060312086692
---	C1234-1017	150 mm Ball Tiedown	for 150 mm Base 08414.	207	5060520682761
---	08281	Mitchell Base		578	5060312086678
---	C1234-1018	Mitchell Tiedown	for Mitchell base 08281.	208	5060520682754
---	08349	Studio Pedestal / Tripod Adaptor	For Vinten & Sachtler studio Pedestals and Tripods	576	5060520682730
CAMERA PLATES					
---	0164	Sideload plate S / Ace plate	for fluid heads aktiv6, aktiv8, aktiv10, FSB 4, FSB 6, FSB 8, FSB 10 and Ace	95	5060312083165
---	1464	Touch & Go plate DV 8	for fluid head DV 8, Video 10, Video 14II	104	5060312084339
---	0264	Touch & Go plate DV	für fluid heads DV 2, DV 4, DV 6, DV 8, FSB 6 T, FSB 8 T, FSB 10 T, aktiv8T	104	5060312084346
---	0364	Touch & Go plate S	for fluid heads FSB 6 T, FSB 8 T, FSB 10 T and DV 2, DV 4, DV 6, DV 8, DV 10, aktiv8T, aktiv10T	104	5060312084353
---	1465	C.O.G. Plate DV	for fluid heads aktiv8T, FSB 6 T, FSB 8 T, FSB 10 T, DV 2, DV 4, DV 6, DV 8, if front- or backheavy	294	5060312084469
---	1064	Touch & Go plate 16	for fluid heads DV 12, Video 15, Video 18, Video 20, Video 25 Plus and Video 18 Dutch	114	5060312084476
---	1063	C.O.G. Plate	for fluid heads DV 12, Video 15, Video 18, Video 20 and Video 25 Plus to compensate for front / backheavy cameras	362	5060312084483
---	1164	Sideload plate M	for fluid head Cine 7+7 HD	185	5060312084490
---	3051	Touch & Go plate 35	for fluid heads Video 25 FB, Video 60 Plus EFP, Studio 9+9, Video 75 EFP, Cine 75 HD and Dutch Head 35	237	5060312084506

SACHTLER Web Links:

[WEBSITE](#) | [SUPPORT](#) | [YOUTUBE TUTORIALS](#) | [FACEBOOK](#) | [INSTAGRAM](#)





[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
CAMERA PLATES					
---	3053-3	Camera mounting standard Wedge Plate	for Vinten Vector 950, 950i, 75, 750, 750i & Sachtler Video 60 Plus Studio, Video 75 Plus Studio and Video 90	547	5060312084445
---	3083	ENG adapter plate	for ENG cameras on fluid heads Video 60 Plus Studio, Video 75 Plus Studio and Video 90	626	5060312084513
---	3060	Sideloader Plate 30 HD	for fluid head Cine 30 HD	620	5060312084520
---	3061	Touch & Go Adapter Plate	for fluid head Cine 30 HD; incl Touch & Go plate 35	1048	5060312084537
DOLLYS					
---	7063	Dolly DV 75	for tripods 75 mm (except flowtech, SOOM, system Ace M MS, system Ace L TT 75/2 CF and system Ace XL TT 75/2 CF). 88 lbs (40 kg) payload	870	5060312080690
---	S2055-1900	Upgrade kit Dolly DV 75 to Dolly flowtech Standard		138	5060520685311
---	S2055-0001	Dolly flowtech Standard	for tripods flowtech . 88 lbs (40 kg) payload	870	5060520683669
---	S2057-0001	Dolly flowtech Studio	with cable guards, 100 mm wheels, multi-position track lock for tripod flowtech	2140	5060520685731
---	S2057-1900	Upgrade kit Dolly S / Dolly DV 100 to Dolly flowtech Studio		138	5060520685748
---	7067	Dolly DV 100	for systems FSB 10 Mk II, FSB 14 Mk II, DV 10, DV 12 and Video 15 and SOOM. 132 lbs (60 kg) payload	1285	5060312080706
---	7065	Dolly S	for tripods 100/150 mm (except flowtech, Hot Pod, DA 100 K, DA 150 K, Cine 150) and SOOM; 4.9 in (100 mm) wheels; includes cable guards and tracking locks. 209 lbs (95 kg) payload	2140	5060312080713
---	7066	Hot Pod Dolly	for Hot Pod tripods only; 4.0 in (100 mm) wheel diameter; includes cable guards and tracking locks. 66 lbs (30 kg) payload	2345	5060312080744
---	7080	Dolly XL	4.9 in (125 mm) wheel diameter with eccentric locking for tripod OB 2000; includes cable guards and tracking locks. 309 lbs (140 kg) payload	3500	5060312080720
---	7085	Dolly Cine	4.9 in (125 mm) wheel diameter with eccentric locking for tripods Cine long and medium. 309 lbs (140 kg) payload	3665	5060312080737
PAN BARS					
---	S2150-1200	Pan bar Ace	for fluid heads Ace	99	5060312084179
---	0992SP	Pan bar DV 75	for fluid heads FSB, FSB Mk II and aktiv	115	5060312084186
---	1075	Pan bar DV 100	for fluid heads DV 10, DV 12 and aktiv12T	265	5060312084193
---	3470	DV right (telescopic)	for all aktiv and FSB fluid heads, Cine DSLR, DV and Video 15	405	5060312084209
---	3471	Pan bar DV left (telescopic)	for all aktiv, FSB fluid heads, Cine DSLR, DV and Video 15	405	5060312084216
---	3270	Pan bar Plus right (telescopic)	for fluid heads Video 18-25, Dutch Heads, Video 60 Plus EFP	430	5060312084223
---	3271	Pan bar Plus left (telescopic)	for fluid heads Video 18-25, Dutch Heads, Video 60 Plus EFP	430	5060312084230

SACHTLER Web Links:

[WEBSITE](#) | [SUPPORT](#) | [YOUTUBE TUTORIALS](#) | [FACEBOOK](#) | [INSTAGRAM](#)





[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
PAN BARS					
---	3370	Pan bar HD right (telescopic)	for fluid heads Cine 7+7 HD and Cine 30 HD	575	5060312084247
---	3371	Pan bar HD left (telescopic)	for fluid heads Cine 7+7 HD and Cine 30 HD	575	5060312084254
---	3170	Pan bar Movie right (telescopic)	for fluid heads Studio 9+9 and Cine 75 HD	686	5060312084261
---	3171	Pan Bar front section	for fluid heads Video 60 Plus Studio, Video 75 Plus and Video 90	449	5060312084278
---	B-3073-100	Pan Bar back section right	for fluid heads Video 60 Plus Studio, Video 75 Plus and Video 90	358	5060312084285
---	B-3074-100	Pan Bar back section left	for fluid heads Video 60 Plus Studio, Video 75 Plus and Video 90	358	5060312084292
---	3373	Front pan bar HD S	for fluid head Cine 7+7 HD	519	5060312084308
---	3372	Front pan bar HD	for fluid head Cine 30 HD	559	5060312084315
---	3172	Front pan bar	for fluid heads Video 75 Plus and Cine 75 HD	559	5060312084322
SPREADERS					
---	7001	Ground Spreader SP 75	for 75 mm tripods (except flowtech, SOOM, system Ace M MS, system Ace L TT 75/2 CF and system Ace XL TT 75/2 CF). 88 lbs (40 kg) payload	196	5060312080621
---	S2054-1001	Mid-level spreader flowtech75	lightweight mid-level spreader for flowtech	294	5060520681412
---	S2036-1200	Mid-level spreader 75	mid-level spreader for tripods 75/2 and Ace tripod 75/2	185	5060520685847
---	S2038-1000	Mid-level spreader 75 HD	mid-level spreader for ENG 75/2 D HD, Ace 75/2, ENG 75/2 D and Speedlock 75 with mid-level spreader connection	449	5060312081321
---	7002K	Mini ground spreader 100	for tripod DA 100 K. 88 lbs (40 kg) payload	680	5060312084049
---	S2058-0001	Ground spreader flowtech	for tripods flowtech	655	5060520685052
---	7002	Ground spreader SP 100	lightweight ground spreader for all tripods with 100 mm bowl (except flowtech and DA 100 K). 110 lbs (50 kg) payload	640	5060312080669
---	7003	Ground spreader SP 100/150	heavy duty rubber spreader for all tripods 100 and 150 mm bowl (except flowtech, DA 100 K, DA 150 K and Cine tripod). 209 lbs (95 kg) payload	810	5060312080676
---	S2056-0001	Mid-level spreader flowtech100	Carbon fibre mid-level spreader for flowtech	850	5060520684567
---	7007	Mid-level spreader 100/150	for all 100/150 mm tripods (except flowtech, DA 100 K, DA 150 K and Cine tripods). 209 lbs (95 kg) payload	850	5060312080683
---	7003K	Mini ground spreader 150	for tripod DA 150 K. 110 lbs (50 kg) payload	820	5060312084056
---	7013K	Mini ground spreader EX	for tripod Cine 2000 short. 110 lbs (50 kg) payload	926	5060312084063
---	7013	Ground spreader SP 150 EX	ground spreader with eccentric locking for tripod OB 2000. 309 lbs (140 kg) payload	950	5060312084070
---	7023	Ground spreader Cine	heavy duty ground spreader with eccentric locking for tripods Cine 150 long/medium. 309 lbs (140 kg) payload	1000	5060312084087

SACHTLER Web Links:

[WEBSITE](#) | [SUPPORT](#) | [YOUTUBE TUTORIALS](#) | [FACEBOOK](#) | [INSTAGRAM](#)





[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
SPREADERS					
---	7027	Mid-level spreader Cine	for tripods Cine 150 long. 209 lbs (95 kg) payload	965	5060312084094
---	SSP10P1100	Mid-level spreader OB 2000	for tripod OB 2000	960	5060312084100
---	S2058-1073	Rubber Feet flowtech	set of 3, for flowtech tripod	196	5060520685663
---	SSP12P0150	Rubber feet 75	set of 3, for all 75 mm tripods except flowtech, SOOM, system Ace M MS 1001, Ace L TT, Ace XL TT	140	5060312084117
---	7004	Rubber Feet	set of 3, rubber locking for 100/150 mm tripods (except Cine tripods and flowtech)	344	5060312083158
---	7014	Rubber Feet EX	set of 3, eccentric locking for tripods Cine long	460	5060312084124
BAGS					
AUDIO SOUND BAGS					
	SN602	Sachtler Eargonizer Sound bag - large	Main compartment fully padded to safeguard contents. Removable internal dividers for customisation. "Int. L12.8xW7.1xH8.7 inch Ext.L16.5xW11.8xH8.3 inch"	380	5060312082625
	SN607	Sachtler lightweight Audio bag - small	Main compartment fully padded to safeguard contents. Removable internal dividers for customisation. "Int. L9.3xW4.1xH6.7 inch Ext.L9.8xW5.7xH7.3 inch"	228	5060312082670
	SN608	Sachtler Wireless Receiver / Transmitter Bag	Used to protect any sensitive equipment. Cold molded laminate panels provide extra protection. Fully padded interiors. Padded carrying handle. "Int. L9.4xW7.9xH3.5 inch Ext.L11.0xW9.4xH4.5 inch"	114	5060312082687
	SN614	Sachtler lightweight Audio Bag - medium	Optimally designed to transport sound equipment comfortably and securely and keep it safe and accessible whilst working. "Int. L11.6xW3.9xH7.5 inch Ext.L13.8xW8.7xH9.1 inch"	375	5060312082632
	SN615	Sachtler Portable Digital Recorder Pouch	Custom crafted to hold the Zoom H4N, Tascam DR-100 and DR-40, and similar size portable digital recorders. "Int. L5.0xW4.0xH1.6 inch Ext.L14.0xW9.0xH5.5 inch"	76	5060312082694
	SN617	Sachtler lightweight Audio bag - large	Optimally designed to transport sound equipment comfortably and securely and keep it safe, organized and accessible whilst working. "Int. L13.6xW3.3xH7.3 inch Ext.L18.5xW8.7xH9.4 inch"	380	5060312082649
AUDIO ACCESSORIES					
	SN605	Sachtler Heavy Duty Harness	The ideal system for comfortably carrying audio bags weighing up to 88lbs/40kg. Ergonomic "vest style" design. Ultimate adjustment system, fully padded. "Int. L14.2xW5.5xH3.5 inch Ext.L14.2xW5.5xH3.5 inch"	170	5060312082656
	SN606	Sachtler Rain Poncho	Ultimate weather protection. Sized to comfortably cover the user carrying mixer and fully loaded eargoniser bag. Long roomy sleeves. Fits into drawstring pouch.	168	5060312082663
VIDEO CAMERA BACKPACKS					
	SC300	Sachtler Shell Camera Backpack	Ergonomic shell design. Padded backpack system, removable internal dividers, cover up protection system. "Int. L18.5xW11.8xH8.6 inch Ext.L19.6xW14.5xH9.8 inch"	240	5060312082502
	SC303	Sachtler Bags Campack Plus	Ergonomic backpack system, multi cushioned interior, removable dividers, separate laptop compartment, exterior straps for carrying a tripod. "Int. L54.0xW32.5xH22.0 cm Ext.L59.0xW40.0xH34.0 cm"	440	5060312082519
	SC306	Sachtler Air-Flow Camera Backpack	New backpack system features a rainbow shaped design to allow air to flow through for added comfort. "Int. L19.7xW12.2xH7.1 inch Ext.L20.5xW13.4xH10.6 inch"	310	5060312082526

SACHTLER Web Links:

[WEBSITE](#) | [SUPPORT](#) | [YOUTUBE TUTORIALS](#) | [FACEBOOK](#) | [INSTAGRAM](#)





[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
VIDEO CAMERA LIGHTING BAGS					
---	SL2003	Sachtler Lite Case - M	A lightweight, semihard carrier that holds up to 3 light heads and 3 stands up to 28.34" (73 cm) long. Internal dividers separate the main chamber into sections for storing accessories.	376	5060312082755
	SL2004	Sachtler Lite Case - L	A lightweight, semihard carrier that holds up to 4 light heads and 4 stands up to 34.65" (88 cm) long. Internal dividers separate the main chamber into sections for storing accessories.	433	5060312082762
VIDEO CAMERA MONITOR BAGS					
---	SM802	Sachtler 4.5"-7.5" LCD Monitor Bag	Top flap opens envelope style into sturdy 4-sided hood to aid shading and viewing. Easy access to monitors front panel. Adjustable shoulder strap.	186	5060312082700
	SM803	Sachtler 9" LCD Monitor Bag	Top flap opens envelope style into sturdy 4-sided hood to aid shading and viewing. Easy access to monitors front panel. Adjustable shoulder strap. "Int. L9.1xW9.1xH3.9 inch Ext.L9.4xW9.4xH7.9 inch"	200	5060312082717
VIDEO CAMERA SHOULDER BAGS					
	SC001	Sachtler Dr. Bag - 1	Extra wide opening, enough room to hold camera with mattebox attached. Removable internal rigid dividers. Cold moulded laminate panels provide extra protection. "Int. L13.4xW7.1xH8.9 inch Ext.L15.7xW8.7xH10.2 inch"	185	5060312082434
	SC003	Sachtler Dr. Bag - 3	Extra wide opening, enough room to hold camera with mattebox attached, internal LED lighting, cold molded laminate panels provide ultimate equipment protection. "Int. L17.3xW9.3xH8.3 inch Ext.L22.8xW12.6xH15.4 inch"	275	5060312082441
	SC004	Sachtler Dr. Bag - 4	Extra wide opening, enough room to hold camera w/mattebox attached, internal LED lighting, cold molded laminate panels provide ultimate equipment protection. "Int. L22.6xW10.0xH7.9 inch Ext.L24.4xW13.0xH15.2 in"	409	5060312082458
	SC005	Sachtler Dr. Bag - 5	Extra wide opening, enough room to hold camera with mattebox attached, internal LED lighting, cold molded laminate panels provide ultimate equipment protection. "Int. L25.6xW11.0xH12.4 inch Ext.L27.6xW14.2xH14.6 in"	475	5060312082465
	SC201	Sachtler Camporter - Small	Top flap opens extra wide for quick and easy access to contents, fully padded interior, ergonomic carrying handle. "Int. L16.1xW8.3xH9.4 inch Ext.L18.5xW9.4xH10.4 inch"	208	5060312082472
	SC202	Sachtler Camporter - Medium	Top flap opens extra wide for quick and easy access to contents, fully padded interior, ergonomic carrying handle. "Int. L18.9xW9.8xH9.6 inch Ext.L21.3xW11.4xH10.8 inch"	231	5060312082489
	SC206	Sachtler Camporter - Large	Top flap opens extra wide for quick and easy access to contents, fully padded interior, ergonomic carrying handle. "Int. L20.5xW11.0xH9.8 inch Ext.L22.4xW12.6xH11.0 inch"	275	5060312082496
VIDEO CAMERA TRIPOD BAGS					
	ST701	Sachtler Roll-along Tripod Cage - medium	Top flap opens envelope style for quick and easy access. U grip ergonomic carrying handle. In-built heavy duty wheels. "Int. L36.6xW8.7xH7.5 inch Ext.L38.4xW11.4xH10.6 inch"	415	5060312082724
	ST702	Sachtler Roll-along Tripod Cage - large	Top flap opens envelope style for quick and easy access. U grip ergonomic carrying handle. In-built heavy duty wheels. "Int. L41.7xW8.7xH7.5 inch Ext.L43.3xW11.8xH11.8 inch"	427	5060312082731
	SC104	Sachtler Rolling U-Bag	Proprietary ultra wide U-opening. Fully padded interior to safeguard contents. Built in trolley and LED lighting. "Int. L27.6xW7.9xH11.8 inch Ext.L30.3xW15.4xH16.2 inch"	615	5060312082540
	SC302	Sachtler Bags Camera Rollpak	Ultra wide U shaped opening, holds laptop up to 17", backpack carrying system with built in wheels and trolley. "Int. L18.5xW12.6xH5.9 inch Ext.L21.3xW14.2xH12.8 inch"	440	5060312082533

SACHTLER Web Links:

WEBSITE | SUPPORT | YOUTUBE TUTORIALS | FACEBOOK | INSTAGRAM





[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
COVERS, BAGS AND CASES					
---	8677	Carrying strap Ace	for systems Ace (except system Ace L/XL with TT 75/2 CF), Speedlock 75 and tripod 75/2 AL and tripod 75/2 CF	53	5060312080829
---	8690	Carrying strap ENG	for tripods Speed Lock CF, ENG 2, Hot Pod, DA 100 HD, EFP 2, CF 150 and DA 150 (except DA 150 K)	64	5060312084759
---	8691	Carrying strap flowtech	for flowtech tripods	53	5060520682792
---	9201	Cover 100 K	for tripod DA 100 K, with spreader, without fluid head	430	5060312084766
---	9213	Cover DV 2	for fluid heads FSB on tripods flowtech, Speed Lock 75 CF, ENG 75/2 D, tripod 75/2	484	5060312084773
---	9214	Cover 100 M	for tripod 100 medium, with spreader, without fluid head	346	5060312084780
---	9309	Cover 100 II	for fluid heads DV 10, DV 12, Video 15/18/20 on tripods 100 long/100 HD with spreader and on Hot Pod	598	5060312084797
---	9310	Cover 150 II	for fluid heads Video 25 Plus on tripods medium long with spreader, Video 60 Plus EFP (without pan bars) on tripods EFP 2 and Video 25 Plus FB on tripod OB 2000	675	5060312084803
---	9311	Cover ENG 2	for fluid heads DV 10, DV 12, Video 15/18/20 on tripods ENG 2, Speed Lock CF; for FSB, DV fluid heads and Video 15, Video 18 on pedestal C I (w/o dolly)	565	5060312084810
---	9312	Cover 150 L	for fluid heads Video 18/20 on tripods ENG 2 heavy duty and Speed Lock CF HD (without ground spreader); for tripods DA/CF 150 L with spreader, without fluid head	571	5060312084827
---	9315	Cover EFP 2	for fluid heads Video 18/20 on tripod Speed Lock CF HD with ground spreader and Video 25 Plus on tripods EFP 2 as well as tripod OB 2000 with spreader, without fluid head	675	5060312084834
---	9316	Cover 150 SE	for Dolly S, Dolly DV 100, Dolly flowtech Standard and Dolly flowtech Studio; tripods EFP 2 with spreader (without fluid head)	496	5060312084841
---	9317	Cover Cine M	for tripod Cine medium with spreader, without fluid head	519	5060312084858
---	9320	Cover Cine L	for tripod Cine long with spreader, without fluid head	708	5060312084865
---	9504	Cover 25	for tripod Cine 2000 short with spreader, without fluid head	519	5060312084872
---	9115	Padded bag Ace	for systems Ace	203	5060312080768
---	9116	Padded bag flowtech75	for fluid heads aktiv and FSB on flowtech75 and tripod 75/2	271	5060312083660
---	9104	Padded bag ENG	for fluid heads FSB on tripods flowtech75, Speed Lock 75 CF and ENG 75/2 D, and FSB 10, DV 12, Video 15/18/20 and Cine 7+7 HD on tripods flowtech, Speed Lock CF and ENG 2	420	5060312080799
---	9106	Padded bag ENG/EFP	for fluid heads DV10, DV 12, Video 15/18/20 and Cine 7+7 HD on tripods 100 long, 100 heavy duty and Hot Pod as well as on Speed Lock CF HD and ENG 2 HD, Video 25 on tripods EFP 2	456	5060312080805
---	9503	Case 30	for fluid head Cine 30 HD	856	5060312084896
---	9511	Case 9+9	for fluid heads Studio 9+9, Video 60 Plus EFP	905	5060312084902
---	9513	Case 60 FB	for fluid head Video 60 Plus Studio	1100	5060312084919
---	9517	Case V/C 75	for fluid heads Video 75 Plus Studio, Video 75 Plus EFP, Cine 75 HD	1100	5060312084926
---	9512	Case 90	for fluid head Video 90	1100	5060312084933

SACHTLER Web Links:

[WEBSITE](#) | [SUPPORT](#) | [YOUTUBE TUTORIALS](#) | [FACEBOOK](#) | [INSTAGRAM](#)





[Click here to learn more]



BACK TO CONTENTS
[click here]

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
VIDEO CAMERA ACCESSORIES					
---	SA1001	Sachtler Snaplock Trolley System	A lightweight, compact, folding trolley system, which can be attached to many different Sachtler Bags products making transportation quick and easy. "Int. L22.5xW12.0xH6.5 inch Ext.L42.5xW N/A xH N/A inch"	104	5060312082786
---	SA1009	Sachtler Mini Hood for 3.5" Diameter LCD (16:9)	Lightweight Nylon hood, fits neatly over cameras 3.5" (16x9) diameter LCD monitor to promote comfortable and easy viewing. "Int. L N/A xW3.4xH2.2 inch Ext.L N/A xW3.4xH2.2 inch"	36	5060312082779
---	SA1016	Sachtler Mini hood for Canon EOS C300 & C500	Mini hood for Canon EOS C300 & C500. "Int. L N/A xW3.7xH2.2 inch Ext.L N/A xW3.7xH2.2 inch"	36	7290101144021
---	SA1018	Sachtler Mini hood for Canon EOS C100	Mini hood for Canon EOS C100. "Int. L N/A xW3.2xH1.8 inch Ext.L N/A xW3.2xH1.8 inch"	36	5060312082809
VIDEO CAMERA PROTECTION					
---	SR405	Sachtler Transparent Raincover for Mini DV/ HDV Video Camera	Constructed of TPU for maximum visibility. Ingenious one-piece design. Offers fast and easy access to all camera features. "Int. L15.0xW N/A xH N/A inch Ext.L15.0xW N/A xH N/A inch"	138	5060312082571
---	SR410	Sachtler Transparent Raincover for small Video Cameras	Constructed of TPU for maximum visibility. Ingenious one-piece design. Offers fast and easy access to all camera features. "Int. L20.9xW N/A xH N/A inch Ext.L20.9xW N/A xH N/A inch"	165	5060312082588
---	SR415	Sachtler Transparent Raincover for medium-Size Video Cameras	Constructed of TPU for maximum visibility. Ingenious one-piece design. Offers fast and easy access to all camera features. "Int. L24.8xW N/A xH N/A inch Ext.L24.8xW N/A xH N/A inch"	215	5060312082595
---	SR425	Sachtler Transparent Raincover for full-Size Broadcast Cameras	Offers maximum visibility. Ingenious one piece design offers fast and easy access to all camera features. "Int. L31.9xW N/A xH N/A inch Ext.L31.9xW N/A xH N/A inch"	250	5060312082601
---	SR400	Sachtler Rain cover for Canon EOS C100	Rain cover for Canon EOS C100. "Int. L15.4xW N/A xH N/A inch Ext.L15.4xW N/A xH N/A inch"	130	5060312082564

SACHTLER Web Links:

[WEBSITE](#) | [SUPPORT](#) | [YOUTUBE TUTORIALS](#) | [FACEBOOK](#) | [INSTAGRAM](#)



Vinten

Innovating perfect control

Offering a best-in-class range of products that includes manual supports, robotic heads, pedestals and controllers, Vinten is the premium solution for studio and outside broadcast.

Customers rely on Vinten's engineering excellence and globally supported solutions for a wide range of technologies and markets.

Key products

Osprey

Pedestal

- Full, 2-stage balance range for total 'on shot' elevation, perfect for moving from seated to standing talent in game shows, entertainment shows, drama and performances
- Built in pressure gauge for easy counter balance set-up



Quattro-L

Pedestal

- The original four-stage pedestal available in both studio and OB versions
- Perfect Balance provides fingertip control and reduces operator fatigue
- Excellent height range allows greater shot creativity
- Quiet operation minimises set noise levels



Vector 750

Fluid Head

- Pantographic wide range continuous adjustment
- Perfect Balance tilt system for exceptional payload control
- TF variable drag system enabling controlled high and low speed movement even at extreme temperatures



Vinten

Innovating perfect control

Offering a best-in-class range of products that includes manual supports, robotic heads, pedestals and controllers, Vinten is the premium solution for studio and outside broadcast.

Customers rely on Vinten's engineering excellence and globally supported solutions for a wide range of technologies and markets.

Key products



HD-VRC

Control System

- Take control: shot storage of all axis in a one-touch operation
- Create your signature: produce developed, curved sequences
- Build efficiency: control any studio from any control room
- Integrate your workflow: interface to third party devices and automation payout systems



FH-155

Robotic and Manual Head

- Deliver high quality output: smooth camera and lens motion control and near silent operation
- Create the production you choose: versatile design with manual, VR/AR and integrated StarTracker options
- Ensure consistent production values: high repeatability and accuracy at all speeds
- Gain long-term peace of mind: ultra-reliable communications protocol compatible with current and future Vinten developments





IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
ROBOTICS					
HEADS - ROBOTIC FH RANGE (Manual + Robotic)					
	V4155-0001	FH-155 Head	70Kg(155lb) payload head, continuously adjustable manual operation and robotic mode, integrated PSU, 3 port Ethernet hub, LANC port and lens drive for full servo digital Canon and Fujinon lenses. Incl. pan bar mount, two Vision pan bars, 3m ethernet and power cables.	47412	506052068557
	V4155-0002	FH-155 Head w/Integrated Star Tracker	70Kg(155lb) payload head, continuously adjustable manual operation and robotic mode, integrated PSU, 3 port Ethernet hub, LANC port and lens drive for full servo digital Canon and Fujinon lenses. Fitted with internal StarTracker camera and CPU for realtime roaming positional updates. Includes pan bar mount, two Vision pan bars, 3m ethernet and power cables.	81197	5060520685670
	V4155-0003	FH-155 VR Head	70Kg(155lb) payload head with high precision encoders (22bit), continuously adjustable manual operation and robotic mode, integrated PSU, 3 port Ethernet hub, LANC port and lens drive for full servo digital Canon and Fujinon lenses. VR/AR enabled. Includes pan bar mount, two Vision pan bars, 3m ethernet and power cables.	52082	5060520685694
	V4155-0004	FH-155 VR Head w/Integrated Star Tracker	70Kg(155lb) payload head with high precision encoders (22bit), continuously adjustable manual operation and robotic mode, integrated PSU, 3 port Ethernet hub, LANC port and lens drive for full servo digital Canon and Fujinon lenses. VR/AR enabled. Fitted with internal StarTracker camera and CPU for realtime roaming positional updates. Includes pan bar mount, two Vision pan bars, 3m ethernet and power cables.	85884	5060520685717
HEADS - ROBOTIC FHR RANGE (Robotic Only)					
	V4096-0001	FHR-35 Head	16 Kg(35 lb) payload head, robotic only. Integrated PSU and lens drive for full servo digital lens from Canon and Fujinon. Supplied with 2m power and ethernet cables.	21976	5060312085527
	V4155-0011	FHR-155 Head	70Kg(155lb) payload robotic only head, integrated PSU, 3 port Ethernet hub, LANC port and lens drive for full servo digital Canon and Fujinon lenses. Includes pan bar mount, two Vision pan bars, 3m ethernet and power cables.	35305	5060520685564
	V4155-0012	FHR-155 Head w/Integrated Star Tracker	70Kg(155lb) payload robotic only head, integrated PSU, 3 port Ethernet hub, LANC port and lens drive for full servo digital Canon and Fujinon lenses. Fitted with internal StarTracker camera and CPU for realtime roaming positional updates. Includes pan bar mount, two Vision pan bars, 3m ethernet and power cables.	69095	5060520685687
	V4155-0013	FHR-155 VR Head	70Kg(155lb) payload robotic only head with high precision encoders (22bit), integrated PSU, 3 port Ethernet hub, LANC port and lens drive for full servo digital Canon and Fujinon lenses. VR/AR enabled. Includes pan bar mount, two Vision pan bars, 3m ethernet and power cables.	39986	5060520685700
	V4155-0014	FHR-155 VR Head w/Integrated Star Tracker	70Kg(155lb) payload robotic only head with high precision encoders (22bit), integrated PSU, 3 port Ethernet hub, LANC port and lens drive for full servo digital Canon and Fujinon lenses. VR/AR enabled. Fitted with internal StarTracker camera and CPU for realtime roaming positional updates. Includes pan bar mount, two Vision pan bars, 3m ethernet and power cables.	73766	5060520685724
HEADS - ROBOTIC VANTAGE (Robotic Only)					
	V4142-0001	Vantage Head	4.5 Kg(10 lb) payload head, robotic only. External 24v PSU with built in lens drive for full servo digital lens from Canon and Fujinon, Lanc interface and lens motor drive option. (For broadcast quality, pro camcorder and lenses)	9796	5060312083196
HEADS ACCESSORIES - ROBOTIC					
---	V4096-1013	FHR-35 4-bolt/Quickfix adaptor	Vinten 4-bolt fixing adaptor with Quickfix groove and level bubble, for the FHR-35 head.	741	5060312085640
---	3104-3	Adaptor 4-bolt Flat Base to 150mm Bowl	Vinten 4-bolt fixing adaptor to 150mm bowl.	594	5060312085008
---	V4096-1016	FHR-35 pedestal riser and ceiling bracket	Height: 154mm (6 in.)	1424	5060312085657

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
HEADS ACCESSORIES - ROBOTIC					
---	V4096-1017	FHR-35 wall mounting bracket		1287	5060312085664
---	V4096-0002	FHR-35 VR upgrade	Genlock board and firmware upgrade to the robotic head to enable tracking data output. Serial RS232/422 or Ethernet UDP/IP	3793	5060312085688
---	V4101-1010	FH-145/FHR-145 & FH-155/FHR-155 wide mounting cradle	Wide cradle for FH-145, FHR-145, FH-155 and FHR-155 heads to accommodate studio cameras and large lens adaptors for portable cameras	1551	5060312085695
---	V4101-1011	FH-145/FHR-145 & FH-155/FHR-155 adaptor plate	Adaptor plate for FH-145, FHR-145, FH-155 and FHR-155 heads to accommodate studio lenses and prompters. Required when a prompter is fitted.	940	5060312085701
---	V4133-1003	FH-145 large pan bar mounting bracket	Pan bar mounting bracket for Vector pan bars to allow fitting of studio lens demands.	1129	5060312085718
---	3219-115	Pan bar telescopic Vector	Telescopic pan bar & clamp for Vector 430 and 430i	695	5060312084407
---	V4101-0002	FH-200, FH-145 and FHR-145 VR upgrade	Firmware upgrade to the robotic or manual/robotic head to enable tracking data output. Serial RS232/422 or Ethernet UDP/IP	4616	5060312085725
---	V4155-1025	StarTracker reflectors, 25mm	Sheet of 240 reflectors, suitable for ceiling heights of 2-4m. Contact your sales representative to calculate the number of reflectors / stars needed for the studio installation	1313	5060520686202
---	V4155-1026	StarTracker reflectors, 35mm	Sheet of 120 reflectors, suitable for ceiling heights of 3-6m Contact your sales representative to calculate the number of reflectors / stars needed for the studio installation	866	5060520686219
---	V4155-1027	StarTracker reflectors, 50mm	Sheet of 60 reflectors, suitable for ceiling heights of 4-8m Contact your sales representative to calculate the number of reflectors / stars needed for the studio installation	539	5060520686226
---	V4155-1028	StarTracker reflectors, 75mm	Sheet of 28 reflectors, suitable for ceiling heights of 8-10m Contact your sales representative to calculate the number of reflectors / stars needed for the studio installation	378	5060520686233
---	V4155-1029	StarTracker reflectors, 100mm	Sheet of 15 reflectors, suitable for ceiling heights of 10-14m Contact your sales representative to calculate the number of reflectors / stars needed for the studio installation	270	5060520686240
---	V4142-1007	Vantage 75mm bowl adaptor	Vinten 75mm bowl adapter fixing adaptor for 75mm tripods.	396	5060312083257
---	V4142-1009	Vantage ceiling bracket	Height: 154mm (6 in.)	1171	5060312083264
---	V4142-1008	Vantage wall mounting bracket		980	5060312083271
---	V4142-1015	Vantage Lens Drive Assembly	Vinten Vantage external lens drive motor and mounting accessories. Offset cradle, lens drive interface /controller, adjustable camera base plate, mounting rods x 2, Lens motor x 1, mounting accessories, User Guide	4194	5060520683676
---	V4142-1018	Vantage Lens Drive Motor Kit	Additional lens drive motor (for use with Vantage Lens Drive Assembly).. Lens motor x 1 and mounting accessories	2310	5060520683683
---	V4142-1017	Vantage offset cradle	Optional camera mounting cradle to allow payloads that need to be offset too excessively, to be balanced easily and add stability.	980	5060520683690





IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
PEDESTALS - ROBOTIC					
	V3952-0030	FP-188+ Pedestal	Robotic/Manual Pedestal controlling elevation and X-Y position on the studio floor. Dead reckoning positioning system in robotic mode. Easily converts to full manual control. Max. payload incl. head: 85 kg (187 lb) Height Range: 660 to 1430 mm (26 to 56 in)	104951	5060312085855
	V3952-0031	FPR-210+ Pedestal	Robotic/Manual Pedestal controlling elevation and X-Y position on the studio floor. Dead reckoning positioning system in robotic mode. Easily converts to full manual control in X and Y (Height robotic only). Max. payload incl. head: 95 kg (210 lb) Height Range: 660 to 1430 mm (26 to 56 in)	118941	5060312085879
	V4127-0001	FE-55 Elevation Unit	Robotic Pedestal controlling elevation on the studio floor. Max. payload incl. head: 25 kg (55 lb) Height Range: 700 to 1400 mm (28 to 55 in)	22387	5060312085732
	V4127-0002	FE-165 Elevation Unit, Elite	Robotic/Manual Pedestal controlling elevation position on the studio floor. Easily converts to full manual control. Max. payload incl. head: 75 kg (165 lb) Height Range: 700 to 1600 mm (28 to 63 in)	38486	5060312085749
	V4127-0003	FE-165 Elevation Unit, Light	Robotic Pedestal controlling elevation position on the studio floor. Max. payload incl. head: 75 kg (165 lb) Height Range: 700 to 1600 mm (28 to 63 in)	27989	5060312085756
PEDESTAL ACCESSORIES - ROBOTIC					
---	V3952-1910	FPR-210+ height control switchbox	Pan bar or steering ring mounted up/down control for FPR-210+ pedestal column, includes cable between switchbox and pedestal.	1025	5060312085893
---	V4109-0001	APS upgrade	Absolute Positioning System upgrade or the FP-145 and FP-188 pedestals to provide a targeting solution which does not require a floor target. Includes the APS laser scanner, internal cables and smaller steering ring .	33591	5060312085909
---	V4109-1012	Cylindrical floor-standing APS target, for colouring	Cylindrical floor standing target in a kit format. Enables the target to be colour coded to the studio/application. Customer to paint, assemble and supply own colour filter. 733mm (2.4 ft) high	809	5060312085916
---	V4109-1013	Cylindrical floor-standing APS target, black	APS cylindrical floor standing target in black. 733mm (2.4 ft) high	809	5060312085923
---	V4109-1014	Flat wall-mounted APS target, for colouring	APS flat wall mounted target pre-assembled less colour filter. Enables the target to be colour coded to suit studio/application. Customer to supply own colour filter. 300mm (11.8 in) high	264	5060312085930
---	V4109-1015	Flat wall-mounted APS target, black	APS flat wall mounted target in black. 300mm (11.8 in) high	264	5060312085947
---	VR PED UPGRADE	VR upgrade for FH-145/FHR-145 and FP-188+/FPR-210+ combination	Firmware upgrade to the robotic or manual/robotic heads and pedestal to enable tracking. Includes external genlock sync. cable and internal sync. loom.	12882	5060312085954
ADDITIONAL UPGRADES					
	V4125-1000	ICE network integration upgrade for FP-188 pedestal	Upgrades the FP-188 pedestal to an FP-188+, allowing integration with ICE robotic heads.	1720	5060312086296
---	V4125-1002	ICE network integration upgrade for FBH-175 height drive	Upgrades the FBH-175 height drive to an FBH-175+, allowing integration with ICE robotic heads.	1720	5060312086302
HEIGHT DRIVE ACCESSORIES					
	V4127-VR1	VR Upgrade for FE-xxx Elevation Unit	VR Upgrade for FE-xxx Elevation Unit	2194	5060312085770
	V4127-1111	FE-xxx accessory mounting plate	FE-xxx accessory mounting plate	127	5060312085787
	V4127-1115	Cable management net	Cable management net	474	5060312085794



IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
VRC CONTROL PANELS					
	V3976-0013	VRC-SJP focus LHS	Single Joystick VRC Control Panel. 16 camera selection buttons, a 3-axis joystick (for control of P/T/Z) and rotary focus control. Includes GPIO, 12V PSU and 3m RS422 serial cable to VRC.	9954	5060312083295
	V3976-0014	VRC-DJP focus LHS	Dual Joystick VRC Control Panel. 16 camera selection buttons, two 3-axis joysticks (one for control of P/T/Z, and one for X/Y/Z) and rotary focus control. Includes GPIO, 12V PSU and 3m RS422 serial cable to VRC.	11842	5060312086050
	V3976-0015	VRC-SJP+CCU focus LHS	Single Joystick VRC Control Panel. 16 camera selection buttons, a 3-axis joystick (for control of P/T/Z) and rotary focus, iris and black controls. Includes GPIO, 12V PSU and 3m RS422 cable to VRC.	12808	5060312086067
	V3976-0016	VRC-DJP+CCU focus LHS	Dual Joystick VRC Control Panel. 16 camera selection buttons, two 3-axis joysticks (one for control of P/T/Z, and one for X/Y/Z) and rotary focus, iris and black controls. Includes GPIO, 12V PSU and 3m RS422 serial cable to VRC.	13340	5060312086074
---	V4063-0013	HD-VRC Robotics Controller	VRC-HD Client Server hardware, comprising 2U rack mounted industrial computer with HD-SDI thumbnail capture card running Embedded Windows and latest version VRC software. Includes keyboard and mouse. ICE Tool installed for configuration and management of ICE devices	20267	5060520686257
	V4063-0010	µVRC Robotics Controller	µVRC robotic controller, comprising 21" AIO touchscreen computer running Embedded Windows, USB compact joystick panel and the latest modular version of VRC software. Supports control of 4 Vantage heads with options to add further functionality through licensing.	4911	5060520682396
VRC OPTIONS AND ACCESSORIES					
---	V4063-8001	µVRC Plus Four license	Increases the number of Vinten heads that can be controlled to 8	986	5060520682402
---	V4063-8002	µVRC Total Control license	Increases the number of Vinten heads that can be controlled to unlimited	3925	5060520682419
---	V4063-8003	VRC PTZ control license	license to control a single PTZ (Sony, Panasonic or Canon)	986	5060520682426
---	V4063-8004	µVRC ICE/Fusion license	Adds control of Vinten ICE and Fusion robotics	1962	5060520682433
---	V4063-8005	µVRC Hexagon license	Adds control of Vinten Hexagon robotics	1962	5060520682440
---	V4063-8006	VRC CCU control for Broadcast cameras	Add paint/shading control for a single broadcast camera (Sony)	986	5060520682457
---	V4063-8007	VRC automation interface software	VRC automation interface to enable the pre-set shots to be triggered by a playout system. Supporting vendors include Grass Valley, Sony, Ross, Snell, Mosart and Aveco. Protocol available for developers.	14190	5060520682464
---	V4063-8008	µVRC Distributed network control, database replication and backup	Allows multiple µVRC to share control. Also allows interaction with HD-VRCs	5882	5060520682471
---	V4063-8009	µVRC Shot thumbnails	Adds support for an external video capture interface to allow shots to display thumbnails from live video	492	5060520682495
---	V4063-8010	VRC Sequencing	Adds the ability to create keyframe based sequenced shot for Vinten ICE robotic products, and later	5607	5060520686271
---	V4063-8011	VRC Geofencing license	Geofencing support for a single VRC. Adds the ability to create a virtual fence around the perimeter of an area, preventing the robotic pedestal from moving outside of the defined area.	4784	
---	VRC SOFTWARE UPGRADE	VRC software upgrade	VRC software upgrade to the latest released version.	4616	5060312086098
---	AUTO-IF	Use V4063-8007	Use V4063-8007. Protocol available for developers.	14190	5060312086104











IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
VRC OPTIONS AND ACCESSORIES					
---	T002-001	17" flat 4:3 touchscreen	LCD Touchscreen, VGA input.	3555	5060312083318
---	T002-006	22" Flat 16:9 touchscreen	Touchscreen, VGA and DVI input.	4109	5060312083325
---	TALLY-14-VRC	Tally-14 package for HD-VRC or FCS-16	Tally input interface for up to 14 channels. Suitable for contact closure usage. Includes RS422 serial cable.	4463	5060312083332
---	V4142-1909	16x4 3G/HD/SD-SDI switcher, serial and Ethernet control	AJA Kumo 1604 video switcher for HD-VRC and μ VRC control systems (up to 16 cameras) - 3G/HD/SD-SDI signal routing. 4 independent outputs. Serial or Ethernet input for control.	2706	5060520686264
---	T060-009	Rack mounted ethernet switch, 16-port	Rack mounted ethernet switch, 16-port	449	5060312086128
---	T060-017	Rack mounted ethernet switch, 24-port	Rack mounted ethernet switch, 24-port	569	5060312086135
---	G452-006	Ethernet to serial convertor, single channel	For hosting of serial third-party PTZ cameras on VRC system, including Canon BU series and Sony BRC series cameras.	661	5060312086142
MANUAL					
HEADS - VECTOR (Manual Pan + Tilt)					
	V4006-0001	Head Vector 430, Flat base	Flat base head, with 1 telescopic pan bar & EFP Quickfit automatic adaptor and camera plate. 22.0 - 94.8 lb (10.0 - 43.0 kg) payload	14700	
	V4095-0001	Head Vector 75 Flat base	Flat base head with 1 telescopic pan bar. 22.0 - 94.8 lb (10.0 - 43.0 kg) payload	20500	5060312083882
	V4034-0001	Head Vector 750 Flat base	Flat base head with 1 telescopic pan bar.. 22.0 - 165.3 lb (10.0 -75.0 kg) payload	23000	5060312083899
	V3996-0001	Head Vector 950 Flat base	Flat base head with 1 telescopic pan bar. 35.0 - 264.5 lb (16.0 -120.0 kg) payload	22800	5060312084452
	V4089-0001	Vector 430i Head	Vector 430i head with one pan bar. (For EFP camera set-ups w/virtual reality requirements.) 10-43kg (22-95 lbs) payload	19037	5060312085312
	V4080-0001	Vector 750i Head	Vector 750i head with one pan bar. (For EFP camera set-ups w/virtual reality requirements.) 10-75kg (22-165 lbs) payload	28411	5060312085329
HEADS - VISION (Manual Pan + Tilt)					
	V4045-0001	Head Vision 8AS	100mm Ball base head with 1 fixed pan bar, camera plate & bowl clamp. 12.1-30.9 lb (5.5-14 kg) payload	4700	5060312081451
	V4046-0001	Head Vision 10AS	100mm Ball base head with 1 telescopic pan bar, camera plate & bowl clamp. 14.3-37.5 lb (6.5-17 kg) payload	6000	5060312081505
	3466-3	Head Vision 100	100mm Ball base head /with 1 telescopic pan bar, camera plate & bowl clamp. 15.4 - 44.1 lb (7.0 - 20 kg) payload	7500	5060312081598
	3465-3S	Head Vision 250 ball base	Dual 100/150mm Ball base head with 1 telescopic pan bar, camera plate & bowl clamp knob. 22.0 - 72.8 lb (10.0 - 33.0 kg) payload	10900	5060312081659



IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
HEADS - VISION (Manual Pan + Tilt)					
	3465-3F	Head Vision 250 flat base	Flat base head with 1 telescopic pan bar, camera plate. 22.0 - 72.8 lb (10.0 - 33.0 kg) payload	10900	5060312081666
---	3793-3	Vision 250E	supplied with 1 telescopic pan bar, flat base head with encoders for providing pan and tilt positional feedback. 22.0 - 72.8 lb (10.0 - 33.0 kg) payload	16516	5060312085305
HEADS - VISION BLUE (Manual Pan + Tilt)					
	V4092-0001	Head Vision blue	75mm ball base head with 1 fixed pan bar, camera plate & bowl clamp. 4.6 - 11 lb (2.1 - 5 kg) payload	1265	5060312081369
	V4106-0001	Head Vision blue3	75mm ball base head with 1 fixed pan bar, camera plate & bowl clamp. 6.6 - 14.6 lb (3.0 - 6.6 kg) payload	1765	5060312081390
	V4105-0001	Head Vision blue5	75mm ball base head with 1 fixed pan bar, camera plate & bowl clamp. 12 - 26.5 lb (5.5 - 12 kg) payload	2600	5060312081420
HEADS ACCESSORIES					
VECTOR ACCESSORIES - Camera Plates					
	3391-3	Camera mounting short Wedge Plate Vector	for Vector 950, 950i, 75, 750, 750i.	585	5060312084421
	3053-3	Camera mounting standard Wedge Plate	for Vinten Vector 950, 950i, 75, 750, 750i & Sachtler Video 60 Plus Studio, Video 75 Plus Studio and Video 90	547	5060312084445
VECTOR ACCESSORIES - Carrying Cases					
	3907-3	Hard Transit Case Vector	for 90, 900 & 950.	1625	5060312085077
	3355-3	Hard Transit Case Vector	for 75 & 750.	1625	5060312085084
VECTOR ACCESSORIES - Mounting					
	3407-1A	Accessory 4-bolt flat base Scaffold Clamp		1750	5060312084964
	3724-3	Mitchell Spider with Wingnut		570	5060312084971
	3354-900SP	Adaptor 20mm Spacer Ring	Vinten 4-bolt fixing to 4-bolt flat base.	388	5060312084995
	3104-3	Adaptor 4-bolt Flat Base to 150mm Bowl	Vinten 4-bolt fixing adaptor to 150mm bowl.	594	5060312085008
	3103-3	Adaptor 4-bolt flat base to Mitchell base	Mitchell Adaptor 4-bolt flat base to Heavy Duty tripod	979	5060312085015
	3750-3	Adaptor 4-bolt flat base to Mitchell Base	Mitchell Base with Wing nut	828	5060312085022
	1212-7	Adaptor 4-bolt flat base to Mitchell Base	Mitchell Base without Wing nut.	435	5060312085039
	3490-3	Adaptor Heavy Duty QUICKFIX 4-bolt flat base	(220 lb payload)	980	5060312085046

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
VECTOR ACCESSORIES - Pan Bar					
	3219-93	Pan bar extra short, Vector	Extra Short pan bar & clamp for Vector 950, 950i, 75, 750, 750i.	388	5060312084377
	3219-116	Pan bar short Vector	Short pan bar & clamp for Vector 430 and 430i.	388	5060312084384
	3219-94	Pan bar short, Vector	Short pan bar & clamp for Vector 950, 950i, 75, 750, 750i.	388	5060312084391
	3219-115	Pan bar telescopic Vector	Telescopic pan bar & clamp for Vector 430 and 430i	700	5060312084407
	3219-82	Pan bar telescopic, Vector	Telescopic pan bar for Vector 950, 950i, 75, 750, 750i.	700	5060312084414
VISION ACCESSORIES - Bowl Adapters					
	3525-900SP	Adaptor Ball Base Vision 250	Dual 100/150mm Ball Base for Vision 250.	473	5060312081864
	3330-243	Bowl Adaptor 75mm to 100mm	(formerly U005-159)	110	5060312081895
	3525-901SP	Adaptor 4-bolt Flat Base Vision 250	Quickfix / 4-bolt Flat Base for Vision 250.	475	5060312081918
VISION ACCESSORIES - Camera Plates					
	3761-13	Camera mounting plate EFP QUICKFIT Wedge incl. 3/8" screws	for Vision 250/250E , Vector 430 / 430i	230	5060312081765
	V4043-1901	Camera mounting plate Vision	for Vision blue range, 3AS & 5AS.	160	5060312081789
	V4045-1901	Camera Slide Plate Assembly	for Vision 8AS, 10AS, 100 & 250. Also fits Oconnor 1030	160	5060312081796
	3364-900SP	Camera mounting plate Vision	for Vision 8, 11, 100 & 250.	160	5060312081819
	V4106-1003	blueBridge small camera adaptor	for Vision blue range.	138	5060312081826
	3330-33	Extended camera mounting plate	for Vision blue range, 3AS, 5AS, 8AS, 10AS, 100 & 250.	346	5060312081833
VISION ACCESSORIES - Carrying Cases					
	3909-3	Hard Transit Case for 2-Stage ENG Systems		938	5060312081994
	3910-3	Hard Transit Case for EFP Systems		1203	5060312082007
	5338-3	Octagonal Thermoplastic Case Vision EFP Tripod Systems	for Vision 250.	1053	5060312082038
	3334-3	Soft Case Vision 1-stage tripod systems	for Vision blue, 3AS ,5AS, 8AS, 10AS & 100 + 1-stage tripod System.	350	5060312082045
	3358-3	Soft Case Vision 2-stage tripod systems	for Vision blue, 3AS ,5AS, 8AS, 10AS & 100 + 2-stage tripod System.	406	5060312082052
	V4150-1850	Soft Case Vision 2-stage tripod systems	for fluid heads Vision blue and Vision AS on 2-stage tripods	315	5060520683058





IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
VISION ACCESSORIES - Carrying Cases					
	3340-3	Soft Case Vision 2-stage tripod systems	for Vision blue, 3AS ,5AS, 8AS, 10AS & 100 + 2-stage tripod System.	580	5060312082069
	3341-3	Soft Case Vision EFP tripod systems	for Vision 100 & 250 + 2-stage tripod System.	740	5060312082076
	3411-3	Tripod Tube EFP tripod systems	for Vision 250 + 2-stage tripod System.	839	5060312082090
	3396-3	Tripod Tube Vision 2-stage tripod systems	for Vision blue range, Vision 3AS, 5AS, 8AS, 10AS & 100 + 2-stage tripod System.	795	5060312082113
VISION ACCESSORIES - Pan Bar					
	3219-113	Pan bar telescopic Vision	Telescopic pan bar and clamp for Vision blue range, 3AS & 5AS.	380	5060312081727
	3219-91	Pan bar telescopic Vision	Telescopic pan bar and clamp for Vision 8AS, 10AS, 100 & 250.	380	5060312081734
	3219-110	Pan bar Vision	Fixed length pan bar and clamp for Vision blue range, 3AS & 5AS.	260	5060312081741
	3219-101	Pan bar Vision	Fixed length pan bar and clamp for Vision 8AS, 10AS, 100 & 250.	260	5060312081758
	3219-105	Pan bar clamp extended Vision	Extended pan bar clamp for Vision 8AS, 10AS, 100 & 250.	536	5060312082137
VISION ACCESSORIES - Quickfix Adaptors					
	3761-3	Adaptor Automatic EFP QUICKFIT incl. Wedge & 3/8" screws	includes 3761-13 Wedge	1055	5060312081925
	3471-3	Adaptor Automatic ENG QUICKFIT incl. Wedge & 3/8" screws	includes 3761-13 Wedge	790	5060312081932
	3328-30	Adaptor Levelling QUICKFIX 4-bolt flat base		1728	5060312081963
	3100-3	Adaptor QUICKFIX 4-bolt flat base		1070	5060312081970
	3101-3	Adaptor QUICKFIX Ring 4-bolt flat base head	for 4-bolt flat base head	276	5060312081987
Systems (Manual) All-In-One					
VISION BLUE					
	VB-AP2F	System Vision blue 2-stage AI PL GS SC	Vision blue (V4092-0001), 2-stage aluminum Pozi-Loc tripod (3819-3), ground spreader (3363-3) & soft case (3358-3). 4.6 - 11 lb (2.1 - 5 kg) payload	1975	5060312081376
	VB-AP2M	System Vision blue 2-stage AL PL MS SC	Vision blue (V4092-0001), 2-stage aluminum Pozi-Loc tripod (3819-3), mid-level spreader (V4151-0002) & soft case (3358-3). 4.6 - 11 lb (2.1 - 5 kg) payload	1975	5060312081383
	VB-FTGS	System Vision blue FT GS	Vision blue head (V4092-0001), flowtech75 tripod GS (V4150-0002), carry handle (S2051-1061) and soft case flowtech75 (V4150-1850). 4.6 - 11 lb (2.1 - 5 kg) payload	2850	5060520685267
	VB-FTMS	System Vision blue FT MS	Vision blue head (V4092-0001), flowtech75 MS tripod (V4150-0003), carry handle (S2051-1061) and soft case flowtech75 (V4150-1850). 4.6 - 11 lb (2.1 - 5 kg) payload	2850	5060520685304















IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
Systems (Manual) All-In-One					
VISION BLUE					
	VB3-AP2F	System Vision blue3 2-stage AL PL GS SC	Vision blue3 (V4106-0001), blueBridge small camera adaptor (V4106-1003), 2-stage aluminum Pozi-Loc tripod (3819-3), ground spreader (3363-3) & soft case (3358-3). 6.6 - 14.6 lb (3 - 6.6 kg) payload	3000	5060312081406
	VB3-AP2M	System Vision blue3 2-stage AL PL MS SC	Vision blue3 (V4106-0001), blueBridge small camera adaptor (V4106-1003), 2-stage aluminum Pozi-Loc tripod (3819-3), mid-level spreader (V4151-0002) & soft case (3358-3). 6.6 - 14.6 lb (3 - 6.6 kg) payload	3000	5060312081413
	VB3-FTGS	System Vision blue3 FT GS	Vision blue3 head (V4106-0001), flowtech75 GS tripod (V4150-0002), carry handle (S2051-1061) and soft case flowtech75 (V4150-1850). 6.6 - 14.6 lb (3 - 6.6 kg) payload	3400	5060520685250
	VB3-FTMS	System Vision blue3 FT MS	Vision blue3 head (V4106-0001), flowtech75 MS tripod (V4150-0003), carry handle (S2051-1061) and soft case flowtech75 (V4150-1850). 6.6 - 14.6 lb (3 - 6.6 kg) payload	3400	5060520682372
	VB5-AP2F	System Vision blue5 2-stage AL PL GS SC	Vision blue5 (V4105-0001), blueBridge small camera adaptor (V4106-1003), 2-stage aluminum Pozi-Loc tripod (3819-3), ground spreader (3363-3) & soft case (3358-3). 12 - 26.5 lb (5.5 - 12 kg) payload	3710	5060312081437
	VB5-AP2M	System Vision blue5 2-stage AL PL MS SC	Vision blue5 (V4105-0001), blueBridge small camera adaptor (V4106-1003), 2-stage aluminum Pozi-Loc tripod (3819-3), mid-level spreader (V4151-0002) & soft case (3358-3). 12 - 26.5 lb (5.5 - 12 kg) payload	3710	5060312081444
	VB5-FTGS	System Vision blue5 FT GS	Vision blue5 head (V4105-0001), flowtech75 GS tripod (V4150-0002), carry handle (S2051-1061) and soft case flowtech75 (V4150-1850). 12 - 26.5 lb (5.5 - 12 kg) payload	4150	5060520685274
	VB5-FTMS	System Vision blue5 FT MS	Vision blue5 head (V4105-0001), flowtech75 MS tripod (V4150-0003), carry handle (S2051-1061) and soft case flowtech75 (V4150-1850). 12 - 26.5 lb (5.5 - 12 kg) payload	4150	5060520682389
VISION					
	V8AS-AP2F	System Vision 8AS 2-stage AL PL GS SC	Vision 8AS (V4045-0001), 2-stage aluminum Pozi-Loc tripod (3821-3), ground spreader (3363-3) & soft case (3358-3). 12.1 - 30.9 lb (5.5 - 14 kg) payload	6800	5060312081468
---	V8AS-AP2M	System Vision 8AS 2-stage AL PL MS SC	Vision 8AS (V4045-0001), 2-stage aluminium Pozi-Loc tripod (3821-3), mid-level spreader Spread-Loc incl. feet (3781-3) & soft case (3358-3). 12.1 - 30.9 lb (5.5 - 14 kg) payload	7400	5060312081475
	V8AS-CP2F	System Vision 8AS 2-stage CF PL GS SC	Vision 8AS (V4045-0001), 2-stage carbon fiber Pozi-Loc tripod (3772-3) ground spreader (3363-3) & soft case (3358-3). 12.1 - 30.9 lb (5.5 - 14 kg) payload	7000	5060312081482
---	V8AS-CP2M	System Vision 8AS 2-stage CF PL MS SC	Vision 8AS (V4045-0001), 2-stage carbon fiber Pozi-Loc tripod (3772-3), mid-level spreader Spread-Loc incl. feet (3781-3) & soft case (3358-3). 12.1 - 30.9 lb (5.5 - 14 kg) payload	7500	5060312081499
	V8AS-FT	System Vision 8AS FT	Vision 8AS (V4045-0001), flowtech100 tripod with rubber feet (V4160-0004) & soft case (3358-3). 12.1 - 30.9 lb (5.5 - 14 kg) payload	7000	5060520685885
	V8AS-FTMS	System Vision 8AS FT MS	Vision 8AS (V4045-0001), flowtech100 MS tripod (V4160-0003), carry handle (S2051-1061) & soft case (3358-3). 12.1 - 30.9 lb (5.5 - 14 kg) payload	7900	5060520684826
	V8AS-FTGS	System Vision 8AS FT GS	Vision 8AS (V4045-0001), flowtech100 GS tripod (V4160-0002), carry handle (S2051-1061) & soft case (3358-3). 12.1 - 30.9 lb (5.5 - 14 kg) payload	7500	5060520685151
	V10AS-AP2F	System Vision 10AS 2-stage AL PL GS SC	Vision 10AS (V4046-0001), 2-stage aluminum Pozi-Loc tripod (3821-3) ground spreader (3363-3) & soft case (3358-3). 14.3 - 37.5 lb (6.5 - 17 kg) payload	8400	5060312081512

















IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
Systems (Manual) All-In-One					
VISION					
	V10AS-AP2M	System Vision 10AS 2-stage AL PL MS SC	Vision 10AS (V4046-0001), 2-stage aluminium Pozi-Loc tripod (3821-3), mid-level spreader Spread-Loc incl. feet (3781-3) & soft case (3358-3). 14.3 - 37.5 lb (6.5 - 17 kg) payload	9000	5060312081536
	V10AS-CP2F	System Vision 10AS 2-stage CF PL GS SC	Vision 10AS (V4046-0001), 2-stage carbon fiber Pozi-Loc (3772-3) ground spreader (3363-3) & soft case (3358-3). 14.3 - 37.5 lb (6.5 - 17 kg) payload	8500	5060312081550
	V10AS-CP2M	System Vision 10AS 2-stage CF PL MS SC	Vision 10AS (V4046-0001), 2-stage carbon fiber Pozi-Loc tripod (3821-3), mid-level spreader Spread-Loc incl. feet (3781-3) & soft case (3358-3). 14.3 - 37.5 lb (6.5 - 17 kg) payload	9200	5060312081574
	V10AS-FTGS	System Vision 10AS FT GS	Vision 10AS (V4046-0001), flowtech100 GS tripod (V4160-0002), carry handle (S2051-1061), soft case (3358-3). 14.3 - 37.5 lb (6.5 - 17 kg) payload	8900	5060520685168
	V10AS-FTMS	System Vision 10AS FT MS	Vision 10AS (V4046-0001), flowtech100 MS tripod (V4160-0003), carry handle (S2051-1061), soft case (3358-3). 14.3 - 37.5 lb (6.5 - 17 kg) payload	9300	5060520684833
	VB100-AP2	System Vision 100 2-stage AI PL GS SC	Vision 100 (3466-3), 2-stage aluminum Pozi-Loc tripod (3821-3) ground spreader (3363-3) & soft case (3340-3). 15.4 - 44.1 lb (7 - 20 kg) payload	9800	5060312081604
	VB100-AP2M	System Vision 100 2-stage AI PL MS SC	Vision 100 (3466-3), 2-stage aluminium Pozi-Loc tripod (3821-3), mid-level spreader Spread-Loc incl. feet (3781-3) & soft case (3340-3). 15.4 - 44.1 lb (7 - 20 kg) payload	10500	5060312081611
	VB100-CP2	System Vision 100 2-stage CF PL GS SC	Vision 100 (3466-3), 2-stage carbon fiber Pozi-Loc (3772-3) ground spreader (3363-3) & soft case (3340-3). 15.4 - 44.1 lb (7 - 20 kg) payload	10250	5060312081628
	VB100-CP2M	System Vision 100 2-stage CF PL MS SC	Vision 100 (3466-3), 2-stage carbon fibre Pozi-Loc tripod (3772-3), mid-level spreader Spread-Loc incl. feet (3781-3) & soft case (3340-3). 15.4 - 44.1 lb (7 - 20 kg) payload	11000	5060312081635
	VB100-FTGS	System Vision 100 FT GS	Vision 100 (3466-3), flowtech100 GS tripod (V4160-0002), carry handle (S2051-1061) & soft case (3340-3). 15.4 - 44.1 lb (7 - 20 kg) payload	10500	5060520685175
	VB100-FTMS	System Vision 100 FT MS	Vision 100 (3466-3), flowtech100 MS tripod (V4160-0003), carry handle (S2051-1061) & soft case (3340-3). 15.4 - 44.1 lb (7 - 20 kg) payload	11400	5060520684840
	VB100-AP2S	System Vision 100 2-stage AI PL Dolly	Vision 100 (3466-3), 2 telescopic pan bars (3219-91), 2-stage aluminum Pozi-Loc tripod (3821-3) & dolly (V3955-0002). 15.4 - 44.1 lb (7 - 20 kg) payload	10300	5060312081642
	VB100-OL	System Vision 100 Osprey Lite	Vision 100 (3466-3), 2 telescopic pan bars (3219-91), Osprey Lite (V4169-0001), bowl adaptor 100mm to 4-bolt flat base (3330-16) + manual pump. max payload 44.1 lb / 20 kg	14850	5060896402604
	VB250-AP2	System Vision 250 2-stage AI PL GS SC	Vision 250 (3465-3S), 2 telescopic pan bars (3219-91), 2-stage aluminum Pozi-Loc tripod (V4086-0001), ground spreader (3363-3) & soft case (3341-3). 22.0 - 72.8 lb (10.0 - 33.0 kg) payload	15100	5060312081673
	VB250-AP2M	System Vision 250 2-stage AI PL MS SC	Vision 250 (3465-3S), 2 telescopic pan bars (3219-91), 2-stage aluminum Pozi-Loc tripod (V4086-0001), Spread-Loc mid-level spreader (3781-3) & soft case (3341-3). 22.0 - 72.8 lb (10.0 - 33.0 kg) payload	15700	5060312081680
	VB250-CP2	System Vision 250 2-stage CF PL GS SC	Vision 250 (3465-3S), 2 telescopic pan bars (3219-91), 2-stage carbon fiber Pozi-Loc tripod (3881-3), ground spreader (3363-3) & soft case (3341-3). 22.0 - 72.8 lb (10.0 - 33.0 kg) payload	15710	5060312081697




IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
Systems (Manual) All-In-One					
VISION					
	VB250-CP2M	System Vision 250 2-stage CF PL GS SC	Vision 250 (3465-3S), 2 telescopic pan bars (3219-91), 2-stage carbon fiber Pozi-Loc tripod (3881-3), Spread-Loc mid-level spreader (3781-3) & soft case (3341-3). 22.0 - 72.8 lb (10.0 - 33.0 kg) payload	16400	5060312081703
	VB250-AP2S	System Vision 250 2-stage AI PL Dolly	Vision 250 (3465-3S), 2 telescopic pan bars (3219-91), 2-stage aluminum Pozi-Loc tripod (V4086-0001) & dolly (3497-3E). 22.0 - 72.8 lb (10.0 - 33.0 kg) payload	16300	5060312081710
	VB250-OP	Vision 250 Osprey Plus	Vision 250 (3465-3F), 2 telescopic pan bars (3219-91), Osprey Plus (V4170-0001), manual pump. max payload 72.8 lb (33 kg)	24580	5060896402611
TRIPODS					
---	V4150-0002	Tripod flowtech75 GS	2-stage carbon fibre tripod with quick release brakes, bowl clamp flowtech75, ground spreader flowtech and carry handle.	2025	5060520685199
---	V4150-0003	Tripod flowtech75 MS	2-stage carbon fibre tripod with quick release brakes, bowl clamp flowtech75, mid-level spreader flowtech75, rubber feet and carry handle.	2025	5060312089402
---	3819-3	Tripod 2-stage ENG 75mm AI PL	2-stage ENG (75 mm bowl) aluminum Pozi-Loc tripod.	1350	5060312082175
---	V4160-0004	Tripod flowtech100	2-stage carbon fibre tripod with quick release brakes; including rubber feet flowtech. 66 lb (30 kg) payload	3350	5060520685892
---	V4160-0002	Tripod flowtech100 GS	2-stage carbon fibre tripod with quick release brakes, ground spreader flowtech and carry handle. 66 lb (30 kg) payload	3800	5060520685083
---	V4160-0003	Tripod flowtech100 MS	2-stage carbon fibre tripod with quick release brakes, mid-level spreader flowtech100, rubber feet flowtech and carry handle. 66 lb (30 kg) payload	4200	5060520684550
---	3772-3	Tripod 2-stage ENG 100mm CF PL	2-stage ENG (100mm bowl) carbon fiber Pozi-Loc tripod. 66 lb (30 kg) payload	1890	5060312082205
---	3821-3	Tripod 2-stage ENG 100mm AI PL	2-stage ENG (100mm bowl) aluminum Pozi-Loc tripod. Spreaders to be purchased separately	1490	5060312082229
---	3884-3	Tripod 2-stage EFP 100mm CF PL	2-stage EFP (100mm bowl) carbon fiber Pozi-Loc tripod. Spreaders to be purchased separately	2930	5060312082236
---	V4087-0001	Tripod 2-stage EFP 100mm AI PL	2-stage EFP (100mm bowl) aluminum Pozi-Loc tripod. Spreaders to be purchased separately	2300	5060312082243
---	3778-3	Tripod ENG 100mm Baby Legs	ENG (100mm bowl) aluminum Pozi-Loc Baby Legs - gray. Spreaders to be purchased separately	1560	5060312082250
---	3881-3	Tripod 2-stage EFP 150mm CF PL	2-stage EFP (150mm bowl) carbon fiber Pozi-Loc tripod. Spreaders to be purchased separately	3450	5060312082267
---	V4086-0001	Tripod 2-stage EFP 150mm AI PL	2-stage EFP (150mm bowl) aluminum Pozi-Loc tripod. Spreaders to be purchased separately	2650	5060312082274
---	3882-3	Tripod EFP 150mm Baby Legs	EFP (150mm bowl) aluminum Pozi-Loc Baby Legs - gray. Spreaders to be purchased separately	2290	5060312082281
TRIPODS - Flat					
---	3901-3	Tripod assy, single stage HD	1-stage Heavy Duty tripod with mid level spreader.	4680	5060312083776
---	3902-3	Tripod assy, 2 st HD	2-stage Heavy Duty tripod with mid level spreader.	6500	5060312083783
---	3370-3	Elevation Unit HDT-1	for HDT-1 only.	4900	5060312083790




IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
TRIPOD SPREADERS					
	3363-3	Ground spreader lightweight Pozi-Loc	for all Pozi-Loc tripods	610	5060312082328
---	V4162-0001	Ground spreader flowtech	for flowtech tripods	655	5060520685069
---	V4151-1001	mid-level spreader flowtech75	lightweight mid-level spreader for flowtech tripods and 75mm Pozi-Loc tripods	294	5060520683102
---	V4151-0002	Set mid-level spreader for Pozi-Loc	set of mid-level spreader flowtech75 plus 3 Pozi-Loc feet	409	5060520684406
---	V4161-0001	Mid-level spreader flowtech100	Carbon fibre mid-level spreader for flowtech	850	5060520684857
---	3781-3	Mid-level spreader Spread-Loc incl. feet	with set of 3 carpet feet.	1250	5060312082342
---	3367-3	Ground Spreader Heavy Duty Flexible		900	5060312082359
---	3379-3	Ground Spreader Baby Legs	for Baby Legs tripods.	536	5060312082366
HD TRIPOD Carrying Cases					
---	3440-202	Soft case ENG/EFP Dolly, HDT-1, HDT-2 Tripod	for ENG/EFP dollies and HDT-1 and HDT-2 Tripod	370	5060312082083
---	3411-3S	Tripod Tube HDT-1	for HDT-1 tripod.	829	5060312083851
---	3411-3T	Tripod Tube HDT-2	for HDT-2 tripod.	872	5060312083868
TRIPOD ACCESSORIES					
---	S2051-1900	flowtech attachment mount	Attachment mount for Flowtech tripod	16	5060520681443
---	V4162-1073	Rubber feet flowtech	Set of 3, for flowtech tripod.	196	5060520686158
---	V4150-1902	Bowl clamp flowtech75	Vinten bowl clamp for flowtech75 carbon fiber tripod	69	5060896402215
---	S2051-1061	Carry handle flowtech	for flowtech tripods	66	5060520685373
---	3378-902SP	Accessory carpet feet set Pozi-Loc	Set of 3.	190	5060312082298
---	3425-3P	Carrying Strap Pozi-Loc	for all Pozi-Loc tripods.	164	5060312082304
---	V4150-1851	Carrying strap flowtech	for all flowtech tripods	164	5060520685656
PTZ SUPPORT PACKAGES + ACCESSORIES					
	PTZ-AP2F	PTZ HD Tripod System	PTZ & Prompter plate (V4166-1002), 100mm ball base and tiedown (08365 and S2052-1100), 2 stage aluminium tripod (3821-3) & Ground spreader (3363-3). 0 - 55 lb (0 - 25 kg) payload	2200	5060896401164
	PTZ-AP2S	PTZ HD Tripod and Dolly System	PTZ & Prompter plate (V4166-1002), 100mm ball base and tiedown (08365 and S2052-1100), 2 stage aluminium tripod (3821-3) & Dolly (V3955-0001). 0 - 55 lb (0 - 25 kg) payload	3344	5060896401171
	PTZ-OL	Osprey Lite with PTZ Adaptor	Osprey Lite (V4169-0001), Quickfix (V4172-1011), Universal PTZ Adaptor (V4166-1002), Studio Pedestal Adaptor (08349) + manual pump. max payload 77 lb (35 kg)	8200	5060896402598









IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
PTZ SUPPORT PACKAGES + ACCESSORIES					
---	V4166-1001	Universal PTZ Plate	for PTZ cameras without centrally aligned tripod mount holes	428	5060520688411
---	V4166-1002	PTZ and Prompter Plate	for PTZ cameras with centrally aligned tripod mount holes and teleprompters	185	5060520688428
---	V4166-1010	75mm Ball base		185	5060520688435
---	S2150-1300	75mm Tiedown		76	5060896400228
---	08365	100mm Ball Base		353	5060312086654
---	S2052-1100	Tie down 100 mm	works with flowtech100 and Sachtler 100 mm heads (except aktiv)	69	5060520684932
---	08414	150 mm Ball Base		576	5060312086692
---	C1234-1017	150 mm Ball Tiedown	for 150 mm Base 08414.	207	5060520682761
---	08281	Mitchell Base		578	5060312086678
---	C1234-1018	Mitchell Tiedown	for Mitchell base 08281.	208	5060520682754
---	08349	Studio Pedestal / Tripod Adaptor	For Vinten & Sachtler studio Pedestals and Tripods	576	5060520682730
PEDESTALS					
	V4169-0001	Pedestal Osprey Lite	with 125 mm wheels, cable guards and track locks; height range 25-59 in/ 64-149 cm; on shot stroke 16 in / 41 cm. payload 77lb/35 kg	7980	5060896402512
	V4170-0001	Pedestal Osprey Plus	2-stage Studio pedestal; on shot stroke 16.1 in / 41cm; with accessory holder and Quickfix. payload 154lb/70kg	14720	5060896402529
	V4170-0002	Pedestal Osprey Plus OB	2-stage OB Pedestal, on shot stroke 16.1 in / 41 cm; with accessory holder and Quickfix. payload 154lb/70kg	14720	5060896402536
	V4171-0001	Pedestal Osprey Plus S	2-stage Studio Pedestal; on shot stroke 16in / 41 cm; crab&steer; with accessory holder and Quickfix. payload 154lb/70kg	23000	5060896402543
	V4171-0002	Pedestal Osprey Plus S OB	2-stage OB Pedestal; on shot stroke 16.1 in / 41cm, Crab & Steer function; with accessory holder and Quickfix; OB wheels with diameter of 160 mm. payload 154lb / 70kg	23000	5060896402550
	V4172-0001	Pedestal Osprey Elite S	2-stage Studio Pedestal, on shot stroke 30.3in / 77 cm; Crab & Steer function; with Quickfix and accessory holder. payload 176lb/80kg	33350	5060896402567
	V4172-0002	Pedestal Osprey Elite S OB	2-stage OB Pedestal, on shot stroke 30.3in / 77cm; Crab & Steer function; with Quickfix and accessory holder. payload 176lb/80kg	33350	5060896402574
	V4173-0001	Pedestal Osprey Studio S	2-stage Studio Pedestal, on shot stroke 30.3in/77cm; height range 26-56in / 66-143 cm. payload 176lb/80kg	40890	5060896402581





IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
PEDESTALS					
	V3852-0003	Pedestal Quattro-L	4-Stage studio Pedestal - black. payload to 105kg/232lbs	68000	5060312085169
	V3852-0004	Pedestal Quattro-L	4-Stage studio pedestal - Japan market. payload to 264lbs/120kg	68000	5060312085176
	V4002-0002	Pedestal Quattro-OBL	4-Stage OB Pedestal - black. payload to 232lbs/105kg	63900	5060312085183
	V3963-0002	Pedestal Quattro-SL	4-Stage studio pedestal, small base. payload to 176lbs/80kg	58400	5060312085190
PEDESTAL ACCESSORIES					
---	3329-44	Accessory Osprey OB wheel cable guards	set of 3.	797	5060312085220
---	3329-30	Accessory OB wheel set	set of 3; for Vinten Osprey Plus S / Elite S and Sachtler Vario Ped 1-70 / 2-80	2775	5060312085237
---	3329-43	Accessory Studio wheel set	set of 3, for Vinten Osprey Plus S / Osprey Elite and Sachtler Vario Ped 1-70 / 2-80. 5 in / 125 mm diameter	2775	5060312085244
---	3702-32	Accessory pedestal nitrogen charging adaptor		1350	5060312085251
---	V4172-1900	Manual pump with adaptor	for Osprey, Quattro Pedestals and Vario Ped 1-70 / 2-80	348	5060896404318
---	V4169-2006	Skid adaptor	For fitting Osprey Lite column to Tracking Dolly 3369-57	295	5060896402680
---	V4172-1003	Pedestal accessory holder, assembly	for Vinten Osprey Plus / Plus S / Elite S / Studio S and Sachtler Vario Ped 1-70 / 2-80	280	5060896402697
---	3155-3B	Adaptor 200mm Hi-Hat	Vinten 4-bolt fixing to 4-bolt flat base - black. includes Quickfix Adaptor Ring	633	5060312084988
---	3055-3B	Adaptor Mitchell to 4-bolt flat base	Mitchell Spider Adaptor for pedestals - black. includes Quickfix Adaptor Ring	633	5060312085060
---	3330-16	Bowl Adaptor 100mm to 4-bolt flat base	100mm Levelling Bowl Adaptor with Quickfix ring and 4-bolt flat base fixing.	321	5060312081871
---	3330-17	Bowl Adaptor 150mm to 4-bolt flat base	for fluid heads with 150 mm ball on FB tripods and pedestals	536	5060312081888
---	3329-21	Accessory tiller bar	Tiller bar for steering Osprey Plus S and Osprey Elite S dolly independent of column steering	1100	5060896404301
---	3329-32	Kick Ring Pedestal	for Vinten Osprey Plus S, Osprey Elite S, Sachtler Vario Ped 1-70, Vario Ped 2-80	580	5060896403908
---	3429-21	Steering ring, large	for Osprey Elite S, Osprey Plus S, Vario 1-70 (standard on Osprey Studio S, Vario 2-80). diameter 63.5 cm / 25 in	685	5060896404288
---	3374-17	Steering ring, small	for Osprey Studio S and Vario 2-80 (Standard for Osprey Elite S, Osprey Plus S, Vario 1-70). diameter 21 in / 53.3 cm	685	5060896404295

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
DOLLIES					
	S2055-0001	Dolly flowtech Standard	for tripods flowtech. 88 lbs (40 kg) payload	870	5060520683669
	S2057-0001	Dolly flowtech Studio	with cable guards, 100 mm wheels, multi-position track lock. for tripod flowtech	2140	5060520685731
	V4154-1900	Upgrade kit for Dolly ENG to dolly flowtech		46	5060520685328
	V3955-0002	Dolly ENG OB	with 125 mm wheels. for Pozi-Loc tripods	1445	5060312082380
---	V3955-0001	Dolly ENG Studio	with 100mm wheels, cable guards, track locks. for Pozi-Loc tripods	1580	5060312082397
---	V3955-0003	Dolly ENG OB Small	Small Diameter dolly with 125 mm wheels. for Pozi-Loc tripods	1450	5060312082403
---	3497-3E	Dolly EFP OB	with 125 mm wheels. for Pozi-Loc tripods	2849	5060312082410
---	3497-3G	Dolly EFP Studio	with 125 mm wheels & cable guards. for Pozi-Loc tripods	3125	5060312082427
---	3497-3B	Dolly HDT OB	with 150mm wheels, for HDT-1 and HDT-2.	3330	5060312083806
---	3497-3C	Dolly HDT Studio	with 125 mm wheels, cable guards & track locks, for HDT-1 and HDT-2.	3529	5060312083813
---	3369-57	Tracking Dolly	Skid for tripods and Osprey columns enabling use on standard cine dolly track	5744	5060312083820
TRACKS					
---	V5010-FE	Track Dolly with Elevation	Track Dolly and robotic head with elevation on motorised platform, includes absolute encoder for VR and PSU. No Prompting	153935	5060312086364
---	V5020-ACC	Track termination	Track termination. (2x track termination with shock absorbers, includes, magnetic strips and tooth belt track clap and belt)	7491	5060312086371
---	V5020-AL	analogue lens interface	analogue lens interface	13298	5060312086388
---	V5020-2S	2m Straight Track, includes 2 track connection clamps	2m Straight Track, includes 2 track connection clamps	1962	5060312086395
---	V5020-1S	1m Straight Track, includes 2 track connection clamps	1m Straight Track, includes 2 track connection clamps	1757	5060312086401
---	V5020-3R30	3m radius - 30° Curve piece, includes 2 track connection clamps	3m radius - 30°Curve piece (12 pieces for 360°-radius in the middle of track), includes 2 track connection clamps	2949	5060312086418
---	V5020-4R15	4m radius - 15° Curve piece, includes 2 track connection clamps	4m radius - 15°Curve piece (24 pieces for 360°-radius in the middle of track), includes 2 track connection clamps	2949	5060312086425
---	V5020-CC	Anticollision system, required when 2 dollys on one track	Anticollision systems, required when 2 dollys on one track	2949	5060312086432
---	V5020-CAB	Cable management includes 24V power and ethernet, per metre	Cable management including 24V power and ethernet cables, per metre	270	5060312086449

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
FLOOR CABLES					
---	V3990-5285	ICE floor cable, 10m	AC power and ethernet cables within overall sleeve. Compatible with FH-200, FH-145 and FHR-145 heads only. 10 m (32.8 ft) long	855	5060312085961
---	V3990-5286	ICE floor cable, 20m	AC power and ethernet cables within overall sleeve. Compatible with FH-200, FH-145 and FHR-145 heads only. 20 m (65.6 ft) long	1129	5060312085978
---	V3990-5287	ICE floor cable, 30m	AC power and ethernet cables within overall sleeve. Compatible with FH-200, FH-145 and FHR-145 heads only. 30 m (98.4 ft) long	1382	5060312085985
---	V3990-5303	ICE floor cable, 50m	AC power and ethernet cables within overall sleeve. Compatible with FH-200, FH-145 and FHR-145 heads only. 50 m (164 ft) long	2189	
---	V3990-5297	Fusion floor cable, 10m	AC power and ethernet cables within overall sleeve. Compatible with FH-145/FHR-145 and FBH-175+/FP-188+/FPR-210+ pedestal combinations and FHR-35 head-only systems. 10 m (32.8 ft) long	855	5060312085992
---	V3990-5298	Fusion floor cable, 20m	AC power and ethernet cables within overall sleeve. Compatible with FH-145/FHR-145 and FBH-175+/FP-188+/FPR-210+ pedestal combinations and FHR-35 head-only systems. 20 m (65.6 ft) long	1129	5060312086005
---	V3990-5299	Fusion floor cable, 30m	AC power and ethernet cables within overall sleeve. Compatible with FH-145/FHR-145 and FBH-175+/FP-188+/FPR-210+ pedestal combinations and FHR-35 head-only systems. 30 m (98.4 ft) long	1382	5060312086012
LENS ACCESSORIES					
---	V3990-5264	ICE lens cable for Canon digital IASE lenses, 20 pin	for Canon digital IASE lens, 20 pin. Compatible with Canon digital studio lenses	724	5060312085565
---	V3990-5263	ICE lens cable for Fujinon digital BERD lenses, 10 pin	for Fujinon Digital BERD lens, 10 pin. Compatible with BERD-S48,S58 and S1 variants	724	5060312085572
---	V3990-5274	ICE lens cable for Fujinon digital BEZD/BERD lenses, 20 pin	for Fujinon digital BEZD/BERD lenses, 20 pin. Compatible with BERD-S6 onwards, all BEZD and also Fujinon digital compact studio lenses	724	5060312085589
---	V3990-5288	ICE lens cable for Canon analogue studio lens, 18 pin	for Canon Studio Lenses, 18 pin	724	5060312085596
---	V3990-5293	ICE lens cable for Fujinon digital studio lens, 9 pin and 20 pin	compatible with BESM variants	724	5060312085602
---	V3990-5282	ICE lens cable for Fujinon BMD or Canon KTS teleconferencing lenses	for Fujinon or Canon Teleconferencing Lenses BMD/KTS	724	5060312085619
---	V4114-0002	Canon lens demand changeover box	Changeover box to support the FH-145 & FH-155 head when used in conjunction with Canon digital zoom and focus demands. Handles switching and routing of lens control and encoder signals. Includes box, mounting accessories and cables. For ENG and compact studio lens demands only	3365	5060312085626
---	V4114-0003	Fujinon lens demand changeover box	Changeover box to support the FH-145 & FH-155 head when used in conjunction with Fujinon digital zoom and focus demands. Handles switching and routing of lens control and encoder signals. Includes box, mounting accessories and cables. For ENG and compact studio lens demands only	3365	5060312085633
---	V4142-5006	Vantage lens cable for Canon digital IASE lenses, 20 pin	Compatible with Canon digital studio lenses	563	5060312083202

IMAGE	PART #	ITEM NAME	DESCRIPTION	PRICE (USD)	EAN #
LENS ACCESSORIES					
--	V4142-5005	Vantage lens cable for Fujinon digital BEZD/BERD lenses, 20 pin	Compatible with BERD-S6 onwards, all BEZD and also Fujinon digital compact studio lenses	563	5060312083219
--	V4142-5011	Vantage lens cable for Fujinon digital BERD lenses, 10 pin	Compatible with BERD-S48,S58 and S1 variants	563	5060312083226
--	V4142-5008	Vantage 2.5mm serial cable	Compatible with AJA RovoCam	91	5060312083233
--	V4142-5009	Vantage Lanc cable	Compatible with Pro camcorders fitted with a Lanc port	61	5060312083240

Thank You



Audio capture

Audix
JOBY
Rycote

Backgrounds

Colorama
Savage
Superior

Bags

Gitzo
Lowepr
Manfrotto
National Geographic*
Sachtler

* Manufactured under license

Camera accessories

Teradek
Wooden Camera

Distribution, rental & services

Camera Corps
The Camera Store

IP Video

Teradek

Lens control systems

Teradek

Lighting & lighting controls

JOBY
Manfrotto
Litepanels
Quasar Science

Live streaming

Livestream
Teradek

Mobile power

Anton/Bauer

Monitors

SmallHD

Motion control & stabilisers

JOBY
Manfrotto

Prompters

Autocue
Autoscript

Robotic camera systems

Camera Corps
Vinten

Smartphonography

JOBY

Supports

Avenger
Gitzo
JOBY
Manfrotto
OConnor
Sachtler
Vinten

Video transmission systems

Teradek

**Capture.
Share.**